rr (bash alias) launches ranger from the current dir in shell, q quits, Q quits all tabs

Quinton. Mar 2017

```
opens a shell at current dir from ranger (Ctrl-D returns to Ranger, or "exit")
----navigation----
arrows
                traverse in/out of dir's, move up/down lists
                move up 4 lines (mine changed from 10) =my Alt-up
                or i "n" times
{n} i
                move down 4 lines = my Alt-down
                or k "n" times
{n} k
                                                                                  cd /media/-disk-
g {letter}
                quick go to
                                                                  ggm
                new tab made at ~/
gn
                                                                                  config files
                                                                  .number
Ctrl-n
                new tab clone
tab, shift-tab
                switch tab
                                                                                  config dir's
                quit tab, or ranger if only one tab
q
[
                move up 1 dir in same parent
                move down 1 dir in same parent
]
                bookmark the dir x (any letter/digit)
m {x}
        or '{x} go to dir bookmarked x
`{x}
                go to previous dir (go back and forth)
                                move down/up file list
pg up, pg dn, home, end
                update cumulative dir size
dc
du
                show dir content summary
J
                escape Ranger from reading a heavy dir/file
-----file actions----
/
                and enter file name string to navigate [scout -rts]
                search newest file in dir, or next after search with /
n
                previous file after search
Ν
                set the next search order
c..
                set the sort order
٥.,
                focus a file to scroll it, cursors or Enter one line down, Space, end to file end,
i
                        pg dn pg up, mouse roller
                        i to toggle focus, E to edit in nano
                copy
уу
                copy add to buffer (can copy-paste files from multiple directories this way)
       ya
                copy remove from buffer
       yr
                copy all files from selected to bottom of list
уG
                copy all files from selected to top of list
ygg
                copy file plus one file above (my j and k are switched round)
уj
yk
                copy file plus one file below
                cut (also da, dr - to cut from multiple directories, and dG, dgg, dj, dk)
dd
                paste
pp
                paste with over-write
ро
                paste (enqueue)
pР
pO
                paste with over-write (enqueue)
                clears copy/cut buffer, also u y
ud
                copy dir path to X selection (paste in another window with middle mouse button)
yd
                copy dir path and file name to X selection
yp
                copy file name to X selection
yn
Α
                append/edit name
                prepend/edit name
Ι
Ε
                edit file with nano
```

insert touch (enter name of new file)

delete deletes file (no confirm single files by default -can change in conf.rc -set up Trash,

see below)

r open file with program

r1 unpacks selected archive (runs 1<sup>st</sup> option on a file) – can also hit a number and Enter

+/- chmod commands

#### ----sorting----

ot sort by type first os sort by size first oa /oc /om sort by time on sort natural

o{T/S/A/C/M} sort in reverse order from the above modes

or reverse the sort order

#### ----marking----

Space mark

v invert selection, toggle select all if none yet selected

t tag toggle ut remove all tags

T remove any tags of selected files

"{x} custom tag

#### ----operation----

Ctrl-r reload

Ctrl-h, zh toggle hidden files
Ctrl-c cancel operation
Ctrl-l redraw window
z toggle settings

c,; open console to enter commands

s, !, @, # open shell console

?, F1 man pageW message log

11,12,13,14 Enter (on image file) set desktop background with feh (11=scale, 12=tile, 13-center, 14=fill)

## my keybindings

#### changed

h history\_go -1 = Alt-left l history\_go 1 = Alt-right

b toggle multi-select mode (was V)

ub multi-deselect mode
<DELETE> shell -s trash-put %s
du disk usage in order of size
dz disk usage in order of dir name

#### added

## dot-number.. open config files

Alt-up move up 4 lines
Alt-down move down 4 lines
Alt-pgup move up half page
Alt-pgdn move down half page

F9 move up 10 dirs in same parent

F10	move down 10 dirs in same parent
F2	show hidden files
{n}F12	show files of sub-dir's, n levels deep, all in main column, Ctrl-r to reset
\]	find (auto-opens on unambiguous match)
\[	travel (auto-opens and keeps operating until escaped) [scout -aefikst]
\\	mark (files with string are marked when enter is pressed, e.g. of same extension)
	filter (unmatched files are hidden, Ctrl-R to refresh) [scout -iprt]
ga	cd /etc/apt
M	new tab at /media
Ор	open with leafpad
Ow	open with libreoffice (4.1 -need to check version)
On	open file in new term nano (rxvt)
Ol	open file in new term to view
Ot	open dir in new terminal
Vm	view: miller mode
Vt	view: multipane mode

## f.. files, P.. super-user, x.. delete, fa.. audio files, F.. feh, fi.. image files, fv.. video files,

fm	mkdir
ft	touch (create file)
fn	nano (type filename)
fr	rename
fb	bulkrename
fp	pyrenamer %d
f+	make a file executable
fd1	duplicate selected file cp "%f" "%f"_1 -change _1, date etc
fd2	duplicate selected file with infix ~/scripts/duplicate %f -change _1, date-time etc
ff	find files
f\ fc	catfishpath=%d meld %s
fg f?	grep string in files replace string in file(s)
fX	wipe a file clean
y2	zenity "Copy To"
d2	zenity "Move To"
pc	copy selected into highlighted dir (rsync update, also folders)
pm	move selected into highlighted dir (update)
pds	copy buffered files into highlighted dir
pdm	move buffered files into highlighted dir
ps .	sync buffered files into current dir
ytt	sync selected files into dir on next tab
yff	sync selected files from dir on next tab
dtt	move selected files into dir on next tab
dff	move selected files from dir on next tab
ys	save copy buffer to file and then show the file in pager
yb	copy file names in copy buffer to clipboard
ур	copy file name and path to clipboard
yd	copy directory location to clipboard
yn	copy only file names to clipboard
uu	clears copy/cut buffer
p\x	remove files in dir (to "moved/") via list (yn)
p\v	copy files in dir (to "copied/") via list (yn)

#### P.. {my file commands with super user...}

Pm make dir Pt create file Pn nano

Pe edit file with nano open with leafpad

Pr (type new name after) rename file

P+ make a file executable Pw change ownership of a file

#### x.. {my delete commands...}

S-DELETE delete X delete

PX delete as super user

XS shred files

xx1 cd ~/.local/share/Trash/files xx2 cd /media/FILES/.Trash/1000/files xx3 cd /media/VIDEO/.Trash/1000/files

#### F.. {my feh image viewer commands...}

Fs start feh slideshow in dir of images
Fc start slideshow start from current file
Fr start slideshow from selected dir -recursive

Fb set file as background and write it to openbox autostart

#### fi.. {my image file commands...}

fiv edit image with XnViewMP

fip1 googlecl command upload pics to new Picasa album -enter album name in ""

fip2 upload to existing album

fip3 list albums

fipx delete album -name ""

#### fim.. {my mogrify/exiftool commands...}

fim1 convert png to jpeg -progress will be noted by green temp file moving down list reduce jpegs in current dir and place new images in "dir\_a" along-side current dir change image max diameter size '1200x1200' and quality '90' to what you need to use own setting again type s, hit Up and Enter

fim3 reduce jpegs in current dir, OVERWRITE files, 1200pix, 90%

fim4 reduce jpegs RECURSIVELY, start from current dir, OVERWRITE files, 1024pix, 84%

fim5 ~/scripts/image-resize.sh %f fim6 ~/scripts/image-convert.sh %f

fixx strip iptc keywords from selected images

E1 show select exif data for files E2 show all exif data for files

Ed1 adjust date-time by add or subtract, format is yy:mm:dd hh:mm:ss (or 0 no time change)

Ed2 set the date, format: yyyy:mm:dd or yyyy:mm or yyyy, use -dt to set date-time

Ec add or change comment in exif header on selected files (blank will remove comment)

Es add keywords to the xmp header of selected images

Er add rating to images
Ex1 remove all xmp keywords

Ex2 remove ratings

El1 add keywords to files found from clipboard file name list

add ratings to files found from clipboard file name list
--

# fv.. {my video commands...}

gnome-mplayer %s = f-F2 fvg

vlc %s fvv

handbrake-gtk %f fvh avidemux %f fva

#### fvf.. {my ffmpeg commands...}

fvf1 extract audio from video (flv)

#### fa.. {my audio edit commands...}

fae easytag %d faa audacity %f

fa1 convert ogg to mp3

#### ,k.. backup, ,l.. links, ,z.. bashburn, ,d.. directories, ,a.. archives, ,i.. iso, R.. batch renaming

#### ,k.. {my backup commands/scripts...}

- ~/scripts/backup %f ,k1
- cp ~/.config/ranger/\* ~/Settings/ranger/ ,k2
- ,k3 ~/scripts/backup-config-files
- ,k4 gksu sh ~/scripts/backup-sys-files

#### ,l.. {my symlink commands...}

make a symlink to selected dir/file in Links ,||

,IL zenity "Make a Symlink To" -make a symlink in current dir zenity "Re-link To" ,lr -change the target of a symlink

#### ,z.. {my bashburn commands...}

- make a symlink to selected dir/file in bashburn temp dir ,z1
- cd to bashburn temp dir ,z2
- clear bashburn links to ~/Projects/bashburn/<session> (enter dir name) ,z3
- ,zX delete contents from bashburn temp dir
- ,z4 cd to ~/Projects/bashburn
- add links from session to bashburn tmp dir ,z5

#### ,d.. {my directory commands...}

,ds zenity -sync entire contents of current dir with another dir ,dy sync entire contents of current dir with? dir

,dc clone the dir tree of current dir down -creates empty dir's in new dir 1 level up

,do chown -R \$USER %f

count files and folders in current dir .df

mount device with pmount ,mm unmount device with pumount .u

mount sdb1 ,m1 mount sdb2 ,m2

,m3 ,m4	mount sdc1 mount sdc2
,1114 ,m5	mount mmcblk0p1 (SD card)
,1115 ,m6	mount a partition on /media/sda?
	·
,u1-6	unmount options
ej	eject selected external volumes (safely remove) – <b>also F8</b>
,d1	fdisk -l (list partitions)
,d2	blkid (list uuid's)

,a {my archive commands}		
,a1	make zip archive from selected files make 7z archive from selected files	

,i {my iso/dvd commands}	
,i1 ,i2 ,i3 ,i4 ,xx ,cdc	mount iso -need to create /mnt/mounted first unmount the mounted iso burn iso to dvd (`dvd1' or 'dvd2' is usb dvd writer, `dvd' is internal) dd iso to usb ? format a usb stick (repair it) copy audio cd, see my page cd copy
,cdej	eject CDROM /DVDROM

#### R.. {my file renaming commands... }

#### Rr.. replace, Ra.. append, Rp.. prepend, Rn.. numbering, Rc.. cut

Rr1 Replace string - ?=old @=new, use \ to replace in extension ie 's/\?/\@/', use g to replace every occurance, ie 's/?/\@/g'

mode: file-?ame.ext > file-@ame.ext

Rr2 Replace string in files recursively

Rs1 replace spaces with \_ in selected file names

Rs2 replace spaces with \_ recursively from current location

Ru1 change lower case letters to upper case in selected

Ru2 change upper case letters to lower case in selected

Rp1 Prepend to file names -change P, mode: file-name.ext > Pfile-name.ext

Rp2 Prepend numbering: i=0 start from, 2=digits, +1=step,

mode: file-name1.ext > 00file-name1.ext file-name2.ext > 01file-name2.ext

Ra1 Append to selected file names inside ext -change A, mode: file-name.ext > file-nameA.ext

Ra2 Append to selected file names no ext -change A, mode: file-name > file-nameA

Ra3 Append modified date to selected file names, ~/scripts/append-date

mode: file-name.ext > file-name\_130825-1520.ext

Ra4 Append numbering: i=0 start from, 2=digits, +1=step,

mode: file-name.ext > file-name 00.ext, file-name 01.ext

Re1	Prepend exif date to selected file names, ~/scripts/exifdate-prepend mode: file-name.ext > 120806-1134_file-name.ext
Re2	Append exif date to selected file names inside ext, ~/scripts/exifdate-append mode: file-name.ext > file-name_120806-1134.ext
Re3	Rename files from exif date, ~/scripts/exifdate-name mode: file-name.ext > 120806-113422.ext
Rn	Sequential numbering: 0=start from, 3=digits, +1=step, mode: file-name.ext > new-name_000.ext, new-name_001.ext if no ext then change \${file##*.} to ext or remove it
Rc1	Cut any characters from front of selected file names -change 2, mode: file-name.ext > le-name.ext
Rc2	Cut any characters from back of selected file names -change {2, mode: file-name.ext > file-na.ext