

Calculus - lecture 7 : SERIES AND SEQUENCES

- * Sequences (Thomas, 10.1 + Adams, 9.1)
- * Infinite Series (Adams, 9.2)
- * Convergence tests for positive series (Adams 9.3)
- * Absolute and Conditional Convergence

I SEQUENCES

A sequence $\{a_n\}$ = list of numbers $a_1, a_2, \dots, a_n, \dots$ in a given order
term index

usually, sequences are infinite = have no last element

* a sequence can be seen as a function: $f: \mathbb{N} \rightarrow \mathbb{R}: n \rightarrow a_n = f(n)$

Examples: \sqrt{n} , $\frac{1}{n}$, $(-1)^n$ (this is a formula for the general term)


* $a_1 = 1, a_2 = 1, a_n = a_{n-1} + a_{n-2}$ (recursive formula)
 $\hookrightarrow 1, 1, 2, 3, 5, \dots \rightarrow$ FIBONACCI SEQUENCE

* $1, -\frac{x^2}{2}, \frac{x^4}{4!}, \dots$ (a pattern)

\leadsto such sequences/series are powerful ways to approximate (transcendental) functions by polynomials, express irrational numbers,

* main question about sequences: does it converge?

CONVERGENCE: a sequence $a_n \rightarrow L$ if $\forall \epsilon > 0 \exists N \in \mathbb{N}$, such that, if $n > N$, $|a_n - L| < \epsilon$



$\hookrightarrow L$ is the limit of a_n ($\lim_{n \rightarrow \infty} a_n = L$)

\hookrightarrow if the limit does not exist, ~~sequence~~ $\{a_n\}$ DIVERGES

\hookrightarrow if the limit is infinity, a_n DIVERGES TO INFINITY

$a_n \rightarrow \infty$ if $\forall M \exists N$, such that, if $n > N$, $a_n > M$
(analogue for $-\infty$)

Examples: $\frac{1}{n} \rightarrow 0$, $\frac{n}{n+1} \rightarrow 1$, $(-1)^n$ diverges, $n \rightarrow +\infty$

\rightarrow if the sequence can be seen as a real function, i.e. if $f(x)$ ($x \in \mathbb{R}$) is defined for $x \geq n_0$, and $a_n = f(n)$ for $n \geq n_0$, then $\lim_{x \rightarrow \infty} f(x) = L \Rightarrow a_n \rightarrow L$

for example: $\frac{1}{n}$, $\ln n, \dots$

opposite is not true: $\cos(2\pi n)$



