

Computer Networks

BCS1110

Dr. Ashish Sai



Week 4 - Lecture 1 & 2



bcs1110.ashish.nl

JavaCraft Project

Provisional Submission due End of Week 5 (8th Oct)

- What do you need in this report:
 - 1 **JavaCraft's Work Flow** [Not done in labs]
 - Flow chart for the whole game (no need to be very detailed)
 - Pseudocode for the whole game (no need to be very detailed)
 - 2 **Functionality Exploration**
 - [Partially done in labs]
 - Documentation for 35 Functions
 - Flowchart and Pseudocode for 15+ Functions (not 5, not 10 **at least 15**)

- 3 **Finite State Automata (FSA) Design**
 - [Partially done in labs]
- Secret Door Logic Analysis
- FSA Illustration & Description
 - (either DFA/NFA is okay, I think DFA is easier to construct here)
- 4 **Git Collaboration & Version Control**
 - [Already done in labs!]
- Two main tasks:
 - 1 Create a branch on the JavaCraft GitLab instance
 - 2 Each group member makes at least 1 commit to this branch (the content of the commit does not matter)

JavaCraft Project

Final Submission due End of Week 7 (22nd Oct)

Do not wait till the 22nd Oct for submission!

- What do you need in this report:
 - 1 **Everything from Provisional Submission** (you increment on your provisional report, the same document)
 - 2 **Extending the Game Code** [We do this, this week in the lab]
 - At least 2 New Block Types & 1 Craft Recipe Design
 - 3 **Interacting with Flags API** [You can only do this if you submit provisional submission on time]
 - Flags API Exploration & Flag Drawing (Next weeks lab)
 - 4 **Final PDF Compilation** [You do this on your own]



Plan

- Introduction to Networks
- Understanding the Internet
- Application and Services
- Developing for the Web

Introduction to Networks


Part 1/4

Network Basics

- Communication networks share data and information
- Networks link things
- Networks are classified in various ways
- Control affects privacy and security

Shannon's Communication Model

- Claude Shannon described a universal communication model in 1948
- His diagram shows the essence of a network



Network Types: PAN

- **PAN** (Personal Area Network) connects devices within 30 feet, wirelessly
- Serves a single individual
- Used for syncing data, wireless printing, etc.

Network Types: LAN

- **LAN** (Local Area Network) connects PCs in a single building
- Examples: School labs, home networks, Wi-Fi in public places

Network Types: WAN

- **WAN** (Wide Area Network) covers large areas, consists of smaller networks
- Examples: Internet, telephone systems, cable TV, satellite communication


Communication Channels


- **Communication channel:** Medium for information transmission
- **Wired channels:** Use wires and cables
- **Wireless channels:** No cables or wires


Wired Communication Channels

- Includes twisted pair wires, coaxial cables, Category 6 cables, fiber-optic cables

• Fiber-optic
• Network cable, coaxial cables








Security in Wired Channels

- Wired connections are secure
- Difficult to tap without physical access or special equipment



The Creepy, Long-Standing Practice of Undersea Cable Tapping

The newest NSA leaks reveal that governments are probing "the Internet's backbone." by *The Atlantic*

Section III




Regional

Caracas	Havana	Kinshasa	Sofia	Berlin	Pristina	Guatemala City
Tegucigalpa	Panama City	Lusaka		Bangkok	Tirana	RESC
Geneva	Bogota	Budapest		New Delhi	Phnom Penh	
Athens	Mexico City	Prague		Frankfurt	Sarajevo	Milan
Rome	Brasilia	Rangoon		Paris		La Paz
Quito	Managua	Lagos		Zagreb		Langley
San Jose		Vienna			Vienna Annex	Reston

FORNSAT

STELLAR	INDRA
SOUNDER	IRON SAND
SNICK	JACKKNIFE
MOONPEN	CARBOY
NY	TIMBERLIN
LADYLOVE	E



The logo consists of the word "FAIRVIEW" in a bold, sans-serif font. The letters are arranged in a perspective view, appearing to recede towards the right. The color of the letters transitions from a bright yellow at the top to a deep orange-red at the bottom, giving it a three-dimensional, illuminated appearance.

Dataflow Diagrams

April 2012

Note: Please refer to previous diagrams for decommissioned systems.

Derived From: NSA/CSSM 1-52
Dated: 20070108
Declassify On: 20361101

Pros & Cons of Wired Connections


- Pros: Shielded, dependable, secure
- Cons: Costly, limited mobility, easy to damage

Wireless Communication Channels

- Uses radio signals, microwaves
- RF (Radio frequency) signals sent by transceivers with antennas

Wireless Devices & Transceivers

- Devices have transceivers for sending and receiving data
- Includes an antenna



Microwaves in Communication

- Microwaves are directional, high-capacity signals
- Used for large corporate networks

Pros & Cons of Wireless Communication

- Advantages: Mobility, no cables, less power spikes
- Disadvantages: Speed, range, security, licensing

Bandwidth in Communication Channels

- **Bandwidth:** Transmission capacity
- **Broadband:** At least 25 Mbps (million bits each second)
- **Narrowband:** Slower than 25 Mbps (million bits each second)

Bandwidth = transmission capacity of a channel


SERVICE	Recommended Download	Recommended Upload
Zoom video calling and screen sharing	600 Kbps	600 Kbps
Zoom video calls (HD)	1.2 Mbps	1.2 Mbps
Zoom group calling	2 Mbps	2 Mbps
Netflix movie on a laptop computer	1 Mbps	
Netflix SD movie on a TV	2 Mbps	
Netflix 720p HD movie	4 Mbps	
Netflix "best video and audio experience"	5 Mbps	
YouTube basic videos	500 Kbps	
YouTube movies, TV shows, and live events	1 Mbps	
Amazon Prime Instant Video (SD)	900 Kbps	
Amazon Prime Instant Video (HD)	3.5 Mbps	
Netflix and Amazon Prime 4K Streaming Video	15–25 Mbps	

Overview of Network Topology


Types of Network Topology

- Topology: structure and layout of network components
 - Point-to-point: connects peripheral devices to a host
 - Star: connects devices to a central device
 - Mesh: connects devices to each other, full or partial
 - Bus: connects devices in a linear sequence

Network Topology Diagram




Ring




Mesh

partial




Star




Fully Connected


full mesh



Line



Tree



Bus

Introduction to Network Nodes

- Node: any device on a network
- DTE (Data Terminal Equipment): stores or generates data
- DCE (Data Communication Equipment): controls data speed, signal conversion, error checking, and routing

↳ routers, modems, Access Points, Switch

DTE / DCE : Data Terminal Equipment
Data Comm. Equipment




client
server
data

Devices as Network Nodes

- Router: controls data flow and acts as a gateway
- Modem: converts signals for communication channels

Specialized Network Nodes

- DCEs like routers, switches, and hubs extend home network range



Introduction to the Internet


Part 2/4

What is the Internet?

- A global system of computers connected together
- A network of networks!
- Designed to be redundant – can reach a computer through multiple paths
- Hierarchical – organized into ever smaller groups (like mail addresses)
- Internet allows computers to send information (bytes) to each other

The Birth of the Internet


- Started in 1957 in response to Sputnik
- U.S. initiative led to ARPA
- ARPANET in 1969 connected **four** universities
 - ↳ Stanford and others in California



Evolution of Internet Usage

- Early use: email, file transfer, scientific calculations
- 1990s: user-friendly tools, public subscriptions
- Today: 15,14 billion nodes, 5,19 billion users, over 330000000 Terabytes (or 0.33 Zettabytes) of daily data

Whenever you use a website, you are connected to a large network of computers on the internet




Client Server Network Model

Server: You can think of a Server as a power computer that can provide resources or services to one or more clients.

Client is a computing device (can be a phone or a supercomputer) that needs access to the resources of services provided by your server. The client is connected to a network of computers (your server should be connected to this network as well).


Most servers tend to have a *one-to-many relationship* with clients



Client-Server Model

Loading a Website

- **Client:** Your computer
- **Server:** Another computer at the URL (e.g. bcs1110.ashish.nl)
- **Request:** Ask for a webpage (with a URL)
- **Process:**
 1. Client asks the server for the information (request)
 2. Request is sent to the server through a sequence of routers
 3. Server decodes the request, sends back the information (response)
 4. Client interprets the response



Use `traceroute` to see the how your computer finds bcs1110

Reminder

- What do we mean by the internet?
 - A network of networks
- What do we mean by the internet?
 - It is a WAN in which all computers communicate using a **standardized protocol** known as IP.

Accessing Information: URLs

Understanding URLs

- **URL:** Uniform Resource Locator
- **Protocol:** Rules for the information (e.g., http)
- **Domain Name:** Gets converted to an IP address via a Domain Name Server (DNS)
- **IP Address:** Computer-readable (e.g., 142.250.179.142 for google.com)
- **Hierarchy:** Each byte of the address gets more specific
- **Example:** Try 145.20.124.148 (`traceroute ou.nl`)

Challenges of the Internet

- Key Questions
 - How does the receiving computer interpret the response?
 - How to communicate across multiple operating systems?
 - How to ensure all information was transferred?
 - How to handle multiple requests and responses to the same router?
 - How do routers know where to send the information?

Standardized Protocols

- A *protocol specifies how the communication is handled by establishing a standardized vocabulary.*
- A protocol can usually specify **two things:**
 - **Hardware** details such as the frequency at which the data is transmitted
 - **Software** details such as the representation of an address (name) in the network
 - | TCP/IP is the protocol suite used for the Internet

TCP/IP Protocol

- Rules for sending information between computers
- Developed by the US Department of Defense, used by everyone

Application Layer

Transport Layer

Internet Layer

Network Layer

1. **Network Layer:** Captures the physical aspects of data transmission such as the media used (wire/wireless) and the hardware related protocols.
2. **Internet Layer:** Looks after the logical transmission of data. We define the logical address (IP) of our devices connected to the Internet in this layer.
3. **Transport Layer:** This layer is responsible for end-to-end communication, specifically error-free transfer. Example: TCP and UDP protocols.
4. **Application Layer:** This is where your server needs to define its networking preferences such as using SSL etc.

Application Layer

ARRIVAL PROTOCOLS

- Facilitate data conversion and interpretation for specific applications
 - Define rules for data presentation (HTML/CSS), encryption, and session management (cookies 🍪)¹
 - (1) Data presentation rules
 - (2) Encryption (SSL)
 - (3) Session management
1. These are not the nice kind of cookies 😊
- 

Application Layer Protocols (HTTP)

- **HTTP (Hypertext Transfer Protocol):**
Used for web browsing,
defines how web
browsers and servers
communicate
 - 200s: all is good
 - 400s: client errors
 - 500s: server errors



404

Not Found

Application Layer Protocols (SMTP)

- **SMTP (Simple Mail Transfer Protocol)**: Used for email transmission between mail servers

	IMAP	SMTP
Server	outlook.office365.com	smtp.office365.com
Port	993	587
Encryption method	SSL	(START)TLS
Authentication method*	OAuth2	OAuth2
Username	e-mail address	e-mail address
Password	UM–password	UM–password



Break

Do not leave your
seats (5 Min)

- Make this course
better, do the
survey now
(please)



Transport Layer

Application Layer

Transport Layer

Internet Layer

Network Layer

Transport Layer Protocols

- Responsible for end-to-end communication and data integrity
- Handle data segmentation, sequencing, error correction, and flow control
- **TCP (Transmission Control Protocol)**: Ensures reliable communication, confirms data receipt, retransmits lost data
- **UDP (User Datagram Protocol)**: Faster but less reliable, suitable for real-time applications like video streaming


Transmission Control Protocol (TCP)

- **Functionality:**

- (1) – Separates information into chunks (packets)
- (2) – Sends and reassembles packets
- (3) – Ensures information is complete and correct

Understanding Packets

- Packet: data parcel sent across a network
- TCP and UDP: core Internet protocols for data handling



Internet Layer

Application Layer

Transport Layer

Internet Layer

Network Layer

Internet Protocols: IP Addresses

- Most computing networks are connected to *the Internet*. Thus, they **adhere** to the **TCP/IP protocol** (this includes your *phone*, *laptop*, and maybe even *your cat litter tray* 🐱)
- Every device that is connected to the internet is assigned a **unique 4-byte IP address**:
 - E.g., www.ou.nl is 145.20.124.148 ¹
 - If we pass the IP address to our router, it knows how to find the computer with that address.

IPv4 → 4 bytes ; IPv6 → 16 bytes

1. This is an example of IPv4, there is a newer version of IP that has a different structure with 16-byte addresses.

Static and Dynamic IP

- You get your IP address through the ISP when using the Internet.
 - Most devices do not always need *internet services*; thus, assigning a unique IP address to each device is **wasteful**.
-

Type	Description
Static	Your IP address does not change (useful for web servers – the OU address from last slide is an example of a static IP address)
Dynamic	These IP addresses change frequently (your phone, laptop and other personal devices tend to have dynamic IP address)

Private and Public IP

- At times it does not make sense to get an IP address from your ISP. For e.g., if you want to access a server (e.g., Maastricht University's Gitlab, Canvas) from the local area network of UM.
- To simplify the IP address allocation and deallocation process, we have two classes of IP addresses: Public and Private IP addresses.


Type	Description
Public	This IP address is accessible from anywhere on the Internet
Private	Private IP addresses are only valid within in a local network (household, campus etc)

If you Google your **IP address**,
you are presented with your
public addresses as web servers
outside your local network
(such as *Google*) do not know
your **private address**.

Internet Addresses: Summary

- Controlled by IP, static and dynamic addresses
- IPv4 and IPv6 standards
- Private IP addresses and public IP routing





Domain Names and DNS

- Domain name: easy-to-remember IP address
- DNS: tracks domain names and IP addresses
- Top-level domains: .edu, .org, etc.
- DNS spoofing: unauthorized changes



DNS Spoofing



Network Layer

Application Layer

Transport Layer

Internet Layer

Network Layer

Network Layer

- Define the physical connection between devices
- Specify cable types, signal standards, and data rates
- **Ethernet:** Standard for wired connections, using twisted-pair or coaxial cables
- **Wi-Fi:** Standard for wireless connections, using radio frequency (RF) technology
- **Communication:** Handles communication to/from router


Hardware for Computer Networks & The Internet

Internet Governance

- No single entity runs the Internet
- Governed by shared protocols, procedures, technologies (standardisation)
- Supervised by ICANN (Internet Corporation for Assigned Names and Numbers)


Internet Infrastructure: Overview

- Structure: Tier 1 networks form the Internet backbone
- Maintained by ISPs (Internet Service Providers), data exchanged at IXPs (Internet exchange point)



Hardware for Computer Networks: Routers

- A router helps us forward packets to the clients and servers. Routers also help us handle the allocation and deallocation of Private IP addresses.





Application and Services

Part 3/4



This symbol on the slide means this content will not be in your exam



Servers and Backend

- **Recall:** Requests go to a server, which returns a response
- **Focus:** How do servers figure out what information to return?
 - Google
 - Facebook



Client-Server Model from a Software Side

– **Server:**

- Your server is a piece of software that runs on a computer to cater to requests from other software applications.
- Whenever you open a web page, you go through the networking infrastructure and reach a device that has software for the server. You can configure your server software using programming languages such as Python, Java, and JavaScript.

– **Client:**

- Like a Server, the client is also a piece of software capable of communicating over the network. We do not have to look at the networking hardware-specific details in client software. These clients often directly interact with the application layer of the TCP/IP model.



Type of Server	Description
Web Servers	Networked computing devices that serve web pages
Email Servers	Computing devices that can facilitate email exchanges
Game Servers	A multiplayer online game requires a centralized coordination point; it is usually a networked computer designed to handle the in-game interaction among many players, e.g., CS Go, Minecraft servers.
Real-Time Communication Servers	Instant messaging applications require specialized computing devices that can facilitate real-time communication.
Application Server	Specialized application-specific servers that serve a specific purpose for a client application. These servers often implement a programmable interface for client applications known as API.



Information Storage: Databases

- Understanding Databases
 - **Strength:** Ability to store and process information
 - **Structure:** Like a giant Excel sheet with many rows
 - **View:** Choose certain columns or filter rows with specific features
 - **Example Query:** Finding users in Maastricht with specific login and friend request criteria
 - **Basic Idea:** Store vast information, search based on requests



Power of Data

- Discussion
- **Question:** What sorts of data do you think your favourite websites store?



Power of Data

- Discussion
- **Question:** What sorts of data do you think your favourite websites store?
- **Rule of Thumb:** Every click, view, and mouse hover is recorded
- **Usage:** Understanding user behaviour, popular content, and user preferences



Google: Getting Information

- Indexing the Internet
- **Process:** "Spiders" or "Googlebots" crawl and index the internet
- **Method:** Start on a page, index that page, follow all outbound links
- **Storage:** All information is stored in a database, including words on pages



Google: Evaluating Relevance

- How Google Ranks Pages
 - **Request:** Includes search terms
 - **Analysis:** Derive meaning using Natural Language Processing
 - **Search:** Look for terms, synonyms, and title relevance
 - **PageRank:** Measure of website importance, similar to academic citations



Facebook: Storing Friends

- Social Network Structure
- **Graph:** Represents friendships
 - Nodes = People
 - Edges = Friendships
- **Other Graph Uses:** Internet, road networks, disease outbreaks, company hierarchies





Internet Advertisements

- Targeting and Bidding
- **Targeting Methods:**
 - Individuals (Facebook)
 - Search terms (Google)
 - Search history (third-party cookies)
- **Campaigns:** Have a budget and bid per view or click
- **Ad Placement:** Based on bids



Another Note About Ads

- Explore Your Ad Profile
 - Facebook
 - Google

Developing for the Web

Part 4/4

We will cover this (4/4) in Week 5 Lab

Distributed Systems: Theory


- Problem and Solution
 - **Problem:** Expensive memory and CPU
 - **Idea:** Link cheap computers into a "giant" computer
 - **Method:** Each computer solves/stores part of the problem
- **Challenges:**
 - Computer failures
 - Storing information across multiple computers
 - Waiting for all computers to finish calculations

AWS (Amazon Web Services)

- Amazon's Revenue Source
- **Revenue:** \$80 billion in 2012
- **Services:**
 - Manages servers (cheaper, scalable)
 - Amazon S3 (storage, e.g., Piazza)
 - Easy website hosting

Programming the communication with a Server

- Application Programming Interface acts as an intermediary between two applications (usually client and server).
- APIs define what operations can be performed on the server and how those operations can be executed, and the data format used for communication.



APIs (Application Programming Interfaces)

- Abstraction and Access
 - **Concept:** Abstraction – use without knowing how it works
 - **Definition:** Set of commands for data access
 - **Availability:** Many companies offer APIs (e.g., Twitter, NASA)

Serilizing and Deserializing Data

An iOS application is usually written in Swift; however, most of the server-side applications are usually programmed in Python, Java, JavaScript, or PHP.



Formatting Data

- Structuring Data for APIs
 - **Organization:** Data must be well-organized
 - **Format:** Commonly use **JSON**¹ ; alternative is **XML**
 - **Example:** Structured class information

```
"class": {  
    "name": "BCS1110",  
    "students": ["Ashish", "Tom"],  
    "location": {"building": "PHS", "number": "20", "capacity": 100}  
}
```

1. JavaScript Object Notation

**See you in the
lab!**



Over to Dr. Tom Bitterman now