

Práctica 3 – Reglas en el firewall

```
C:\Users\Alvaro>ping 192.168.0.108

Pinging 192.168.0.108 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.0.108:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),


C:\Users\Alvaro>ping 192.168.0.108

Pinging 192.168.0.108 with 32 bytes of data:
Reply from 192.168.0.108: bytes=32 time<1ms TTL=128
Reply from 192.168.0.108: bytes=32 time<1ms TTL=128
Reply from 192.168.0.108: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.0.108:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

Por defecto el ping en Windows 7 viene desactivado. Eso implica, que al hacer un ping desde una máquina a la nuestra, esta no va a responder.



1. Arranca una máquina virtual con Windows 7 y hazle un ping a ver si contesta. Pon captura de pantalla.







2. Activa el ping en Windows 7 como se indica a continuación:



<http://asircierva.blogspot.com.es/2013/04/habilitar-ping-windows-7.html>

Saca capturas de pantalla y ponlas en este documento.










3. Prueba a hacer un ping ahora. Pon captura de pantalla.



```
super@ubuntu: ~  
Direc. inet:127.0.0.1 Másc:255.0.0.0  
Dirección inet0: ::1/128 Alcance:Anfitrión  
ACTIVO BUCLE FUNCIONANDO MTU:65536 Métrica:1  
Paquetes RX:107 errores:0 perdidos:0 overruns:0 frame:0  
Paquetes TX:107 errores:0 perdidos:0 overruns:0 carrier:0  
colisiones:0 long.colatx:0  
Bytes RX:8145 (8.1 KB) TX bytes:8145 (8.1 KB)  
  
super@ubuntu:~$ ping 192.168.0.109  
PING 192.168.0.109 (192.168.0.109) 56(84) bytes of data.  
64 bytes from 192.168.0.109: icmp_seq=523 ttl=128 time=4.93 ms  
64 bytes from 192.168.0.109: icmp_seq=524 ttl=128 time=2.54 ms  
64 bytes from 192.168.0.109: icmp_seq=525 ttl=128 time=0.333 ms  
64 bytes from 192.168.0.109: icmp_seq=526 ttl=128 time=1.09 ms  
64 bytes from 192.168.0.109: icmp_seq=527 ttl=128 time=1.44 ms  
64 bytes from 192.168.0.109: icmp_seq=528 ttl=128 time=1.17 ms  
64 bytes from 192.168.0.109: icmp_seq=529 ttl=128 time=1.09 ms  
64 bytes from 192.168.0.109: icmp_seq=530 ttl=128 time=1.04 ms  
64 bytes from 192.168.0.109: icmp_seq=531 ttl=128 time=1.12 ms  
64 bytes from 192.168.0.109: icmp_seq=532 ttl=128 time=2.35 ms  
64 bytes from 192.168.0.109: icmp_seq=533 ttl=128 time=1.13 ms  
64 bytes from 192.168.0.109: icmp_seq=534 ttl=128 time=1.08 ms  
64 bytes from 192.168.0.109: icmp_seq=535 ttl=128 time=2.58 ms  
64 bytes from 192.168.0.109: icmp_seq=536 ttl=128 time=2.12 ms
```