

Laboratory practice No. 3: LinkedList

David Calle Gonzales
Universidad Eafit
Medellín, Colombia
dcalle@eafit.edu.co

Julian Ramirez Giraldo
Universidad Eafit
Medellín, Colombia
jramirezg@eafit.edu.co

3) Practice for final project defense presentation

EJERCICIO 1.1	
COMPLEJIDAD NOMBRE-DEFINITIVA	$O(n)$
COMPLEJIDAD NOTAS-MATERIAS	$O(n)$

3.1

3.2 The input is entered and the "sol" lists that will be the solution and "aux" that will serve as an auxiliary are created, in addition to the "st" condition that will be explained later and that starts with a False value.

then character by character will be analyzed to decide if it is a letter or one of the special symbols either start or end; in case of being a normal character, the ConditionedUnion function will be executed which, if there is something in the auxiliary list, will add this to the beginning of the solution; if the character read is "[", ConditionedUnion will be executed to prevent the case of 2 "[" in a row, and the auxiliary list will be cleared, also, the condition st, which indicates that the start of the line was entered, will become True .

Now, if the condition st is true, the following elements will be added to the auxiliary list until a "]" or end of line is reached, in which case the st will become false and the code will keep going.

At the end of the code a final ConditionedUnion will be executed to add what is missing in the auxiliary list.

3.3 in the worst case (there is a "[" at the beginning) $T(n) = n * n + n$ complexity is $O(n^2)$ where n is the number of characters in the list.

3.4 the first n is because of the for cycle, the second one is for adding each element to the aux list at the end of it, and the third one is for combining both aux and sol lists with ConditionedUnion, because the function has to go through every element in aux.

this could be more efficient using circlly linked lists, this way the complexity could be $O(n)$

4) Practice for midterms

- 4.1) a
- 4.2) c
- 4.3 a) `q.size() > 1`
- 4.3 b) `<=`
- 4.3 c) `q.remove()`
- 4.3 d) `q.remove()`
- 4.4 a) `lista.size()`
- 4.4 b) `lista.add(auxiliar.pop)`
- 4.5.1) `auxiliar1.size() > 0 // auxiliar2.size() > 0`
- 4.5.2) `personas.offer(edad)`
- 4.6) a
- 4.7) c
- 4.8.1) a
- 4.8.2) c
- 4.8.3) c
- 4.9.1) d
- 4.9.2) c
- 4.9.3) b
- 4.10.1) c
- 4.10.2) b
- 4.11.1) `s1.size() > 0`
- 4.11.2) `s1.pop()`
- 4.11.3) `s2.pop()`
- 4.12.1) iv
- 4.12.2) i
- 4.13.1) iii
- 4.13.2) iii
- 4.14) iii

5) Recommended reading (optional)

PhD. Mauricio Toro Bermúdez


Professor | School of Engineering | Informatics and Systems

Email: mtorobe@eafit.edu.co | Office: Building 19 – 627

Phone: (+57) (4) 261 95 00 Ext. 9473

ESTRUCTURA DE DATOS 1

Código ST0245



6) Team work and gradual progress (optional)

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems

Email: mtorobe@eafit.edu.co | Office: Building 19 – 627

Phone: (+57) (4) 261 95 00 Ext. 9473

ESTRUCTURA DE DATOS 1

Código ST0245



PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems

Email: mtorobe@eafit.edu.co | Office: Building 19 – 627

Phone: (+57) (4) 261 95 00 Ext. 9473