

Homework 8

Combinatorics

You are allowed and encouraged to work together on homework. Yet, each student is expected to turn in his or her own work. In general, late homework will not be accepted. However, you are allowed to turn in **up to two late homework assignments with no questions asked**. When doing your homework, I encourage you to consult the [Elements of Style for Proofs](#). Unless otherwise indicated, submit each of the following assignments via BbLearn by the due date. You will need to capture your handwritten work digitally and then upload a PDF to BbLearn. There are many free smartphone apps for doing this. I use TurboScan on my iPhone.

Reviewing material from previous courses and looking up definitions and theorems you may have forgotten is fair game. However, when it comes to completing assignments for this course, you should *not* look to resources outside the context of this course for help. That is, you should not be consulting the web, other texts, other faculty, or students outside of our course in an attempt to find solutions to the problems you are assigned. This includes Chegg and Course Hero. On the other hand, you may use each other, the textbook, me, and your own intuition. **If you feel you need additional resources, please come talk to me and we will come up with an appropriate plan of action.** Please read NAU's [Academic Integrity Policy](#).

Complete the following problems.

1. Recall the definition of the Bell numbers given in Problem 2 on Homework 5. Define the exponential generating function for the Bell numbers via

$$B(t) := \sum_{k \geq 0} B_k \frac{t^k}{k!}.$$

- (a) Prove that $B'(t) = e^t B(t)$.
 - (b) Notice that the equation in part (a) is a differential equation. Taking for granted that we can formally integrate as expected, solve this differential equation to obtain a closed form for the exponential generating function for the Bell numbers.
2. Complete Problem 1.15 from textbook.
 3. Recall the definition the Mahonian numbers given in Problem 1 on Homework 7. Prove that the number of permutations in S_n with k inversions equals the number of permutations in S_n with $\binom{n}{2} - k$ inversions. That is, prove that for $n \geq 1$ and any $0 \leq k \leq \binom{n}{2}$, we have

$$I_{n,k} = I_{n,\binom{n}{2}-k}.$$

4. TBD
5. Complete Problem 2.1 from textbook.
6. Complete Problem 2.3 from textbook.
7. Complete Problem 2.6 from textbook.