



# DDI Alliance Controlled Vocabulary for CommonalityType

---

## CV definition

Describes the degree of similarity between two items or schemes (collections of items).

---

## Details

CV short name: CommonalityType

CV name: Commonality Type

CV notes:

This vocabulary was first published by the DDI Alliance. Please see: <https://ddialliance.org/controlled-vocabularies/all>

Language: English (en)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.0.

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency:

---

## Code list

Code value	Code descriptive term	Code definition
Identical	Identical	Use when the compared items have identical content. For variables, for example, all the elements of a variable description (name, label, question text, category values and codes, universe, concept) will be identical in form.
Some	Some	Use when the compared items have similar but not identical content. For variables, for example, some of the elements of a variable description (name, label, question text, category values and codes, universe, concept) will be identical in form, while others will be different.
None	None	Normally not used, as it would not be expected to compare items that have nothing in common. This term was necessary to complete the commonality range, and may be used in special cases, as determined by user needs (for instance, when comparability was expected, but not found).

---

## Deprecated codes list

---

### Usage

#### [DDI-L 3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI-L 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI-C 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Commonality Type (Version 1.0) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0.2>



# DDI Alliance Controlled Vocabulary for CommonalityType

---

## CV definition

Describes the degree of similarity between two items or schemes (collections of items).

---

## Details

CV short name: CommonalityType

CV name: Commonality Type

CV notes:

This vocabulary was first published by the DDI Alliance. Please see: <https://ddialliance.org/controlled-vocabularies/all>

Language: English (en)

Version: 1.0.0

Version notes:

Version changes:

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0>

Agency: [DDI Alliance](#)

Translator Agency:

---

## Code list

Code value	Code descriptive term	Code definition
Identical	Identical	Use when the compared items have identical content. For variables, for example, all the elements of a variable description (name, label, question text, category values and codes, universe, concept) will be identical in form.
Some	Some	Use when the compared items have similar but not identical content. For variables, for example, some of the elements of a variable description (name, label, question text, category values and codes, universe, concept) will be identical in form, while others will be different.
None	None	Normally not used, as it would not be expected to compare items that have nothing in common. This term was necessary to complete the commonality range, and may be used in special cases, as determined by user needs (for instance, when comparability was expected, but not found).

---

## Deprecated codes list

---

### Usage

#### [DDI-L 3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI-L 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI-C 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Commonality Type (Version 1.0) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0>



# DDI Alliance Controlled Vocabulary for CommonalityType

---

## CV definition

Beskriver graden af lighed mellem to elementer eller skemaer (samling af elementer).

---

## Details

CV short name: CommonalityType

CV name: Type af ensartethed

CV notes:

Language: Danish (da)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.1.

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency: [Danish National Archives](#)

---

## Code list

Code value	Code descriptive term	Code definition
Identical	Identisk	Anvend når de sammenlignede elementer har identisk indhold. For variable, for eksempel, vil alle elementer af en variabelbeskrivelse (navn, label, spørgsmålstekst, kategoriværdier og koder, univers, begreb) være identisk i form.
Some	Nogen	Anvend når de sammenlignede elementer har lignende, men ikke identisk indhold. For variable, for eksempel, vil nogle elementer af en variabelbeskrivelse (navn, label, spørgsmålstekst, kategoriværdier og koder, univers, begreb) være identisk i form, mens andre vil være forskellige.
None	Ingen	Normalt ikke anvendt, da det ikke vil forventes at sammenligne elementer, der ikke har noget til fælles. Dette udtryk var nødvendigt for at færdiggøre rækkevidden af ensartethed og må anvendes i specielle tilfælde, som bestemmes af brugerbehov (for eksempel, når sammenlignelighed var forventet, men ikke fundet).

---

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Type af ensartethed [Commonality Type] (Version 1.0.1; Danish National Archives, Transl.) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0.2>



# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Beskriver graden af lighed mellem to elementer eller skemaer (samling af elementer).

## Details

CV short name:	CommonalityType
CV name:	Type af ensartethed
CV notes:	
Language:	Danish (da)
Version:	1.0.1
Version notes:	
Version changes:	
Canonical URI:	<a href="urn:ddi:int.ddi.cv:CommonalityType:1.0">urn:ddi:int.ddi.cv:CommonalityType:1.0</a>
Agency:	<a href="#">DDI Alliance</a>
Translator Agency:	<a href="#">Danish National Archives</a>

## Code list

Code value	Code descriptive term	Code definition
Identical	Identisk	Anvend når de sammenlignede elementer har identisk indhold. For variable, for eksempel, vil alle elementer af en variabelbeskrivelse (navn, label, spørgsmålstekst, kategoriværdier og koder, univers, begreb) være identisk i form.
Some	Nogen	Anvend når de sammenlignede elementer har lignende, men ikke identisk indhold. For variable, for eksempel, vil nogle elementer af en variabelbeskrivelse (navn, label, spørgsmålstekst, kategoriværdier og koder, univers, begreb) være identisk i form, mens andre vil være forskellige.
None	Ingen	Normalt ikke anvendt, da det ikke vil forventes at sammenligne elementer, der ikke har noget til fælles. Dette udtryk var nødvendigt for at færdiggøre rækkevidden af ensartethed og må anvendes i specielle tilfælde, som bestemmes af brugerbehov (for eksempel, når sammenlignelighed var forventet, men ikke fundet).

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Type af ensartethed [Commonality Type] (Version 1.0.1; Danish National Archives, Transl.) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from: <http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0>





# DDI Alliance Controlled Vocabulary for CommonalityType

---

## CV definition

Beskriver graden av likhet mellom to elementer eller skjemaer (samling av elementer)

---

## Details

CV short name: CommonalityType

CV name: Type ensartethet

CV notes:

Language: Norwegian (no)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.1.

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency: [NSD - Norwegian Centre for Research Data](#)

---

## Code list

Code value	Code descriptive term	Code definition
Identical	Identisk	Bruk når de sammenliknede elementene har identisk innhold. For variabler, for eksempel, alle elementene av en variabelbeskrivelse (navn, label, spørsmålstekst, kategoriverdier og koder, univers og begrep) vil være identiske i form.
Some	Noen	Bruk når de sammenliknede elementene har like, men ikke identisk innhold. For variabler, for eksempel, noen av elementene i en variabelbeskrivelse (navn, label, spørsmålstekst, kategorieverdier og koder, univers, begrep) vil ha identisk form, mens andre vil være forskjellige.
None	Ingen	Vanligvis ikke brukt ettersom en ikke forventer at en sammenlikner elementer som ikke har noe til felles. Dette uttrykket var nødvendig for å fullføre typene av ensartethet og kan bli brukt i spesielle tilfeller som bestemmes av brukerbehov (for eksempel, når sammenliknbarhet var forventet, men ikke funnet).

---

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). CommonalityType [Type ensartethet] (Version 1.0.1) [Controlled vocabulary].

CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0.1. Available from:

<http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0.2>



# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Beskriver graden av likhet mellom to elementer eller skjemaer (samling av elementer)

## Details

CV short name:	CommonalityType
CV name:	Type ensartethet
CV notes:	
Language:	Norwegian (no)
Version:	1.0.1
Canonical URI:	<a href="urn:ddi:int.ddi.cv:CommonalityType:1.0">urn:ddi:int.ddi.cv:CommonalityType:1.0</a>
Agency:	<a href="#">DDI Alliance</a>
Translator Agency:	<a href="#">NSD - Norwegian Centre for Research Data</a>

## Code list

Code value	Code descriptive term	Code definition
Identical	Identisk	Bruk når de sammenliknede elementene har identisk innhold. For variabler, for eksempel, alle elementene av en variabelbeskrivelse (navn, label, spørsmålstekst, kategoriverdier og koder, univers og begrep) vil være identiske i form.
Some	Noen	Bruk når de sammenliknede elementene har like, men ikke identisk innhold. For variabler, for eksempel, noen av elementene i en variabelbeskrivelse (navn, label, spørsmålstekst, kategorieverdier og koder, univers, begrep) vil ha identisk form, mens andre vil være forskjellige.
None	Ingen	Vanligvis ikke brukt ettersom en ikke forventer at en sammenlikner elementer som ikke har noe til felles. Dette uttrykket var nødvendig for å fullføre typene av ensartethet og kan bli brukt i spesielle tilfeller som bestemmes av brukerbehov (for eksempel, når sammenliknbarhet var forventet, men ikke funnet).

## Deprecated codes list

--

## Usage

### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

## Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). CommonalityType [Type ensartethet] (Version 1.0.1) [Controlled vocabulary].

CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0.1. Available from:

<http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0>



# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Descreve o grau de similitude entre dois itens ou esquemas.

## Details

CV short name: CommonalityType

CV name: Tipo de convergência/uniformidade

CV notes:

Language: Portuguese (pt)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.1.

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency: [Arquivo Português de Informação Social](#)

## Code list

Code value	Code descriptive term	Code definition
Identical	Idêntico	Usar quando os itens comparados têm conteúdo idêntico. Para variáveis, por exemplo, todos os elementos da descrição de uma variável (nome da variável, label, texto da questão, valores e códigos de categoria, universo, conceito) serão idênticos na forma.
Some	Algum	Usar quando os itens comparados têm conteúdo semelhante, mas não idêntico. Para variáveis, por exemplo, alguns dos elementos da descrição de uma variável (nome da variável, label, texto da questão, valores e códigos de categoria, universo, conceito) serão idênticos na forma, enquanto outros serão diferentes.
None	Nenhum	Normalmente não é usado, pois não seria esperado comparar itens que não têm nada em comum. Este termo foi necessário para completar as diferentes possibilidades de grau de similitude entre os itens e pode ser usado em casos especiais, consoante as necessidades do utilizador (por exemplo, quando a comparabilidade era expectável, mas não foi

Code value	Code descriptive term	Code definition
		encontrada).

---

## Deprecated codes list

--

## Usage

### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

## Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Tipo de convergência/uniformidade [Commonality Type] (Version 1.0.1; Arquivo Português de Informação Social, Transl.) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0.2>



# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Descreve o grau de similitude entre dois itens ou esquemas.

## Details

CV short name:	CommonalityType
CV name:	Tipo de convergência/uniformidade
CV notes:	
Language:	Portuguese (pt)
Version:	1.0.1
Version notes:	
Version changes:	
Canonical URI:	<a href="urn:ddi:int.ddi.cv:CommonalityType:1.0">urn:ddi:int.ddi.cv:CommonalityType:1.0</a>
Agency:	<a href="#">DDI Alliance</a>
Translator Agency:	<a href="#">Arquivo Português de Informação Social</a>

## Code list

Code value	Code descriptive term	Code definition
Identical	Idêntico	Usar quando os itens comparados têm conteúdo idêntico. Para variáveis, por exemplo, todos os elementos da descrição de uma variável (nome da variável, label, texto da questão, valores e códigos de categoria, universo, conceito) serão idênticos na forma.
Some	Algum	Usar quando os itens comparados têm conteúdo semelhante, mas não idêntico. Para variáveis, por exemplo, alguns dos elementos da descrição de uma variável (nome da variável, label, texto da questão, valores e códigos de categoria, universo, conceito) serão idênticos na forma, enquanto outros serão diferentes.
None	Nenhum	Normalmente não é usado, pois não seria esperado comparar itens que não têm nada em comum. Este termo foi necessário para completar as diferentes possibilidades de grau de similitude entre os itens e pode ser usado em casos especiais, consoante as necessidades do utilizador (por exemplo, quando a comparabilidade era expectável, mas não foi encontrada).

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Tipo de convergência/uniformidade [Commonality Type] (Version 1.0.1; Arquivo Português de Informação Social, Transl.) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0>





# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Opisuje stepen sličnosti između dve stavke, predmeta ili teme (zbirke stavki).

## Details

CV short name: CommonalityType

CV name: Vrste sličnosti

CV notes:

Language: Serbian (sr)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.1.

Canonical URI: <urn:ddi:int.ddi.cv:CommonalityType:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency: [Data Centre Serbia for Social Sciences \(DCS\)](#)

## Code list

Code value	Code descriptive term	Code definition
Identical	Istovetno / identično	Koristite kada stavke koje poredite imaju identičan sadržaj. Na primer, za promenljive, svi elementi opisa promenljive (naziv, oznaka, tekst pitanja, vrednosti kategorije i kodovi, univerzum, koncept) su istovetni (identični).
Some	Delimično	Koristite kada stavke koje poredite imaju sličan, ali ne identičan sadržaj. Na primer, za promenljive, neki elementi opisa promenljive (naziv, oznaka, tekst pitanja, vrednosti kategorije i kodovi, populacija, koncept) će biti istovetni (identični) po obliku, dok će drugi biti različiti.
None	Neuporedivo	Obično se ne koristi, jer se ne bi moglo očekivati poređenje stavki koji nemaju ništa zajedničko. Ovaj izraz je bio neophodan za kompletiranje opšteg raspona i može se upotrebljavati u posebnim slučajevima, prema potrebama korisnika (na primer, kada se uporedivost očekivala, ali nije pronađena).

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). Vrstne sliižnosti [Commonality Type] (Version 1.0.1; Data Centre Serbia for Social Sciences (DCS), Transl.) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from: <http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0.2>



# DDI Alliance Controlled Vocabulary for CommonalityType

## CV definition

Opisuje stepen sličnosti između dve stavke, predmeta ili teme (zbirke stavki).

## Details

CV short name:	CommonalityType
CV name:	Vrste sličnosti
CV notes:	
Language:	Serbian (sr)
Version:	1.0.1
Version notes:	
Version changes:	
Canonical URI:	<a href="urn:ddi:int.ddi.cv:CommonalityType:1.0">urn:ddi:int.ddi.cv:CommonalityType:1.0</a>
Agency:	<a href="#">DDI Alliance</a>
Translator Agency:	<a href="#">Data Centre Serbia for Social Sciences (DCS)</a>

## Code list

Code value	Code descriptive term	Code definition
Identical	Istovetno / identično	Koristite kada stavke koje poredite imaju identičan sadržaj. Na primer, za promenljive, svi elementi opisa promenljive (naziv, oznaka, tekst pitanja, vrednosti kategorije i kodovi, univerzum, koncept) su istovetni (identični).
Some	Delimično	Koristite kada stavke koje poredite imaju sličan, ali ne identičan sadržaj. Na primer, za promenljive, neki elementi opisa promenljive (naziv, oznaka, tekst pitanja, vrednosti kategorije i kodovi, populacija, koncept) će biti istovetni (identični) po obliku, dok će drugi biti različiti.
None	Neuporedivo	Obično se ne koristi, jer se ne bi moglo očekivati poređenje stavki koji nemaju ništa zajedničko. Ovaj izraz je bio neophodan za kompletiranje opšteg raspona i može se upotrebljavati u posebnim slučajevima, prema potrebama korisnika (na primer, kada se uporedivost očekivala, ali nije pronađena).

## Deprecated codes list

---

### Usage

#### [DDI3.3](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 3.2](#)

Module name: comparative

Element name: [CommonalityTypeCoded](#)

#### [DDI 2.5](#)

DDI-Codebook (DDI 2.5 and all previous DDI versions) does not include an element or attribute that would support this controlled vocabulary.

---

### Copyright and license

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). Vrstne sliižnosti [Commonality Type] (Version 1.0.1; Data Centre Serbia for Social Sciences (DCS), Transl.) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:CommonalityType:1.0. Available from: <http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:CommonalityType:1.0>