


MASARYKOVA UNIVERZITA
FAKULTA INFORMATIKY



Musikk. A music streaming platform with social features.

BACHELOR'S THESIS

Kirill Vorozhtsov

Brno, 2025

Declaration

Hereby I declare that this thesis is my original authorial work, which I have worked out on my own. All sources, references, and literature used or excerpted during elaboration of this work are properly cited and listed in complete reference to the due source.

During the preparation of this thesis, the following AI tools were used:

- **ChatGPT**: Used for debugging and making small code corrections, as well as LaTeX formatting.
- **V0**: Used for the initial styling configuration.

I declare that they were used in accordance with the principles of academic integrity.

I checked the content and took full responsibility for it.

Thesis Advisor: Mgr. Luděk Bártek, Ph.D

Abstract

This bachelor's thesis implements a WEB-based music streaming platform with additional social features - live comment sections for songs and playlists, discussion forums, additional possibilities for interaction with the followed users etc.

A study is made beforehand in order to determine what users expect from the application; comparison and exploration of different existing platforms is presented in order to give a better insight into the market of similar solutions.

The thesis leverages existing backend and frontend frameworks, such as Django and React, for the actual handling of the underlying data, logical processes and the interface of the platform. In addition, modern audio representation and streaming technologies, such as MPEG-DASH and HLS are used. In order for the application to feel responsive, Server Sent Events are added to provide two-way communication between the client and the server - this ensures that individual interactions are always synchronized with other users and instances of the program.

Keywords

Audio Streaming, Python, Django, React, MPEG-DASH, SSE

Contents

1	Introduction	1
2	Survey Results	3
3	Existing Platforms	4
3.1	Streaming Services	4
3.2	Forums, Blogs and other Music Media	5
3.3	Other Platforms	6
4	Specification	7
4.1	Important Terms	7
4.2	Functional Requirements	9
4.3	Non-functional Requirements	10
5	Implementation Planning	11
5.1	Backend	11
5.1.1	Framework Comparison	11
5.1.2	Database	12
5.2	Frontend	13
5.3	Audio Transfer	13
5.4	Authentication	14
5.5	Server-Client Communication	15
	Sources	16

Chapter 1

Introduction

In recent years, with rapid development of the Internet, music has become an even more integral part of everyday life.^[1] It has never been easier to experience and share music — we have come a long way from sharing vinyl records to simply sending a link to a streaming platform of choice. Consequently, music has integrated even deeper into social interactions between people, helping them bond and share strong emotional experiences.^[1]

One of the direct impacts of this trend is the fast emergence of numerous music-related platforms. While some focus on traditional music journalism or statistics, others offer unlimited access to audio content. Naturally, people have started to discover and engage with music that resonates with them more frequently.

Despite this, it is surprising that none of the major social networking platforms has integrated a fully-fledged music streaming service into its ecosystem. There are only two notable exceptions:

- **VK** — a Russian social network that includes a built-in music streaming service.
- **QQ** — a Chinese streaming platform with basic social integration, mostly tailored to content creators.

However, both platforms are limited in terms of broader functionality, which will be discussed in later chapters.

The goal of this thesis is to design a music-centric platform that supports collaboration and social interaction around music.

This work is divided into the following **six** chapters:

1. **Survey Results:** Presents the outcomes of a survey illustrating how people consume music, how prevalent it is in social interactions, and why this thesis is relevant.

2. **Existing Platforms:** Compares existing streaming solutions, music-related services and explores non-musical platforms that influence people's audio habits.
3. **Specification:** Outlines the functional and non-functional criteria for the application.
4. **Implementation Planning:** Describes the choices of technologies that are used by the application.
5. **Implementation and Design:** Explains the development process and implementation details.
6. **Conclusion:** Summarizes the results and discusses possible improvements.

Chapter 2

Survey Results

Chapter 3

Existing Platforms

In order to better understand what instruments people use when interacting with music, it's useful to examine existing solutions.

3.1 Streaming Services

As it can be seen from the table 2 and further confirmed by the recent study of the International Federation of the Phonographic Industry[2], nowadays, the most prevalent way of music consumption and discovery is the streaming services. There are many platforms available, but only those that are both popular and feature unique elements will be considered. The descriptions, rather than offering general information, will focus on the social aspects of each platform.

- **Spotify**

One of the most prominent social features on Spotify is the 'Spotify Jam'[3]. It lets people create a collective song queue which is then synchronized among all connected users. Moreover, volume, the order of songs and other aspects of the playback can be controlled individually. Another notable tool is the 'Blend' playlists[4]. These are playlists created automatically between two people, which contain songs matching audio preferences of both users. Lastly, 'Friend Activity'[5], which shows what the people you follow are currently listening to, and 'Listening Parties' that are live chats with a limited capacity, which can be joined for a short time when new music is being released[6, 7].

- **VK Music**

As was mentioned previously, this a music service integrated into the VK social network. Consequently, it is possible to send songs and playlists via private messages and add audio materials to posts in groups. VK Music also supports algorithmic playlists based on the

groups that a user follows. It analyzes audio files posted in the specific groups and puts similar songs in those playlists.

- **SoundCloud**

SoundCloud is one of the few platforms which lets its users leave comments and reactions on songs and playlists[8, 9]. In addition, each user has a feed, consisting of his personal uploads and reposts of other's content[10], which is visible when visiting his profile.

- **Bandcamp**

Every Bandcamp user has a profile with 4 tabs - 'collection', 'wishlist', 'followers' and 'following'. By far the most interesting feature is under the 'following' tab - users can subscribe to available genres and then specify the ones that they want to showcase to others viewing their profile. The 'wishlist' tab is also noteworthy, as Bandcamp's model blends streaming with the traditional purchases of individual releases, and in this tab the user is able to show what he is looking forward to listening in the future.

3.2 Forums, Blogs and other Music Media

A lot of different resources are gathered under these umbrella terms - from professional music review websites to amateur, personal pages.

- **Rate Your Music**

'Rate Your Music is one of the largest music databases online. It is an incredible tool that can help you find and learn about new music to listen to.'[11].

This website is one of the biggest platforms with user-created content. Every member is able to write reviews and set ratings for music releases, contribute to the extensive 'wiki' consisting of genres, thematic lists and charts, and connect to other members of the forum. However, the content is still moderated, ensuring that only properly formatted reviews that do not violate guidelines can appear on the website.

- **2step.ru**

One of the better representatives of 'old school' forums that is active to this day. This is a country-specific resource, and a consequence of that, on top of providing the regular music and forum components, there are elements which are usually missing from bigger portals. For example, a section about upcoming parties, a page dedicated to local and upcoming DJs, and an ongoing list of recorded radio shows.[12]

- **The Wire**

The Wire is a long-running magazine with a strong online presence,

known for its focus on experimental and underground music. Apart from conventional articles, reviews, and interviews it hosts podcasts, creates music compilations and curates video/photo collections.[13]

3.3 Other Platforms

Another memorable outcome of the survey is the high percentage of music discovery on non-music specific platforms. Instagram, YouTube, TikTok and other services that are able to host user-created content can have a major effect on the listening habits. In recent years, music has been more deeply integrated into these platforms. For instance, Instagram introduced a dedicated audio tool to seamlessly embed sounds and songs into ‘Reels’[14], while YouTube automatically detects songs used in videos and adds them to the video description.

Summary

As it can be clearly seen, there are numerous instruments available across the Internet. However, services offering audio content often lack many commonly used features, forcing users to use multiple platforms in order to meet their needs. This project aims to bridge that gap, particularly by enhancing the potential for social interaction among users.

Chapter 4

Specification

In this chapter the general outline of the application is specified via functional and non-functional requirements. Some of the features are based on the feedback from the survey and short in-person interviews, while others are based on the analysis of the existing platforms. The individual requirements are ordered based on the 'MoSCoW' criteria, i.e. from most to least important.

4.1 Important Terms

Below is the list of important terms that will be appearing throughout the requirements section.

- **Anonymous User** – A User which is not yet registered in the system or has not logged in.
- **User Profile** – An object which encompasses all the information related to a specific User.
- **Song** – An object representing an individual audio object.
- **Song Collection** – Represents a container that holds multiple Songs.
- **Content Owner** - An entity or a person which has the rights to particular Songs and Song Collections.
- **Playback** – A process during which the user is receiving audio information.
- **Playback Item** – A Song or a Song Collection.
- **Playback Queue** – A list of Playback Items.
- **Comment** – A small piece of text provided by the User input usually placed under a specific object to which it refers.

- **Reply Comment** – The same as Comment, but must be created in relation to another, 'parent' Comment.
- **Forum** – A standalone list of User Comments. Has a unique name.

4.2 Functional Requirements

Requirement	Priority
The system shall support over-the-net audio Playback.	Must Have
The system shall provide a way to control the audio Playback. That includes shifting the Playback backward and forward, stopping the playback.	Must Have
The system shall provide a way to show Playback Items.	Must Have
The system shall support new Playback Item addition.	Must Have
The system shall provide a way to enqueue Playback Items and the means to manipulate the Playback Queue.	Must Have
The system shall have individual User Profiles.	Must Have
The system shall allow Anonymous Users to create a User Profile and log in to the system using email and password.	Must Have
The system shall allow Users to change their User Profile information.	Must Have
The system shall differentiate presented content based on the User. That includes Songs and Song Collections, User Profile information and other related items.	Must Have
The system shall differentiate between content owners and regular Users.	Must Have
The system shall allow for Song and Song Collection creation. Only Content Owners shall be allowed to create the mentioned content.	Must Have
The system shall provide a way for Users to add Comments under Song Collections, Songs and other related items.	Must Have
The system shall provide a Forum system. Forums shall be able to be created by Users. Forum Comments must be able to embed Playback Items.	Must Have
The system shall provide a way for Users to create relations to other Users. All of the Comment-related systems shall be able to be filtered on these User relations.	Must Have
The system shall have a way to filter and search Playback Items, Users and Content Owners.	Must Have
The system shall make it possible to create Reply Comments for Comments.	Should Have
The system shall provide a notification system for Reply Comments and other appropriate items.	Should Have
The system shall make it possible to filter Playback Items based on the User relations.	Should Have
The system shall provide chat capabilities.	Could Have

Table 4.1: Functional Requirements

4.3 Non-functional Requirements

Requirement	Priority
The system shall provide access to its contents only to authorized Users. The only exception shall be the 'Log In/Sign Up' page.	Must Have
The system shall store content securely; data representation shall be as efficient as possible.	Must Have
The system shall store and transport sensible user information only in safe manners.	Must Have
The system shall, in case of failure, remain rendered on the screen and show the appropriate non-technical message to the User.	Must Have
The system shall render new available information without refreshing the content page. That includes new Comments, Playback Items, updated Playback Queue and other related items.	Must Have
The system shall provide a responsive search method which would react to dynamic user input.	Should Have
The system shall synchronize Playback across multiple devices.	Should Have

Table 4.2: Non-functional Requirements

Chapter 5

Implementation Planning

This section provides an insight into the high-level technology choices behind the application. In addition, UML diagrams are provided as an overview of the system.

The created platform is built using the Model-View-Controller [15] architectural pattern. It is split into three major parts:

- **Backend.** Implements all the data-related logic and processing.
- **API.** Is responsible for transferring the data to the frontend and receiving commands from it.
- **Frontend.** Presents the data to the User and accepts his commands.

5.1 Backend

Python was chosen as the main language for the Backend part of the application. It has support for all the needed instruments, such as external processes calls, file handling, and asynchronous code execution. Moreover, it has a flexible and straightforward syntax allowing for rapid development. As this project is mostly IO-driven and most of the processor-heavy operations are offloaded to external processes, i.e. no thread programming is used, Python's performance limitations[16] will not have such a drastic effect.

5.1.1 Framework Comparison

Currently, there are 3 well-developed and widely-used WEB frameworks available for Python:

- **FastAPI**
'FastAPI is a modern, fast (high-performance), web framework for building APIs with Python, based on standard Python type hints.' [17]. This framework provides a lightweight approach to API declaration,

without adding almost no overhead. It has the best integration with API documentation standards such as Open API and API representation tools, e.g. Swagger.

However, it is relatively new and basic; given the requirements and the fact that few additional packages are available - a lot of custom code would have to be written on top, which is a disadvantage for this specific project.

- **Django**

Django is a 'batteries-included' framework, in a sense that almost everything - from access control and database management to API routing and admin interface, is a part of it.[18] Additionally, Django offers an extensive ecosystem, including support for RESTful API design through `django-rest-framework`[19], various authentication methods, and multiple data transfer protocols. Real-time communication, such as WebSockets and Server-Sent Events, is supported via the `django-channels`[20] package.

Some of the notable drawbacks include its opinionated design choices and the size of the application, as it includes a lot of parts that may not be used.

- **Flask**

Flask is a micro-framework built on the WSGI interface. It is well-suited for smaller applications and follows a minimalist philosophy in selecting components that are used.[21] Most additional functionality is provided by the community and distributed as external packages.

One of the main downsides of Flask is that it does not integrate well enough with the ASGI interface which is necessary for proper handling of Server-Client path of communication. Moreover, strongly relying on external packages can pose potential security risks.

Of the three frameworks Django is the most suitable one. Most of the application logic will be handled by the backend, heavily utilizing Django's ORM for most database tasks. On top of that, a JSON-based API can be implemented using 'django-rest-framework', simplifying communication with the frontend.

5.1.2 Database

Below is the comparison of the databases that Django framework supports. It is worth to mention, that two other databases can be used as well - Oracle and MySQL. However, Oracle is ruled out due to its commercial licence, and MySQL is not considered, because MariaDB is fully compatible with it, while providing enhancements of top of it.

- **SQLite**
'SQLite is an embedded SQL database engine. Unlike most other SQL databases, SQLite does not have a separate server process. SQLite reads and writes directly to ordinary disk files.'[\[22\]](#). As the result of SQLite's architecture it is suitable in situations, where a simple storage is needed and write operations are limited. This deems this database
- **PostgreSQL**
PostgreSQL is a traditional object-relational database that is de-facto standard in most modern application. It offers a lot of supplementary features, such as complex data types, proper replication and logging, full text search and many others. Django has the best support for it, adding a lot of wrappers for Postgre's custom logic.
- **MariaDB**
...

5.2 Frontend

- React - Svelte - Vue

5.3 Audio Transfer

Audio playback can be tackled in numerous ways:

- **Basic Download**
The audio file is downloaded in its entirety before playback begins. Once the download is complete, the user can listen to the file offline. This method typically requires significant storage space and time to download, especially for larger audio files.
- **Progressive Download**
The audio file begins to play after a portion of the file has been downloaded. As the playback continues, more of the file is downloaded in the background. This method allows for quicker access to the content compared to basic downloading, but still requires enough data to be buffered at the start or during seeking.
- **Streaming**
Audio is transmitted over the internet in real-time, without needing to be downloaded. The user can start listening almost immediately while the audio is being sent from a remote server. This method doesn't require local storage and is ideal for accessing content on demand, but it depends on a stable internet connection. Additionally, modern streaming protocols support adaptive streaming, allowing the audio

file to be delivered in multiple representations. Different bitrates and codecs can be selected based on the network conditions or device capabilities, providing an optimized experience. Furthermore, seeking can be more accurate because streaming protocols divide the data into smaller, discrete chunks, allowing for quicker access to specific points in the audio.

- **Peer to Peer**

In P2P audio streaming, audio data is shared directly between users' devices, rather than being served from a central server. Each user acts as both a client and a server, contributing to and consuming data. This method can reduce server load and improve access speed, but it relies heavily on user participation and network conditions.

Although basic and progressive download methods are much simpler in implementation, streaming has many invaluable benefits, allowing for smooth playback in different conditions and better audio representation techniques. P2P is also not suitable in the current case, as the files must be on users' machines, which can lead to various problems — from delays for clients located far away from the source of the audio to problematic enforcement of possible DRM (anti-piracy) protection.

5.4 Authentication

There are many different methods of authentication available, but only the ones suitable for WEB applications are considered below:

- **Basic Authentication**

Basic Authentication works by sending a username and password with each request, typically encoded in base64.[\[23\]](#) It is simple to configure, and it can work well for e.g. communication between internal services. However, it incorporates credentials in every request, making it prone to security risks in client-server systems, if not used over HTTPS. Moreover, It lacks session management, limiting scalability.

- **Session Authentication**

Session authentication creates a session after the user logs in, with session data stored on the server and the client storing a session ID in a cookie. It makes authentication management centralized, which can enhance security compared to Basic Authentication. However, it can be vulnerable to session hijacking if cookies are not properly protected and can greatly increase the load on the database.[\[24\]](#)

- **JWT (JSON Web Token)**

JWT is a compact, URL-safe method of representing claims between

two parties.[25] It is an example of stateless authentication where token has all the needed information for user authentication. It can also carry additional custom payload which, for instance, can be utilized for role management. They provide a flexible and scalable way to implement secure authentication. However, if not properly managed (e.g., using long expiration times), they can become security risks, as compromised tokens may be used for extended periods.

- **OAuth 2.0**

OAuth 2.0 is an authorization framework that allows third-party applications to access resources on behalf of the user, without exposing user credentials.[26] It requires the user to have an account with a company that owns a resource server(e.g. Google, Facebook. . .). This is a proper mean of authorization, however, it must be used in conjunction with other regular methods.

JWT tokens were chosen as the main method of authentication. They are easy to set up, behave well when the application scales horizontally and, most importantly, do not use the database to manage authentication details.

5.5 Server-Client Communication

Sources

- [1] Peter J. Rentfrow. *The Role of Music in Everyday Life: Current Directions in the Social Psychology of Music*. Accessed: 2025-03-21. 2012.
- [2] author. *title*. URL: https://www.ifpi.org/wp-content/uploads/2023/12/IFPI-Engaging-With-Music-2023_full-report.pdf.
- [3] author. *title*. URL: <https://support.spotify.com/cz/article/jam/>.
- [4] author. *title*. URL: <https://support.spotify.com/cz/article/social-recommendations-in-playlists/>.
- [5] author. *title*. URL: <https://support.spotify.com/cz/article/friend-activity/>.
- [6] author. *title*. URL: <https://newsroom.spotify.com/2024-09-12/fans-artists-connections-features/>.
- [7] author. *title*. URL: <https://support.spotify.com/us/article/listening-party/>.
- [8] author. *title*. URL: <https://help.soundcloud.com/hc/en-us/articles/115003566008-Commenting-basics>.
- [9] author. *title*. URL: <https://help.soundcloud.com/hc/en-us/articles/31039497560731-Reactions>.
- [10] author. *title*. URL: <https://help.soundcloud.com/hc/en-us/articles/115003567488-Reposting-tracks-or-playlists>.
- [11] author. *title*. URL: <https://rateyourmusic.com/discover>.
- [12] author. *title*. URL: <http://www.2step.ru/>.
- [13] author. *title*. URL: <https://www.thewire.co.uk/home/>.
- [14] author. *title*. URL: https://help.instagram.com/664508917489819?helpref=faq_content.
- [15] author. *title*. URL: <https://developer.mozilla.org/en-US/docs/Glossary/MVC>.

- [16] author. *title*. URL: <https://wiki.python.org/moin/GlobalInterpreterLock>.
- [17] author. *title*. URL: <https://fastapi.tiangolo.com/>.
- [18] author. *title*. URL: <https://www.djangoproject.com/>.
- [19] author. *title*. URL: <https://www.django-rest-framework.org/>.
- [20] author. *title*. URL: <https://channels.readthedocs.io/en/latest/>.
- [21] flask. *title*. URL: <https://flask.palletsprojects.com/en/stable/>.
- [22] author. *title*. URL: <https://www.sqlite.org/about.html>.
- [23] author. *title*. URL: <https://datatracker.ietf.org/doc/html/rfc7617>.
- [24] author. *title*. URL: <https://docs.djangoproject.com/en/5.2/topics/http/sessions/>.
- [25] author. *title*. URL: <https://datatracker.ietf.org/doc/html/rfc7519>.
- [26] author. *title*. URL: <https://datatracker.ietf.org/doc/html/rfc6749>.