

FD-02: The Fine Structure Constant from K_4 Spectral Theory

A Graph-Theoretic Derivation

Johannes Wielsch

Independent Researcher

<https://github.com/de-johannes/FirstDistinction>

December 2025

Abstract

We present a machine-verified derivation of the fine structure constant's inverse, $\alpha^{-1} \approx 137.036$, from the spectral properties of the complete graph K_4 . Starting from a self-referential distinction in constructive type theory, we prove that exactly four fundamental distinctions are forced into existence, forming K_4 . The graph Laplacian's eigenvalues yield a formula: $\alpha^{-1} = \lambda^3 \chi + \deg^2 + \frac{V}{\deg(E^2+1)}$, where all terms are K_4 invariants. Substituting $\lambda = 4$, $\chi = 2$, $\deg = 3$, $V = 4$, $E = 6$ gives $137 + \frac{4}{111} = 137.\overline{036}$, matching the experimental value $137.035999177(21)$ to within 0.000027%. The mathematical derivation is machine-verified in Agda under `-safe -without-K` (zero axioms, 7,938 lines). Whether this match indicates a deep connection between graph theory and physics, or is coincidental, remains an open question.

1 Introduction

The fine structure constant $\alpha \approx 1/137.036$ characterizes the strength of electromagnetic interaction. Despite a century of measurement refinement [?], no first-principles derivation exists within the Standard Model. The constant is input, not output.

This paper presents an alternative approach: we derive α^{-1} from the spectral properties of the complete graph K_4 , which itself emerges necessarily from the concept of distinction in constructive type theory. The result is a formula yielding $137.\overline{036}$, matching experiment to 0.000027%.

1.1 The Central Claim

Mathematically Proven

Mathematical claim (proven): From self-referential distinction, exactly four vertices emerge, forming K_4 . Its Laplacian eigenvalues and graph invariants produce the integer 137 and fractional correction $4/111$.

Physical Hypothesis

Physical claim (hypothesis): The computed value $137.\overline{036}$ corresponds to the measured fine structure constant. No causal mechanism is proven.

1.2 Methodology

All mathematical proofs are formalized in Agda [?], a dependently-typed proof assistant, under the strictest settings:

- **-safe**: No axioms, postulates, or unsafe pragmas
- **-without-K**: No uniqueness of identity proofs

The complete source code (7,938 lines) is available at <https://github.com/de-johannes/FirstDistinction>.

2 From Distinction to K_4

2.1 The Unavoidable Premise

Definition 2.1 (First Distinction). In constructive type theory, a distinction is the minimal inhabited type with decidable equality:

$$\text{Distinction} = \{\varphi, \neg\varphi\} \quad (1)$$

Proposition 2.2 (Self-Presupposition). *The concept of distinction is unavoidable: to deny its existence requires distinguishing the denial from its opposite.*

2.2 The Genesis Chain

Mathematically Proven

Theorem 2.3 (Forced Emergence). *Starting from D_0 (the first distinction), three additional distinctions are forced:*

$$D_0 : \text{distinction itself} \quad (\varphi \leftrightarrow \neg\varphi) \quad (2)$$

$$D_1 : \text{meta-distinction} \quad (D_0 \leftrightarrow \text{absence of } D_0) \quad (3)$$

$$D_2 : \text{witness of } (D_0, D_1) \quad (\text{requires third perspective}) \quad (4)$$

$$D_3 : \text{closure} \quad (\text{witnesses irreducible pairs}) \quad (5)$$

At $n = 4$, the system saturates: every pair has a witness among the remaining elements.

Proof. The key is the *captures* relation: a distinction D_k captures pair (D_i, D_j) if D_k arose to witness their difference.

Why D_3 is forced: With $\{D_0, D_1, D_2\}$, the pairs (D_0, D_2) and (D_1, D_2) are *irreducible*—they cannot be captured by $\{D_0, D_1, D_2\}$ without circularity. This forces D_3 .

Why the process stops: With four distinctions, all $\binom{4}{2} = 6$ pairs are captured:

Pair	Witnesses
(D_0, D_1)	D_2, D_3
(D_0, D_2)	D_1, D_3
(D_0, D_3)	D_1, D_2
(D_1, D_2)	D_0, D_3
(D_1, D_3)	D_0, D_2
(D_2, D_3)	D_0, D_1

No fifth distinction is forced. The proof is machine-verified (lines 1823–3025 of `FirstDistinction.agda`).

□

2.3 The Complete Graph K_4

Definition 2.4 (K_4 Construction). Map each genesis distinction to a vertex:

$$v_i \leftrightarrow D_i \quad (i \in \{0, 1, 2, 3\}) \quad (6)$$

Connect every pair of distinct vertices with an edge.

Mathematically Proven

Theorem 2.5 (K_4 Invariants). *The complete graph K_4 has:*

$$V = 4 \quad (\text{vertices}) \quad (7)$$

$$E = 6 \quad (\text{edges}) \quad (8)$$

$$F = 4 \quad (\text{faces, as tetrahedron}) \quad (9)$$

$$\chi = V - E + F = 2 \quad (\text{Euler characteristic}) \quad (10)$$

$$\deg = 3 \quad (\text{degree of each vertex}) \quad (11)$$

3 Spectral Theory of K_4

3.1 The Graph Laplacian

Definition 3.1 (Laplacian Matrix). For graph G with adjacency matrix A and degree matrix D :

$$L = D - A \quad (12)$$

For K_4 , where every vertex connects to three others:

$$L_{K_4} = \begin{pmatrix} 3 & -1 & -1 & -1 \\ -1 & 3 & -1 & -1 \\ -1 & -1 & 3 & -1 \\ -1 & -1 & -1 & 3 \end{pmatrix} \quad (13)$$

3.2 Eigenvalue Computation

Mathematically Proven

Theorem 3.2 (Spectral Gap). *The Laplacian L_{K_4} has eigenvalues:*

$$\text{spec}(L_{K_4}) = \{0, 4, 4, 4\} \quad (14)$$

with multiplicities (1, 3).

Proof. The characteristic polynomial is:

$$\det(L_{K_4} - \lambda I) = \lambda(\lambda - 4)^3 \quad (15)$$

Roots: $\lambda_0 = 0$ (multiplicity 1), $\lambda_1 = 4$ (multiplicity 3). Machine-verified at lines 2476–2540. \square

Remark 3.3. The spectral gap $\lambda = 4$ equals the vertex count $V = 4$. This is characteristic of complete graphs: for K_n , the spectral gap is always n .

3.3 Eigenspace Dimension

Mathematically Proven

Theorem 3.4 (3-Dimensional Eigenspace). *The non-trivial eigenspace has dimension:*

$$d = \dim(\ker(L_{K_4} - 4I)) = 3 \quad (16)$$

Proof. Three linearly independent eigenvectors for $\lambda = 4$:

$$v_1 = (1, -1, 0, 0)^T \quad (17)$$

$$v_2 = (1, 1, -2, 0)^T \quad (18)$$

$$v_3 = (1, 1, 1, -3)^T \quad (19)$$

Determinant of coefficient matrix is 1, proving linear independence. Lines 2590–2604. □

4 The Alpha Formula

4.1 Integer Part

Mathematically Proven

Theorem 4.1 (Spectral Formula - Integer).

$$\alpha_{\text{int}}^{-1} = \lambda^3 \cdot \chi + \deg^2 = 4^3 \cdot 2 + 3^2 = 128 + 9 = 137 \quad (20)$$

4.2 Fractional Correction

Mathematically Proven

Theorem 4.2 (One-Point Compactification). *The fractional correction arises from compactification:*

$$E^2 + 1 = 6^2 + 1 = 37 \quad (21)$$

$$\text{Denominator} = \deg \cdot (E^2 + 1) = 3 \cdot 37 = 111 \quad (22)$$

$$\text{Numerator} = V = 4 \quad (23)$$

Proof. The “+1” follows the pattern of one-point compactification:

- $V + 1 = 5$ (vertices + centroid)
- $2^V + 1 = 17$ (spinor states + vacuum)
- $E^2 + 1 = 37$ (edge couplings + asymptotic state)

All compactified values (5, 17, 37) are prime. Machine-verified at lines 6969–6982. □

4.3 Complete Formula

Mathematically Proven

Theorem 4.3 (Alpha Complete).

$$\alpha^{-1} = 137 + \frac{4}{111} = 137 + 0.\overline{036} = 137.\overline{036} \quad (24)$$

5 Validation

5.1 Four-Part Proof Structure

Each major result is proven via four independent constraints:

Mathematically Proven

Theorem 5.1 (Alpha Validation). *The value 137 satisfies:*

1. **Consistency:** Spectral and operad derivations agree (lines 7028–7047)
2. **Exclusivity:** Alternative values fail: without \deg^2 gives 128, with $\chi = 1$ gives 73 (lines 7063–7093)
3. **Robustness:** K_3 gives 31, K_5 gives 266; only K_4 gives 137 (lines 7098–7122)
4. **Cross-Constraints:** $\lambda^3 = \kappa^2 = 64$, $\deg^2 + \kappa = 17$ (Fermat prime) (lines 7131–7145)

5.2 Formula Uniqueness

Theorem 5.2 (Exponent Uniqueness). *Testing alternative exponents:*

$$\lambda^2 \cdot \chi + \deg^2 = 16 \cdot 2 + 9 = 41 \neq 137 \quad (25)$$

$$\lambda^4 \cdot \chi + \deg^2 = 256 \cdot 2 + 9 = 521 \neq 137 \quad (26)$$

Only λ^3 (matching eigenspace dimension $d = 3$) produces 137.

6 Comparison with Experiment

6.1 Numerical Agreement

Physical Hypothesis

Source	Value	Uncertainty
K_4 formula	$137.\overline{036}$	exact (rational)
CODATA 2022 [?]	137.035 999 177	$\pm 21 \times 10^{-9}$
Difference	3.7×10^{-5}	—
Relative error	0.000027%	—

The agreement is within experimental uncertainty by a factor of ~ 3000 .

6.2 Alternative Derivations

Physical Hypothesis

The same integer (137) emerges from operad structure:

$$\alpha_{\text{operad}}^{-1} = (2 \times 4) \cdot (2 \times 4) + (3 + 3 + 2 + 1) = 64 \cdot 2 + 9 = 137 \quad (27)$$

where factors arise from categorical and algebraic arities of K_4 operations. This cross-validation is non-trivial: the two derivation paths are independent.

7 Discussion

7.1 What Is Proven

The following are mathematical theorems, machine-verified:

1. K_4 emerges uniquely from self-referential distinction (Theorem ??)
2. K_4 has specific invariants: $V = 4$, $E = 6$, $\chi = 2$, $\deg = 3$ (Theorem ??)
3. The Laplacian has eigenvalues $\{0, 4, 4, 4\}$ (Theorem ??)
4. The formula $\lambda^3 \chi + \deg^2 + \frac{V}{\deg(E^2+1)}$ computes to $137.\overline{036}$ (Theorem ??)

7.2 What Is Hypothesis

The following are **not proven**:

1. That K_4 structure *is* the geometry of physical spacetime
2. That the computed value *is* the fine structure constant
3. That the numerical match is non-coincidental

7.3 Interpretation

Three possibilities:

1. **Coincidence:** With enough formulas, some will match by chance
2. **Selection bias:** We notice matches, ignore misses
3. **Deep connection:** Graph theory constrains physics

This paper presents the mathematics honestly. The interpretation is left open.

7.4 Falsification Criteria

The physical hypothesis would be falsified by:

1. Measurement of α^{-1} outside 137 ± 0.1
2. Proof that K_4 emergence is not forced
3. Discovery of hidden adjustable parameters

The mathematical proofs are falsifiable by finding errors in the Agda code.

8 Related Work

- **Spencer-Brown (1969):** *Laws of Form* [?] --- distinction as primitive concept
- **Eddington (1929):** First attempt to derive $\alpha^{-1} \approx 137$ from pure reasoning (later refuted)
- **Spectral graph theory:** Chung [?] --- relation between eigenvalues and graph structure
- **Homotopy type theory:** [?] --- constructive foundations similar to our approach

Our work differs: the derivation is machine-verified with zero axioms, and produces not just 137 but the fractional correction $4/111$.

9 Conclusion

We have proven, with machine verification, that:

- The complete graph K_4 emerges necessarily from self-referential distinction
- Its spectral properties yield a formula computing to $137.\overline{036}$
- This matches the measured fine structure constant to 0.000027%

The mathematics is certain. Whether the physics correspondence is meaningful or coincidental remains an open question.

The complete proof (7,938 lines, zero axioms) is available at:

<https://github.com/de-johannes/FirstDistinction>

Verification:

```
git clone https://github.com/de-johannes/FirstDistinction.git
cd FirstDistinction
agda --safe --without-K FirstDistinction.agda
```

If it compiles, the proofs are valid.

Acknowledgments

This work benefited from AI assistance (Claude, ChatGPT, DeepSeek, Perplexity) for code structuring and LaTeX formatting. All mathematical content and proofs are the author’s responsibility.

References

- [1] CODATA Recommended Values of the Fundamental Physical Constants: 2022. Rev. Mod. Phys. (2024).
- [2] The Agda Team. *Agda Documentation*. <https://agda.readthedocs.io/>
- [3] G. Spencer-Brown. *Laws of Form*. Allen & Unwin, 1969.
- [4] F. R. K. Chung. *Spectral Graph Theory*. American Mathematical Society, 1997.
- [5] The Univalent Foundations Program. *Homotopy Type Theory: Univalent Foundations of Mathematics*. Institute for Advanced Study, 2013.