




# **Contents**





Introduction, 2




Scope, 5



Synopsis, 7



Medium severity, 8



Low Severity, 9



Team, 11

## Introduction



### **Audit:**

In January 2021 Coinbae's audit report division performed an audit for the Barnbridge YieldFarmLP Pool Contract.

https://etherscan.io/address/0xB3F7abF8FA1Df0fF61C5AC38d35e204 90419f4bb#code

## **Barnbridge:**

BarnBridge is the first tokenized risk protocol. Before the advent of smart contract technology it was close to impossible to track & attribute yield to a divided allotment of capital, trustlessly & transparently, to provide hedges against any and all fluctuations. Conceptually, you can build derivative products from any type of market driven fluctuation to hedge various risks. Examples include, but are not limited to, interest rate sensitivity, fluctuations in underlying market price, fluctuations in predictive market odds, fluctuations in default rates across mortgages, fluctuations in commodity prices, and a seemingly infinite number of market based fluctuations to hedge a particular position.

As described in Barnbridge's whitepaper.

## Introduction



### **Overview:**

**Information:** 

Name: Barnbridge YieldFarmLP Pool

**Pool, Asset or Contract address:** 

https://etherscan.io/address/0xB3F7abF8FA1Df0fF61C5AC38d35e204 90419f4bb#code

**Supply:** 

**Current:** 1,044,486 BOND

**Explorers:** 

https://etherscan.io/address/0xB3F7abF8FA1Df0fF61C5AC38d35e204 90419f4bb#code

Websites:

https://barnbridge.com/

Links: Github

## Introduction



## **Compiler related issues:**

It is best practice to use the latest version of the solidity compiler supported by the toolset you use. This so it includes all the latest bug fixes of the solidity compiler. When you use for instance the openzeppelin contracts in your code the solidity version you should use should be 0.8.0 because this is the latest version supported.

#### Caution:

The solidity versions used for the audited contracts can be 0.6.0 --> 0.8.0 these versions have for instance the following known bugs so the compiled contract might be susceptible to:

### **EmptyByteArrayCopy** – Medium risk

Copying an empty byte array (or string) from memory or calldata to storage can result in data corruption if the target array's length is increased subsequently without storing new data. <a href="https://etherscan.io/solcbuginfo?a=EmptyByteArrayCopy">https://etherscan.io/solcbuginfo?a=EmptyByteArrayCopy</a>

#### **DynamicArrayCleanup** – Medium risk

When assigning a dynamically-sized array with types of size at most 16 bytes in storage causing the assigned array to shrink, some parts of deleted slots were not zeroed out. https://etherscan.io/solcbuginfo?a=DynamicArrayCleanup

#### Advice:

Update the contracts to the latest supported version of solidity by your contract. And set it as a fixed parameter not a floating pragma.

# **Audit Report Scope**



#### **Assertions and Property Checking:**

- 1. Solidity assert violation.
- 2. Solidity AssertionFailed event.

#### **ERC Standards:**

1. Incorrect ERC20 implementation.

#### **Solidity Coding Best Practices:**

- 1. Outdated compiler version.
- 2. No or floating compiler version set.
- 3. Use of right-to-left-override control character.
- 4. Shadowing of built-in symbol.
- 5. Incorrect constructor name.
- 6. State variable shadows another state variable.
- 7. Local variable shadows a state variable.
- 8. Function parameter shadows a state variable.
- 9. Named return value shadows a state variable.
- 10. Unary operation without effect Solidity code analysis.
- 11. Unary operation directly after assignment.
- 12. Unused state variable.
- 13. Unused local variable.
- 14. Function visibility is not set.
- 15. State variable visibility is not set.
- 16. Use of deprecated functions: call code(), sha3(), ...
- 17. Use of deprecated global variables (msg.gas, ...).
- 18. Use of deprecated keywords (throw, var).
- 19. Incorrect function state mutability.
- 20. Does the code conform to the Solidity styleguide.

### Convert code to conform Solidity styleguide:

1. Convert all code so that it is structured accordingly the Solidity styleguide.

# **Audit Report Scope**



## **Categories:**

### **High Severity:**

High severity issues opens the contract up for exploitation from malicious actors. We do not recommend deploying contracts with high severity issues.

### **Medium Severity Issues:**

Medium severity issues are errors found in contracts that hampers the effectiveness of the contract and may cause outcomes when interacting with the contract. It is still recommended to fix these issues.

### **Low Severity Issues:**

Low severity issues are warning of minor impact on the overall integrity of the contract. These can be fixed with less urgency.

# **Audit Report**



2
Identified

2 Confirmed

Critical

O High **1**Medium

1 Low

Analysis:

https://etherscan.io/address/0xB3F7abF8FA1Df0fF61C5AC38d35e204 90419f4bb#code

Risk: **Low** 

# **Audit Report**



## **Medium severity: Coding best practices**

#### **DoS With Block Gas Limit (SWC-128)**

When smart contracts are deployed or functions inside them are called, the execution of these actions always requires a certain amount of gas, based of how much computation is needed to complete them. The Ethereum network specifies a block gas limit and the sum of all transactions included in a block can not exceed the threshold.

Programming patterns that are harmless in centralized applications can lead to Denial of Service conditions in smart contracts when the cost of executing a function exceeds the block gas limit. Modifying an array of unknown size, that increases in size over time, can lead to such a Denial of Service condition.

#### Affected lines:

for (uint128 i = lastEpochIdHarvested[msg.sender] + 1; i <= epochId; i++) { [#60]</li>

# **Audit Report**



# Low severity: Solidity style guide naming convention issues found

#### A floating pragma is set SWC-103:


The current pragma Solidity directive is ""^0.6.12"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

#### Affected lines:

1. pragma solidity ^0.6.0; [#2]

# **Contract Flow**





## Audit Team




## **Team Lead: Eelko Neven**

Eelko has been in the it/security space since 1991. His passion started when he was confronted with a formatted hard drive and no tools to undo it. At that point he started reading a lot of material on how computers work and how to make them work for others. After struggling for a few weeks he finally wrote his first HD data recovery program. Ever since then when he was faced with a challenge he just persisted until he had a solution.

This mindset helped him tremendously in the security space. He found several vulnerabilities in large corporation servers and notified these corporations in a responsible manner. Among those are Google, Twitter, General Electrics etc.

For the last 12 years he has been working as a professional security /code auditor and performed over 1500 security audits / code reviews, he also wrote a similar amount of reports.

He has extensive knowledge of the Solidity programming language and this is why he loves to do Defi and other smartcontract reviews.



Email: info@coinbae.com

# **Coinbae Audit**



## Conclusion

We performed the procedures as laid out in the scope of the audit and there were 1 findings, 1 medium and 1 low. The medium risk issues do not pose a security risk as they are best practice issues that is why the overall risk level is low.

## Disclaimer

Coinbae audit is not a security warranty, investment advice, or an endorsement of the Barnbridge protocol. This audit does not provide a security or correctness guarantee of the audited smart contracts. The statements made in this document should not be interpreted as investment or legal advice, nor should its authors be held accountable for decisions made based on them. Securing smart contracts is a multistep process. One audit cannot be considered enough. We recommend that the the Barnbridge protocol team put in place a bug bounty program to encourage further analysis of the smart contract by other third parties.