1980.....

1979.....

568.6

585.8

577.0

753.8

777.2

768.6

420.8

432.6

423.1

544.8

559.4

551.9

724.8

745.3

738.4

602.7

631.1

605.0

807.0 1,0A8.8

842.5 1,112.8

812.1 1,073.3

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -- - - - TOTAL - - - -- - - - BLACK AND YEAR BOTH MALE FEMALE BOTH MALE FEMALE BOTH MALE FEMALE BOTH MALE FEMALE ALL CAUSES 491.6 1996..... 623.7 381.0 466.8 591.4 361.9 627.1 811.7 481.4 738.3 967.0 561.0 765.7 1,016.7 1995..... 503.9 646.3 385.2 476.9 610.5 364.9 655.6 860.3 494.9 571.0 1994..... 507.4 654.6 385.2 479.8 617.9 364.9 661.7 872.9 495.7 772.1 1,029.9 572.0 1993..... 513.3 664.9 388.3 485.1 627.5 367.7 674.0 891.7 503.3 785.2 1,052.2 578.8 767.5 1,026.9 1992...... 504.5 656.0 380.3 477.5 620.9 359.9 660.2 871.0 495.0 568.4 1991..... 890.2 780.7 1,048.8 513.7 669.9 386.5 486.8 634.4 366.3 672.8 502.1 575.1 1990..... 520.2 492.8 369.9 910.2 512.5 789.2 1,0AT3 680.2 390.6 644.3 686.7 581.6 805.9 1,082.8 499.6 703.9 932.5 1989...... 528.0 689.3 397.3 652.2 376.0 525.4 594.3 1988..... 539.9 706.1 406.1 512.8 671.3 385.3 710.1 938.2 532.7 809.7 1,083.0 601.0 796.4 1,063.6 1987..... 539.2 706.8 404.6 513.7 674.2 384.8 702.7 927.8 527.4 592.4 796.8 1,061.9 1986..... 544.8 716.2 407.6 520.1 684.9 388.1 706.3 931.6 530.7 594.1 1985...... 548.9 723.0 410.3 524.9 693.3 391.0 709.1 931.8 535.7 793.6 1,053.4 594.8 1984..... 548.1 721.6 410.5 525.2 693.6 391.7 703.3 921.4 533.5 783.3 1,035.9 590.1 1983..... 552.5 729.4 529.4 701.6 393.3 928.6 787.4 1,037.5 595.3 412.5 710.8 540.1 1982..... 554.7 734.2 411.9 532.3 706.8 393.6 708.9 930.7 533.8 782.1 1,035.4 585.9

401.5

411.1

402.5

734.0

774.2

757.1

964.1

994.8

1,015.1

551.5

582.6

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -CAUSE OF DEATH, --- TOTAL --- -- WHITE --- -- TOTAL --- BLACK ---

AND YEAR	BOTH		MALE	FE	MALE		BOTH		MALE	F	М	IALE	В	OTH	M	IALE	FEM	ALE	Ι	вотн	MAL	E F	MALE
CERTAIN OTHER	INTESTIN	AL INF	ECTIO	NS (C	07-00	9)																	
1996	0.2		0.2		0.2		0.2		0.2		0.1		0.3		0.4		0.2		0.		0.4}.5	0.3	
1995	0.2		0.2	}.2		0.1		0.2		0.1		0.3		0.3		0.3		0.		0.4}	0.	0.4}	0.3
1994	0.2		0.2		0.2		0.1	}.2		0.1		0.3		0.4		0.3	}.		0.4}	0.	. 5	0.3	
1993	0.1		0.2	}.1	}	0.1	}	0.1	}	0.1	}	0.2		0.3		0.2	}.3	}.3		0.2			
1992	}.1	0.1	}.1		0.1		0.1	}.1	}.2		0.2	}	0.2		0.2		0.2	}	0.2				
1991	0.1	}	0.1		0.1	}	0.1		0.1	}	0.1		0.2	}	0.2		0.2	}	0.2		0.3	0.2	
1990	0.1	}	0.1	}	0.1		0.1	}	0.1		0.1	}	0.1		0.2	}	0.1		0.2	}	0.2	0.1	
1989	0.1	}	0.1	}.1	}	0.1	}.1	}	0.1	}	0.2		0.2	}	0.1		0.2	}	0.3	}	0.1		
1988	<pre>}.1 }</pre>	0.1		0.1	}	0.1	}.1	}	0.1		0.1	}	0.1	}.1	}	0.1	}.2	}.1					

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		TOTAL -			- WHITE -			TOTAL			BLACK		
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	F MALE	BOTH	MALE	FEMALE	BOTH	MALE	F	MALE
TUBERCULOSIS (01	0-018)												
1996	0.3	0.4	0.2	0.2	0.3	0.1	1.0	1.4	0.6	1.0	1.6	0.6	
1995	0.3	0.5	0.2	0.2	0.3	0.1	1.1	1.7	0.7	1.2	1.9	0.7	
1994	0.4	0.5	0.3	0.2	0.3	0.1	1.4	2.0	0.9	1.5	2.2	0.9	
1993	0.4	0.6	0.3	0.3	0.4	0.2	1.5	2.3	0.9	1.6	2.6	0.9	
1992	0.4	0.7	0.3	0.3	0.4	0.2	1.6	2.5	1.0	1.9	3.0	1.1	
1991	0.5	0.7	0.3	0.3	0.4	0.2	1.8	2.6	1.1	2.0	3.0	1.2	
1990	0.5	0.7	0.3	0.3	0.4	0.2	1. 2	3.0	1.1	2.1	3.4	1.2	
1989	0.5	0.7	0.3	0.3	0.4	0.2	2.1	3.3	1.1	2.3	3.8	1.2	
1988	0.5	0.8	0.3	0.3	0.5	0.2	1. 2	3.0	1.1	2.3	3.3	1.2	
1987	0.5	0.8	0.3	0.3	0.5	0.2	1.8	2.8	1.0	2.0	3.2	1.0	
1986	0.5	0.8	0.3	0.3	0.5	0.2	2.0	3.1	1.1	2.2	3.5	1.1	
1985	0.5	0.8	0.3	0.3	0.5	0.2	1.8	2.9	1.1	2.1	3.3	1.1	
1984	0.5	0.8	0.3	0.3	0.5	0.2	2.0	3.2	1.1	2.3	3.7	1.2	
1983	0.5	0.8	0.3	0.4	0.5	0.2	2.0	3.2	1.0	2.1	3.6	1.0	
1982	0.6	0.2	0.3	0.4	0.6	0.2	2.1	3.3	1.1	2.2	3.7	1.0	
1981	0.6	1.0	0.4	0.4	0.6	0.2	2.3	3.7	1.3	2.5	4.1	1.4	
1980	0.6	1.0	0.4	0.4	0.7	0.2	2.4	3.7	1.5	2.6	4.1	1.4	
1979	0.7	1.1	0.4	0.4	0.7	0.2	2.5	3.7	1.5	2.6	4.0	1.5	

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 5

UNITED STATES, 1979-96

- - - - ALL OTHER - - -
©USE OF DEATH, - - - TOTAL - - - - WHITE - - - - TOTAL - - - - BLACK - - -

UNITED STATES, 1979-96

																		- ALL (THER	≀ – – -		-		
CAUSE OF DEAT	Ή,			TOTA	և – –					WHITE					5	TOTAL					E	BLACK		
AND YEAR		вотн		MALE	F	EMALE		BOTH		MALE	F		MALE		BOTH	ľ	MALE	FEMA	LE	В	HTC	MALE	F	MALE
OTHER TUBER	CULOS	IS (013-0	18)																				
1996		0.1		0.1		0.1		0.0		0.0		0.	0	0.2		0.3		0.2		0.2		0.3	0.2	
1995		0.1		0.1		0.1		0.0		0.0		0.	0	0.3		0.3		0.3		0.3		0.3	0.3	
EA994		0.1		0.1		0.1		0.1		0.1		0.	0	0.4		0.4		0.4		0.4		0.4	0.4	
E1993		0.1		0.1		0.1		0.0		0.1		0.	0	0.3		0.4		0.3		0.4		0.5	0.3	
EA992	EΑ		0.1		0.1		0.1	ΕA	E A E	0	. 4		0.5	0	. 4	0	. 4	0.5	,	0.4	4			
E1991		0.1	E	0.1		0.1		0.1		0.1		0.	1	0.4		0.5		0.4		0.5		0.5	0.4	
1990		0.1	E	0.2	EΑ	E	0.1		0.1	E	0.1		0.5		0.8		0.4	().6	(8.0	0.4		
E1989		0.1		0.2	E	0.1	ΕA	E	0.1		0.1	E	0.5		0.7		0.4	().6	(8.0	0.4		
E1988		0.1		0.1	EΑ	E	0.1		0.1		0.0		0.5		0.7		0.5	().6	(8.0	0.5		
E1987	E A	E	0.1	E	0.1	E	0.1	E	0.1		0.0		0.5		0.6		0.4	().5	(0.7	0.4		
E1986	E A	E	0.1		0.1	E	0.1		0.1		0.0		0.5		0.6		0.4	().5	(0.7	0.4		
E1985	E	0.1	E	0.2		0.1	E	0.1	E	0.1		0.	0	0.5		0.6		0.3		0.5		0.7	0.4	
E1984	E	0.1		0.2	E	0.1		0.1		0.1	E A	E	0.5		0.7		0.3	().5	(8.0	0.4		
E1983		0.1	E	0.1		0.1		0.1		0.1	E	0.	0	0.5		0.6		0.4		0.5		0.7	0.4	
1982	E	0.1	E	0.1	E	0.1	E	0.1	E	0.1		0.	0	0.5		0.6		0.4		0.5		0.7	0.4	
1981	E	0.1	E	0.1		0.1	E	0.1		0.1		0.	1	0.5		0.6		0.4		0.5		0.7	0.4	
19803,		0.1	E	0.1		0.1		0.0		0.5		0.	6	0.5		0.5		0.6		0.5				
EA979	E	0.1		0.1		0.1	ΕA	E	0.1		0.0		0.6		0.5		0.6	().6	(0.6	0.5		

Е

Е

0.0

0.0

0.0

0.0

1984.....

1983.....

1982....

1981.....

1980....

1979.... E 0.0

ELE

E7

E7

E7. *

0.0

ELE

0.0

0.0

0.0

0.0

Ε

E7

Ε

Ε

- - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -- - - - TOTAL - - - -- - - - BLACK - - - -CAUSE OF DEATH, MALE MALE F BOTH BOTH AND YEAR BOTH FEMALE BOTH MALE MALE FEMALE MALE F MALE STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035) 1996..... 1995..... 1994..... 1993..... 1992..... 1991..... 1990..... ELELE ELE 1989..... ELE ELE 1988..... ELE Ε 1987..... Ε Ε ELE 1986..... ELE Ε E7. * E7. * 1985..... E E7 E7 E7

E

0.0

0.0

0.0

0.0

E7

Ε

0.0

0.0

0.0

0.0

7

E7

0.0

UNITED STATES, 1979-96

									ALL 0	OTHER			
CAUSE OF DEATH	I,	TOTAL			WHITE			TOTAL			BLACK -		
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	F I	MALE E	BOTH I	MALE FEM	ALE B	OTH MA	LE F	MALE
MENINGOCOCCAL	INFECTION	(036)											
1996	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	
1995	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	
1994	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	
1993	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	
1992	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*	
1991	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*	
1990	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.1	0.2	*	
1989	0.1	0.1	*	í 0.1	0.1	0.1	0.1	0.2	0.1 í	0.1			
1988	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	
1987	í 0.1	* í	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2		
1986	í 0.1	0.1 í	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2			
1985	í 0.1	*	í 0.1	*	í *	í * 0.1	í 0.1	* 0.1	í 0.1	* 0.1	í *	0.2	
1984	í 0.1	* 0.1	* 0.1	í 0.1	í 0.1	* 0.1	* 0.2	0.2	0.2	0.2	0.3	0.2	
1983	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	
1982	í 0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	
1981	í 0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	
1980	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.2	
1979	í 0.2	0.2	0.2	0.2	0.2	0.1	* 0.3	0.3	0.2	0.3	0.4	0.2	

D1983.....

3.4

4.1

2.8

2.9

7.2

						,			ALL O	THER		
©USE OF DEATH,		- TOTAL -			WHITE -			- TOTAL -			- BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SEPTICEMIA (038)												A
1996	4.1	4.6	3.6	3.5	3.9	3.2	7.8	9.3	6.6	9.7	11.7	8.1
1995	4.1	4.6	3.7	3.5	3.9	3.2	7.9	9.3	6.8	9.5	11.4	8.0
DE994	4.0	4.6	3.5	3.5	4.0	3.1	7.5	8.9	6.5	9.1	10.9	7.7
D1993	4.1	4.6	3.6	3.6	4.0	3.2	7.7	9.1	6.7	9.1	11.0	7.8
D1992	4.0	4.6	3.6	3.5	3.9	3.1	8.0	9.3	6.9	9.5	11.4	8.1
D1991	4.1	4.7	3.6	3.5	4.1	3.1	8.0	9.6	6.7	9.5	11.6	7.9
D1990	4.1	4.9	3.5	3.5	4.2	3.1	8.1	9.7	6.9	9.5	11.6	8.0
D1989	4.2	4.9	3.6	3.6	4.2	3.1	8.4	9.8	7.3	9.9	11.8	8.5
D1988	4.6	5.3	4.1	4.0	4.6	3.5	9.1	10.8	7.9	10.7	12.8	9.1
D1987	4.5	5.3	3.9	3.9	4.6	3.4	9.3	11.0	8.1	10.8	13.0	9.2
D1986	4.3	5.3	3.6	3.8	4.6	3.2	8.8	11.0	7.2	10.2	12.8	8.2
D1985	4.1	5.0	3.5	3.5	4.3	3.0	8.6	10.5	7.2	9.9	12.2	8.1
DE984	3.7	4.4	3.2	3.2	3.9	2.7	8.0	9.3	7.0	9.1	10.7	7.9

2.4

7.3

8.4

6.4

8.2

9.6

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

TOTAL BLACK
E BOTH MALE H MALE BOTH MALE HEMALE
* * * * * * *
* * * * * * *
* * * * * * *
* * * * * * *
*
* * * * * * *
* * * * * * *
* 2 * * * 2*
2*
* 2 * 2* BL
B * * 2* * * 2*
* * * * 2 *
* * B * * * *
* 2* * * 2* *
2 * 2* * 2*
* * 2* * * B *
0.0 0.0 0.0 0.0 0.0
A

1979.....

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

D 0.0

0.0

0.0

0.0

0.0

0.0

D

0.0

0.0

0.0

0.0

D 0.0

UNITED STATES, 1979-96 - - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -- - - - TOTAL - - - -- - - - BLACK - - - -CAUSE OF DEATH, BOTH MALE MALE H MALE H MALE BOTH AND YEAR FEMALE BOTH BOTH MALE MALE HEMALE MEASLES (055) 1996..... 1995..... 1994..... 1993..... 1992..... 1991..... 0.0 1990..... 0.0 0.0 0.0 0.0 0.0 0.0 0.0 D DJ 0.0 DJ DJ D 1989..... D 1988..... D 1987..... D DJ D 1986..... D DJ D DJ D 1985..... D D D DJ D 1984..... DJ D DJ D 1983..... D D D DJ D 1982..... D D D 1981..... D D D D DJ D DJ D

0.0

UNITED STATES, 1979-96 ---- ALL OTHER ----CAUSE OF DEATH - - - TOTAL

CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
VIRAL HEPATITIS	(070)											
1996	1.1	1.5	0.8	1.0	1.4	0.7	1.6	2.0	1.2	1.4	1.9	1.1
1995	1.0	1.4	0.7	0.9	1.3	0.6	1.4	1.9	1.1	1.3	1.7	1.0
1994	0.9	1.2	0.6	0.8	1.2	0.5	1.5	1.7	1.3	1.3	1.5	1.1
1993	0.8	1.1	0.5	0.7	1.0	0.4	1.1	1.6	0.8	0.9	1.4	0.6
1992	0.6	0.9	0.4	0.6	0.8	0.4	0.9	1.3	0.7	0.8	1.1	0.6
1991	0.6	0.8	0.4	0.5	0.7	0.3	0.9	1.2	0.7	0.7	0.9	0.6
1990	0.5	0.7	0.3	0.4	0.6	0.3	0.8	1.0	0.6	0.7	0.8	0.6
1989	0.5	0.7	0.3	0.4	0.6	0.3	0.8	1.0	0.5	0.7	0.8	0.6
1988	0.4	0.5	0.3	0.4	0.5	0.2	0.6	0.7	0.6	0.6	0.6	0.5
1987	0.4	0.5	0.2	0.3	0.5	0.2	0.7	0.9	0.5	0.6	0.7	0.4
1986	0.4	0.5	0.2	0.3	0.5	0.2	0.5	0.7	0.4	0.4	0.5	0.4
1985	0.3	0.4	0.3	0.3	0.4	0.2	0.5	0.5	0.5	0.4	0.4	0.4
1984	0.3	0.4	0.2	0.3	0.4	0.2	0.5	0.6	0.4	0.4	0.4	0.4
1983	0.3	0.4	0.2	0.3	0.3	0.2	0.5	0.6	0.5	0.5	0.6	0.4
1982	0.3	0.4	0.3	0.3	0.3	0.2	0.5	0.6	0.5	0.4	0.5	0.5
1981	0.3	0.4	0.3	0.3	0.3	0.2	0.5	0.6	0.5	0.5	0.5	0.6
1980	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.5	0.5	0.5	0.5	0.5
1979	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.7	0.5	0.5	0.5	0.5

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 14 UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		- TOTAL -			- WHITE			TOTAL			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
SYPHILIS (090-09	7)											
1996	0.0	0.0	0.0	0.0	0.0	*	0.0	0.1	*	0.1	0.1	*
1995	0.0	0.0	0.0	0.0	0.0	*	0.0	*	*	0.1	*	*
1994	0.0	0.0	0.0	0.0	0.0	*	0.1	0.1	*	0.1 w	*	
1993	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*	0.1	0.2	*
1992	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	*	0.1	0.2	*
1991	0.0	0.0	0.0	0.0	0.0	*	0.1	0.1 w	0.1	0.2	0.1	
1990	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1 w	0.2	0.3	0.1
1989	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1 w	0.1	0.2	0.1
1988	0.0	0.0	0.0	0.0	0.0	*	0.1	0.2	*	0.1 w	0.2	*
1987	0.0	0.0	0.0	0.0	0.0	*	0.1	0.1 w	0.1	0.2	0.1	
1986	0.0	0.0	0.0	0.0	0.0	0.0	0.1 w	0.1	*	0.1	0.1	*
1985	0.0	0.0	0.0	0.0	0.0	0.0 w	0.1	* W	*	*		
1984	0.0 w	0.0	0.0 w	0.0	0.0	0.0	0.1	0.2	* w	0.1	0.2	*
1983	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	*	0.2	0.2	*
1982	0.0	0.0	0.0	0.0	0.0	0.0 w	0.2	*	0.1	0.2	*	
1981	0.0	0.0 w	0.0	0.0	0.0 w	0.0	0.1 w	0.2	*	0.1	0.2	*
1980	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.3 w	0.2	0.3 w	0.1	
1979	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.3 w	0.2	0.3	0.4	0.2

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 15 UNITED STATES, 1979-96

ALL OTHER	_	-
-----------	---	---

CAUSE OF DEATH, --- TOTAL --- TOTAL --- TOTAL --- TOTAL --- TOTAL --- TOTAL --- BLACK --- AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE

ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

1996....... 13.0 20.4 5.9 8.8 14.4 3.2 34.3 53.1 18.0 45.8 71.4 24.0

198/04/20	TABLE 293	. AGE AD	JUSTED DEA	TH RATES FO	OR 72 SELEC	CTED CAUSES	BY COLOR	AND SEX PE	R 100,000	POPULATION	: I	PAGE 16
					UNITED STA	ATES, 1979-	96					
									ALL OT	HER		
CAUSE OF DEATH		- TOTAL			- WHITE -			- TOTAL -			- BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
MALIGNANT NEOP	LASMS, INCL	UDING NEO	PLASMS OF	LYMPHATIC A	AND HEMATOR	POIETIC TIS	SUES (140-	-208)				
1996	127.9	153.8	108.8	125.2	149.2	107.6	144.8	188.0	114.6	167.8	221.9	130.7
1993	132.6	161.9	111.4	129.4	156.4	110.1	154.3	204.3	119.5	177.2	238.9	135.3

UNITED STATES, 1979-96

					ONTIED DI	AILD, IJI	, , , ,		ALL O	THER			
CAUSE OF DEATH,		TOTAL			- WHITE -			TOTAL -			- BLACK -		
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE	
MALIGNANT NEOP	LASMS OF	' LIPDEORAL	CAVITY. A	AND PHARYNX	(140-149)								
1996	2.1	3.2	1.1	1.9	2.8	1.1	3.2	5.5	1.4	3.7	6.5	1.5	
199/F	2.1	3.3	1.2	1.9	2.9	1.1	3.5	5.9	1.7	4.1	6.9	1.9	
1994	2.1	3.3	1.2	1.9	2.9	1.1	3.5	6.0	1.5	4.1	7.2	1.7	
1993	2.3	3.6	1.2	2.1	3.1	1.1	3.7	6.5	1.6	4.3	7.6	1.8	
1992	2.3	3.5	1.2	2.1	3.1	1.2	3.7	6.5	1.5	4.3	7.7	1.7	
1991	2.4	3.7	1.3	2.1	3.2	1.2	3.9	6.6	1.7	4.5	7.8	2.0	
1990	2.4	3.8	1.3	2.2	3.4	1.2	4.1	7.2	1.7	4.7	8.5	1.9	
1989	2.4	3.7	1.3	2.2	3.3	1.3	4.0	6.9	1.8	4.6	8.1	2.0	
1988	2.5	3.9	1.3	2.2	3.4	1.3	4.0	7.0	1.7	4.6	8.2	1.9	
1987	2.4	3.8	1.4	2.2	3.4	1.3	3.9	6.7	1.7	4.4	7.6	1.9	
1986	2.6	3.9	1.4	2.3	3.5	1.3	4.3	7.3	2.0	4.9	8.5	2.1	
198/F	2.6	4.1	1.4	2.4	3.6	1.3	4.2	7.3	1.8	4.9	8.6	2.0	
1984	2.7	4.2	1.4	2.5	3.8	1.4	4.5	7.9	1.7	5.0	9.0	1.8	
1983		1.7	4.3	1.5	2.5	3.8	1.4	4.7	8.0	2.1	5.2	9.1	2.1
1982	2.8	4.4	1.5	2.5	3.9	1.4	4.7	7.9	2.1	5.2	9.0	2.2	
1981	2.8	4.5	1.5	2.6	4.0	1.4	4.6	7.9	2.0	5.1	8.8	2.1	
1980	2.9	4.6	1.5	2.6	4.1	1.5	4.9	8.7	1.9	5.5	9.8	2.1	
1979	3.0	4.6	1.6	2.7	4.2	1.5	4.8	8.1	2.1	5.2	8.9	2.3	

					ONITED SIF	AIES, 19/9-5	70		ALL OTH	IER	_	
CAUSE OF DEATH,		TOTAL			- WHITE -			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
MALIGNANT NEO	PLASMS OF	DIGESTIVE	ORGANS AND	PERITONEU	JM (150-159	9)						
1996	28.5	36.7	21.8	27.0	34.7	20.6	38.4	50.4	29.5	42.4	56.2	32.3
1995	29.1	37.4	22.3	27.6	35.5	21.2	39.4	51.9	30.1	43.2	57.3	33.0
1994	29.3	37.9	22.4	27.7	35.7	21.2	40.3	53.9	30.2	44.2	59.3	33.1
1993	29.5	37.9	22.7	27.9	35.9	21.6	40.4	53.4	30.7	44.6	59.6	33.6
1992	29.6	38.3	22.6	28.0	36.3	21.4	40.8	54.0	31.0	44.6	59.6	33.8
1991	29.9	38.7	23.0	28.4	36.7	21.8	40.8	54.1	30.9	45.0	60.6	33.7
1990	30.2	39.3	23.2	28.6	37.0	22.0	42.3	56.6	31.8	46.3	62.3	34.8
1989	30.3	39.3	23.2	28.7	37.1	22.2	42.2	57.1	31.1	46.1	63.0	33.9
1988	30.3	39.2	23.4	28.8	37.0	22.4	41.6	56.4	30.6	45.2	61.9	33.0
1987	30.9	39.7	24.1	29.4	37.7	23.0	42.0	55.6	31.8	45.6	60.8	34.6

								_	– – – AL:	L OTHER - ·		
©USE OF DEAT	ГН,	TOTAL			WHITE			TOTAL			BLACK	
AND YEAR	BOTH	H MALE	FEMALE	BOT	H MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT	NEOPLASMS	OF RESPIRA	TORY AND I	NTRATHORA	CIC ORGANS	(160-165)						
1996.96.‡.9	39.3	54.2	27.5	38.9	52.6	28.0	41.0	64.8	23.6	48.9	78.5	27.6
35‡.‡.	39.7	55‡3	27.5	39.3	53.7	27. /	42.2	66.7	24.3	49. /	80.5	27.8
1994 9	40.1	56.5	27.3	39.7	54.8	27.7	42.9	69.0	24.0	50.6	82.8	27.7
1993.‡.‡	40.8	58.1	27.ED	40.ED	56.3	27.6	44.0	71.7	23.8	51.8	86.0	27.3
1992.‡.‡	40.8	58.5	27.1	40.E	56.7	27.4	44.7	72AG	24.6	52.7	86.7	28.5
1991.‡.‡	41.1	60.1	26.5	40.5	58.1	26.8	45‡ED	74.1	23.9	52. /	88.4	27.4
1990.‡.‡	41.4	61.0	26.ED	40.6	59.0	26.5	46.E	76.4	24.1	54.0	91.0	27.5
1989.‡.‡	40.8	60.5	25‡6	40.0	58AG	25‡ /	45‡8	76.7	23.0	53.1	90.8	26.0
1988. ‡. ‡	40.3	60.7	24.6	39.7	58.8	24.9	44. /	75‡6	22.3	51.8	88.7	25‡E
1987	40.0	61.1	23.8	39.3	59.ED	23.9	45‡1	76.0	22.2	51.7	88.9	24.7
1986.‡.‡	39.3	60.5	23.0	38.6	58A6	23.1	44.4	75‡7	21.1	50.8	87. /	23.7
1985‡‡.‡	39.1	60.7	22.5	38.4	58.7	2	2 44	.ED 76.0	20.3	50.3	87.7	22.8
1984. # # . # .	38.6	60.8	21.5	37.8	58A8	21.7	44.4	77.ED	19.7	50.1	88.6	21.6
1983. # # . # .	38.0	60.1	21.0	37.3	58.3	21.1	43.6	74.6	20.0	49.1	85‡E	22.2
1982. # # . # .	37.6	60.4	19.9	36.9	58.6	20.1	42.	74.8	18.5	48.3	85.4	20.5
1981.‡‡.‡.	36.6	59.6	18.8	35‡	57.	18.8	42.6	74.E	18.3	47.5	83.8	20.1
979‡.‡	35‡E	58.6	16. /	34.5	57.0	17.0	40.6	71.5	16.4	44.1	78.7	17.4

					ONTIED D.	IAIBO, IJIJ	ALL OTHER								
										THER					
©USE OF DEATH,		- TOTAL -			WHITE -			- TOTAL -			- BLACK -				
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE			
MALIGNANT NEOF	PLASM OF B	REAST (17	4-175)												
1996	11.0	0.2	20.2	10.7	0.2	19.8	12.6	0.3	22.2	15.2	0.4	26.5			
1995	11.5	0.2	21.0	11.1	0.2	20.5	13.4	0.3	23.4	15.8	0.4	27.5			
1994	11.6	0.2	21.3	11.4	0.2	20.9	13.1	0.3	22.9	15.5	0.4	26.9			
1993	11.8	0.2	21.5	11.5	0.2	21.2	13.1	0.3	22.9	15 T	0.4	27.1			
1992	12.0	0.2	21.9	11.8	0.2	21.7	13.0	0.2	22.9	15.4	0.3	27.0			
1991	12.4	0.1	22.7	12.2	0.1	22.5	13.5	0.2	23.8	15.8	0.3	27.6			
1990	12.7	0.2	23.1	12.5	0.2	22.9	13.5	0.3	23.7	15.8	0.4	27.5			
1989	12.7	0.2	23.1	12 T	0.2	23.1	13.1	0.2	23.1	15.2	0.3	26.5			
1988	12.7	0.2	23.3	12.6	0.2	23.1	13R 1	0.3	23.7	15.7	0.4	27.5			
1987	12.6	0.2	23.0	12 5	0.2	22.9	13.2	0.3	23.3	15.4	0.3	26.9			
1986	12.7	0.2	23.2	12.6	0.2	23.1	12.9	0.2	22.7	14.9	0.2	26.2			
1985	12.8	0.2	23.3	12.8	0.2	23.4	12.7	0.2	22.5	14.5	0.2	25.5			
1984	12.8	0.2	23.3	12.7	0.2	23.2	13.1	0.3	23.2	15.0	0.3	26.4			
1983	12 5	0.2	22.7	12.4	0.2	22.7	12.4	0.3	22.0	14.0	0.3	24.6			
1982	12.5	0.2	22.8	12.5	0.2	22.8	12.5	0.2	22.2	14.1	0.3	24.7			
1981	12.5	0.2	22.7	12.5	0.2	22.8	12.0	0.3	21.4	13.5	0.3	23.7			
1980	12R 1	0.2	22.7	12.5	0.2	22.8	12.0	0.2	21.3	13.2	0.3	23.3			
1979	12.2	0.2	22.3	12.2	0.1	22.4	11.7	0.2	20.8	12.8	0.3	22.7			

1984..... 13.1 15.2

17.6

16.0

22.4 31.0

26.8

				ONTIED S	IAIES, 197	9-90					
								ALL	OTHER		
	TOTAL			WHITE			TOTAL			BLACK	
BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MAL	E BOT	'H MAI	LE HEMALE
PLASMS OF	GENITAL	ORGANS (17	9-187)								
12.5	15.3	11.4	11.7	13.9	11.1	18.2	27.2	13.0	21.6	34.0	14.5
12.8	15.8	11.6	12.0	14.4	11.4	18.4	28.0	12.8	21.	34.3	14.6
13.2	16.4	11.9	12.4	15.0	11.7	19.1	28.9	13.5	22.6	35.6	15.2
13.2	16.8	11.7	12.4	15.3	11.4	19.	29.	14.0	23.1	36.2	15.8
13.5	17.0	12.1	12.	15.6	11.	20.1	29.5	14.	23.6	36.2	16.6
13.6	17.1	12.2	12.8	15.	11.8	20.0	29.3	14.8	23.3	35.	16.6
13.6	17.1	12.3	12.9	15.	12.0	20.1	29.6	14.	23.2	35.6	16.4
13.2	16.4	12.1	12.5	15.1	11.	19.5	28.0	14.6	22.4	33.4	16.3
13.2	15.9	12.3	12.4	14.	11.9	19.5	27.2	15.1	22.2	32.4	16.
13.0	15.6	12.3	12.3	14.3	11.9	19.3	27.2	14.8	22.1	32.1	16.5
13.2 LE	EC.6	12.6	12.4	14.4	12.1	19.9	27.2 L	15.8	22.6	31.9	17.5
13.1	15.3	12.6	12.3	14.0	12.2	19.8	27.2	15.5	22.4	31.6	17.1
	BOTH PLASMS OF 12.5 12.8 13.2 13.5 13.6 13.6 13.2 13.2 13.2 13.2	BOTH MALE PLASMS OF GENITAL 12.5 15.3 12.8 15.8 13.2 16.4 13.2 16.8 13.5 17.0 13.6 17.1 13.6 17.1 13.2 16.4 13.2 16.4 13.2 15.9 13.0 15.6 13.2 LEC.6	BOTH MALE FEMALE PLASMS OF GENITAL ORGANS (17 12.5 15.3 11.4 12.8 15.8 11.6 13.2 16.4 11.9 13.2 16.8 11.7 13.5 17.0 12.1 13.6 17.1 12.2 13.6 17.1 12.3 13.2 16.4 12.1 13.2 15.9 12.3 13.0 15.6 12.3 13.2 LEC.6 12.6	BOTH MALE FEMALE BOTH PLASMS OF GENITAL ORGANS (179-187) 12.5 15.3 11.4 11.7 12.8 15.8 11.6 12.0 13.2 16.4 11.9 12.4 13.2 16.8 11.7 12.4 13.5 17.0 12.1 12. 13.6 17.1 12.2 12.8 13.6 17.1 12.2 12.8 13.2 16.4 12.1 12.5 13.2 15.9 12.3 12.4 13.0 15.6 12.3 12.3 13.2 LEC.6 12.6 12.4	PLASMS OF GENITAL ORGANS (179-187) 12.5	BOTH MALE FEMALE BOTH MALE H MALE PLASMS OF GENITAL ORGANS (179-187) 12.5 15.3 11.4 11.7 13.9 11.1 12.8 15.8 11.6 12.0 14.4 11.4 13.2 16.4 11.9 12.4 15.0 11.7 13.2 16.8 11.7 12.4 15.3 11.4 13.5 17.0 12.1 12. 15.6 11. 13.6 17.1 12.2 12.8 15. 11.8 13.6 17.1 12.2 12.8 15. 11.8 13.6 17.1 12.3 12.9 15.1 12.0 13.2 16.4 12.1 12.5 15.1 11. 13.2 15.9 12.3 12.4 14. 11.9 13.0 15.6 12.3 12.4 14.4 12.1	BOTH MALE FEMALE BOTH MALE H MALE BOTH PLASMS OF GENITAL ORGANS (179-187) 12.5 15.3 11.4 11.7 13.9 11.1 18.2 12.8 15.8 11.6 12.0 14.4 11.4 18.4 13.2 16.4 11.9 12.4 15.0 11.7 19.1 13.2 16.8 11.7 12.4 15.3 11.4 19. 13.5 17.0 12.1 12. 15.6 11. 20.1 13.6 17.1 12.2 12.8 15. 11.8 20.0 13.6 17.1 12.2 12.8 15. 11.8 20.0 13.6 17.1 12.3 12.9 15. 12.0 20.1 13.2 16.4 12.1 12.5 15.1 11. 19.5 13.2 15.9 12.3 12.4 14. 11.9 19.5 13.0 15.6 12.3 12.3 14.3 11.9 19.3 13.2 LEC.6 12.6 12.4 14.4 12.1 19.9	PLASMS OF GENITAL ORGANS (179-187) 12.5			

12.3 19.9

13.9

12.3

								ALL OTHER	₹	-	
	- TOTAL		1	WHITE		7	COTAL	_	E	BLACK	
BOTH	MALE F	EMALE	BOTH	MALE H	MALE	BOTH	MALE H	MALE	BOTH	MALE	HEMALE
LASMS OF	URINARY ORGAI	NS (188-18	9)								
5.1	7.7	3.0	5.2	7.9	3.0	4.3	6.1	3.0	5.0	6.9	3.5
5.1	7.7.7;.1	5.1	7.8	3.0	4.4	6.0	3.2	5.1	7.0	3.7	
5.1	7.8	3.1	5.2	7.9	3.1	4.5	6.4	3.1	5.1	7.3 ; .5	
5.0	7.9	3.0	5.1	8.0	2.9	4.5	6.3	3.1	5.1	7.4 ; .6	
5.1	7.8	3.1	5.2	8.0	3.1	4.4	6.4	2.9	5.0	7.3 ; .4	
5.1	7.8	3.1	5.2	8.0 ;.1	4.7.7	'i 6.6	3.3	; 5.3	; 7.7.	7; 3.	7
5.1	7.8	3.0	5.1	8.0 ; .0	4.7	6.7.7	7; 3.3	; 5.5	7.9	3.8	
5.1	7.8	3.0	5.1	7.9	3.0	4.7	6.6	3.2	5.3 ;	7.6	3.7
4.9	7.6 ;.0	5.0	7.8	2.9	4.4	6.2	3.1	5.0	7.0	3.6	
5.0	7.7.7;	3.0 ;	5.1	7.9	3.0	4.4	6.4	3.1	5.0	7.2	3.5
5.0	7.7	3.1	5.1	7.9 j.0	4.4 ;	6.0	3.3 ¡	5.0	6.8	3.7	
5.1	7.8	3.0	5.1	7.9	3.0	4.6	6.8	3.0 ;	5.2	7.7	3.4
5.0	7.9	2.9	5.1	8.0 j	2.9	4.6 ;	6.6	3.3 ¡	5.1	7.2	3.6
5.1	7.9	3.0	5.2	8.1	3.0	4.6 ;	6.6 j	3.1	5.1	7.3 ¡	3.4
5.2	8.2 ;.0	5.2	8.3	i 2.9	4.8	6.7.7	7; 3.4	5.3	; 7.4	; 3.8	61 5.2
5.2	8.2	3.1	5.3	8.4	3.1	4.5	6.3 ¡	3.2	4.9	6.8	3.5
5.2	8.2 j	3.0	5.3 ¡	8.4	3.0	4.7.7;	6.7	3.3	5.1	7.3 ;	3.4
	BOTH LASMS OF 5.1 5.1 5.0 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.0 5.1 5.0 5.1 5.2 5.2	BOTH MALE FI LASMS OF URINARY ORGAN 5.1 7.7 5.1 7.7.7;.1 5.1 7.8 5.0 7.9 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 5.1 7.8 6.1 7.8 6.1 7.9 6.1 7.9 6.2 8.2 1.0 6.2 8.2	LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.1 7.7.7;.1 5.1 5.1 7.8 3.1 5.0 7.9 3.0 5.1 7.8 3.1 5.1 7.8 3.1 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.1 7.8 3.0 5.0 7.7.7; 3.0; 5.0 7.7 3.1 5.1 7.8 3.0 5.0 7.7 3.1 5.1 7.8 3.0 5.0 7.9 2.9 5.1 7.9 3.0 5.2 8.2;.0 5.2 5.2 8.2 3.1	BOTH MALE FEMALE BOTH LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 5.1 7.7 5.1 5.1 7.8 5.1 7.8 3.1 5.2 5.0 7.9 3.0 5.1 5.1 7.8 3.1 5.2 5.1 7.8 3.1 5.2 5.1 7.8 3.1 5.2 5.1 7.8 3.1 5.2 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.0 7.7 3.1 5.1 5.0 7.7 3.1 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.1 7.8 3.0 5.1 5.2 8.2 i.0 5.2 8.3	BOTH MALE FEMALE BOTH MALE H LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 5.1 7.7.7;.1 5.1 7.8 3.0 5.1 7.8 3.1 5.2 7.9 5.0 7.9 3.0 5.1 8.0 5.1 7.8 3.1 5.2 8.0 5.1 7.8 3.1 5.2 8.0;.1 5.1 7.8 3.0 5.1 8.0;.0 5.1 7.8 3.0 5.1 8.0;.0 5.1 7.8 3.0 5.1 7.9 4.9 7.6;.0 5.0 7.8 2.9 5.0 7.7.7; 3.0; 5.1 7.9 5.0 7.7.7; 3.0; 5.1 7.9 5.1 7.8 3.0 5.1 7.9 5.0 7.7.7; 3.0; 5.1 7.9 5.1 7.8 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.1 7.9 5.1 7.9 3.0 5.2 8.3; 2.9 5.2 8.2;.0 5.2 8.3; 2.9 5.2 8.2;.0 5.2 8.3; 2.9	BOTH MALE FEMALE BOTH MALE H MALE LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 5.1 7.7.7;.1 5.1 7.8 3.0 4.4 5.1 7.8 3.1 5.2 7.9 3.1 5.0 7.9 3.0 5.1 8.0 2.9 5.1 7.8 3.1 5.2 8.0 3.1 5.1 7.8 3.1 5.2 8.0 3.1 5.1 7.8 3.1 5.2 8.0 i.1 4.7.7 5.1 7.8 3.0 5.1 8.0 i.0 4.7 5.1 7.8 3.0 5.1 8.0 i.0 4.7 5.1 7.8 3.0 5.1 7.9 3.0 4.9 7.6 i.0 5.0 7.8 2.9 4.4 5.0 7.7.7; 3.0 i 5.1 7.9 3.0 5.0 7.7.7; 3.1 5.1 7.9 3.0 5.0 7.7 3.1 5.1 7.9 3.0 5.1 7.8 3.0 5.1 7.9 3.0 5.1 7.8 3.0 5.1 7.9 3.0 5.2 8.2 i.0 5.2 8.3 i 2.9 4.8 5.2 8.2 3.1 5.3 8.4 3.1	BOTH MALE FEMALE BOTH MALE H MALE BOTH LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 4.3 5.1 7.7.7;.1 5.1 7.8 3.0 4.4 6.0 5.1 7.8 3.1 5.2 7.9 3.1 4.5 5.0 7.9 3.0 5.1 8.0 2.9 4.5 5.1 7.8 3.1 5.2 8.0 3.1 4.4 5.1 7.8 3.1 5.2 8.0 3.1 4.7; 6.6 5.1 7.8 3.1 5.2 8.0;.1 4.7.7; 6.6 5.1 7.8 3.0 5.1 8.0;.0 4.7 6.7.7 5.1 7.8 3.0 5.1 7.9 3.0 4.7 4.9 7.6;.0 5.0 7.8 2.9 4.4 6.2 5.0 7.7.7; 3.0; 5.1 7.9 3.0 4.4 5.0 7.7 3.1 5.1 7.9;.0 4.4; 6.0 5.1 7.8 3.0 5.1 7.9 3.0 4.6 5.1 7.8 3.0 5.1 7.9 3.0 4.6 5.1 7.8 3.0 5.1 7.9 3.0 4.6 5.1 7.8 3.0 5.1 7.9 3.0 4.6 5.1 7.8 3.0 5.1 7.9 3.0 4.6 5.1 7.9 3.0 5.2 8.1 3.0 4.6 5.2 8.2;.0 5.2 8.3; 2.9 4.8 6.7.7 5.2 8.2;.0 5.2 8.3; 2.9 4.8 6.7.7	BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 4.3 6.1 5.1 7.7.7;.1 5.1 7.8 3.0 4.4 6.0 3.2 5.1 7.8 3.1 5.2 7.9 3.1 4.5 6.4 5.0 7.9 3.0 5.1 8.0 2.9 4.5 6.3 5.1 7.8 3.1 5.2 8.0 3.1 4.4 6.4 5.1 7.8 3.1 5.2 8.0 3.1 4.7 6.6 3.3 5.1 7.8 3.1 5.2 8.0 i.1 4.7.7; 6.6 3.3 5.1 7.8 3.0 5.1 8.0;.0 4.7 6.7.7; 3.3 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.3 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.4 5.0 7.7; 3.0; 5.1 7.9 3.0 4.4 6.2 3.1 5.0 7.7.7; 3.0; 5.1 7.9 3.0 4.4 6.4 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 5.0 7.7 3.1 5.1 7.9 3.0 4.6 6.8 5.0 7.9 2.9 5.1 8.0; 2.9 4.6; 6.6 5.1 7.9 3.0 5.2 8.1 3.0 4.6; 6.6 5.2 8.2; 0 5.2 8.3; 2.9 4.8 6.7.7; 3.4 5.2 8.2; 0 5.2 8.3; 2.9 4.8 6.7.7; 3.4	BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE H MALE LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 4.3 6.1 3.0 5.1 7.7.7; 1 5.1 7.8 3.0 4.4 6.0 3.2 5.1 5.1 7.8 3.1 5.2 7.9 3.1 4.5 6.4 3.1 5.0 7.9 3.0 5.1 8.0 2.9 4.5 6.3 3.1 5.1 7.8 3.1 5.2 8.0 3.1 4.4 6.4 2.9 5.1 7.8 3.1 5.2 8.0 3.1 4.7 6.6 3.3 5.3 5.1 7.8 3.0 5.1 8.0; 0 4.7 6.7; 3.3 5.5 5.1 7.8 3.0 5.1 8.0; 0 4.7 6.7; 3.3 5.5 5.1 7.8 3.0 5.1 8.0; 0 4.7 6.7; 3.3 5.5 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.2 4.9 7.6; 0 5.0 7.8 2.9 4.4 6.2 3.1 5.0 5.0 7.7.7; 3.0; 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.9 2.9 5.1 8.0; 2.9 4.6 6.8 3.0; 5.0; 5.1 5.1 7.8 3.0 5.1 7.9 3.0 4.6 6.8 3.0; 5.0; 5.1 5.1 7.9 3.0 4.6 6.8 3.0; 5.0; 5.1 5.1 7.9 3.0 4.6 6.6 3.3; 5.0; 5.1 5.2 8.2; 0 5.2 8.3; 2.9 4.8 6.7.7; 3.4 5.3 5.2 8.2; 0 5.2 8.3; 2.9 4.8 6.7.7; 3.4 5.3	BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE H MALE BOTH LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 4.4 6.0 3.2 5.1 7.0 5.1 7.8 3.1 5.1 7.0 5.1 7.8 3.1 5.2 8.0 1.1 4.5 6.3 3.1 5.1 5.1 5.1 7.8 3.1 5.2 8.0 1.1 4.7.7; 6.6 3.3 1.5.1 5.1 5.1 7.8 3.1 5.2 8.0 1.1 4.7.7; 6.6 3.3 1.5.1 5.1 5.1 7.8 3.1 5.2 8.0 1.1 4.7.7; 6.6 3.3 1.5.3 1.5.1 5.1 5.1 7.8 3.1 5.2 8.0 1.1 4.7.7; 6.6 3.3 1.5.3 1.5.1 5.1 7.8 3.0 5.1 8.0 1.0 4.7 6.7.7; 3.3 1.5.5 7.9 5.1 7.8 3.0 5.1 8.0 1.0 4.7 6.7.7; 3.3 1.5.5 7.9 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.2 5.3 1.5.5 7.9 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.2 5.3 1.5.0 5.0 7.0 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.0 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 5.0 5.0 7.0 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 5.0 5.1 7.9 3.0 4.4 6.4 3.1 5.0 5.0 5.1 7.9 3.0 4.4 6.4 3.1 5.0 5.0 5.1 7.9 3.0 4.4 6.4 3.1 5.0 5.0 5.1 7.9 3.0 4.4 6.4 6.4 3.1 5.0 5.0 7.0 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 6.4 3.1 5.0 5.0 5.1 7.9 3.0 4.6 6.8 3.0 1.5 5.2 5.0 7.9 3.0 4.6 6.6 3.3 1.5 5.1 5.0 5.2 5.0 7.9 3.0 4.6 6.6 6.8 3.0 1.5 5.2 5.0 7.9 3.0 4.6 6.6 6.6 3.3 1.5 5.1 5.1 7.9 3.0 4.6 6.6 6.6 3.3 1.5 5.1 5.1 5.1 5.1 7.9 3.0 4.6 16.6 6.6 3.3 1.5 5.1 5.1 5.1 5.1 5.1 7.9 3.0 4.6 16.6 6.6 3.3 1.5 5.1 5.1 5.1 5.1 5.1 5.2 8.2 1.0 5.2 8.3 1.5 5.2 8.3 1.5 5.3 8.4 3.1 4.5 6.3 1.3 3.2 4.9	BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE BOTH MALE BOTH MALE LASMS OF URINARY ORGANS (188-189) 5.1 7.7 3.0 5.2 7.9 3.0 4.4 6.0 3.2 5.1 7.0 3.7 5.1 7.8 3.0 4.4 6.0 3.2 5.1 7.0 3.7 5.1 7.8 3.1 5.2 7.9 3.1 4.5 6.4 3.1 5.1 7.3 ;.5 5.0 7.9 3.0 5.1 8.0 2.9 4.5 6.3 3.1 5.1 7.4 ;.6 5.1 7.8 3.1 5.2 8.0 j.1 4.77; 6.6 3.3 j 5.3 j 7.7.7; 3.3 ; 5.1 7.8 3.1 5.2 8.0 j.1 4.7.7; 6.6 3.3 j 5.3 j 7.7.7; 3.3 ; 5.1 7.8 3.0 5.1 8.0 j.0 4.7 6.7.7; 3.3 j 5.5 7.9 3.8 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.2 5.3 j 7.7.7; 3.8 5.1 7.8 3.0 5.1 7.9 3.0 4.7 6.6 3.2 5.3 j 7.0 3.6 5.1 7.8 3.0 j 5.1 7.9 3.0 4.7 6.6 3.2 5.3 j 7.0 3.6 5.1 7.5 j 7.9 3.0 4.7 6.6 3.3 j 5.0 j 6.8 3.7 5.5 5.0 7.2 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.0 3.6 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.0 3.6 5.0 7.7 3.1 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.0 3.6 5.1 7.8 3.0 5.1 7.9 3.0 4.4 6.4 3.1 5.0 7.0 3.6 5.1 7.9 j 0 4.4 6.4 6.4 3.1 5.0 7.0 3.6 5.1 7.9 j 0 4.4 6.4 6.4 3.1 5.0 7.0 3.6 5.1 7.9 j 0 4.4 6.4 6.4 3.1 5.0 7.0 3.6 5.1 7.9 j 0 4.4 6.6 6.8 3.3 j 5.0 j 6.8 3.7 5.1 7.2 5.0 7.9 3.0 4.6 6.8 3.0 j 5.2 7.7 5.1 7.9 3.0 5.2 8.1 3.0 4.6 6.6 3.3 j 5.1 7.2 5.1 7.2 5.1 7.9 3.0 4.6 6.6 6.8 3.3 j 5.1 7.2 5.1 7.2 5.1 7.9 3.0 4.6 6.6 6.6 3.3 j 5.1 7.2 5.1 7.3 j 5.2 8.2 j 0 5.2 8.3 j 5.2 8.3 j 5.2 9 4.8 6.7 7.1 3.4 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.2 8.3 j 5.2 9 4.8 6.7 7.1 3.4 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j 5.3 j 5.3 j 5.3 j 7.4 j 3.8 5.2 8.2 j 0 5.2 8.3 j 5.3 j

UNITED STATES, 1979-96

				ALL OTHER									
CAUSE OF DEA	TH,	TOTAL			WHITE			TOTAL -			- BLACK		
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MAI	LE HEMALE	
MALIGNANT	NEOPLASMS O	F ALL OTHE	R AND UNSP	ECIFIED SI	TES (170-1	73,190-199)						
1996.6.‡.6	16.6	20.5	13.4	16.9	20.8	13.6	14.7	18.2 0 0	2.1 1	6.9 2	1.4	13.5	
1995‡.‡.	16.7	20.7	13.4	16.8	20.8	13.5	15‡6	19.5 0 02.	7 17.	9 22.	6 14	1.4	
19946	17.0	21.0	13.7	17.2 0	21.3	13.9	15‡7	19.3	13.0	18.1	22.6	14.7	
1993	17.2 0	21.4	13.8	17.3	21.5 0	13.8	16.5	20.8	13.4 0 0	8.7 2	4.0	14.8	
1992	16.9	21.0	13.6	17.1	21.2 0	13.7	15‡9	19.5	13.1	18.2 0	23.0	14.7	
1991	17.0	21.4	13.6	17.2	21.5	13.7	16.1	20.7	12.7	18.3	24.2	14.0	
1990	16.9	20.9	13.6	16.9	20.9	13.7	16.6	21.2 0	13.0	18.8	24.6	14.6	
1989	17.3	21.7	13.8	17.4	21.6	13.9	17.0	22.1	13.3	19.3	25‡5	14.8	
1988	17.7	22.1	14.1	17.7	22.1	14.1	17.4	22.0	14.0	19.7	25‡4	15‡4	
1987	17.7	22.1	14.2 0	17.7	22.0	14.3	17.8	22.7	14.0	20.1	26.4	15‡5	
1986	17.8	22.1	14.2	17.8	22.1	14.2 0	17.7	22.1	14.3	19.8	25‡2 0	15‡8	
1985‡	17.6	21.9	14.2	17.6	21.8	14.2	18.2	23.4 0	14.3	20.2 0	26.3	15.7	
1984	17.4	21.5	14.1	17.3	21.3	14.1	18.0	23.0	14.2 0	20.0	25‡9	15.5	
1983	17.2	21.4	13.9	17.2 0	21.2	13.9	17.8	22.6	14.2 0	19.6	25‡2	15.4	
1982	17.0	20.7	14.0	17.0	20.7	14.0	17.2	21.4	14.1	19.0	23.8	15.3	
1981	16.8	20.5 0	13.9	16.8	20.4	13.9	17.2	21.3	13.9	18.8	23.7	15.0	
1980	16.9	20.8	13.7	16.8	20.7	13.6	17.8	21.6	14.9	19.5 0	23.9	16.1	

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

									ALL OTH	LR	_	
CAUSE OF DEATH,		- TOTAL			- WHITE			TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
LEUKEMIA (204	-208)											
1996	4.8	6.2	3.8	4.9	6.3	3.8	4.3	5.4	3.4	4.7	6.0	3.8
1995	4.8	6.3	3.7	4.9	6.4	3.7	4.3	5.5	3.5	4.7	6.1	3.7
1994	4.9	6.3	3.8	4.9	6.4	3.8	4.2	5.5	3.3	4.6	6.1	3.6
1993	4.9	6.3	3.8	5.0	6.4	3.8	4.5	5.7	3.6	4.9	6.3	3.8
1992	4.9	6.4	3.9	5.0	6.5	3.9	4.2	5.4	3.4	4.7	6.0	3.7
1991	5.0	6.3	3.9	5.0	6.3	4.0	4.4	5.6	3.5	4.8	6.3	3.8
1990	5.0	6.4	3.9	5.0	6.5	3.9	4.5	5.8	3.6	4.9	6.4	3.9
1989	5.0	6.4	3.9	5.0	6.5	3.9	4.5	5.9	3.4	4.8	6.4	3.6
1988	4.9	6.3	3.7	4.9	6.4	3.8	4.3	5.5	3.4	4.6	6.0	3.5
1987	4.9	6.2	3.9	4.9	6.3	3.9	4.5	5.5	3.7	4.8	6.0	3.9
1986	5.0	6.4	3.9	5.1	6.6	3.9	4.4	5.4	3.6	4.8	6.0	3.9
1985	5.1	6.4	4.0	5.1	6.5	4.1	4.4	5.7	3.5	4.7	6.1	3.7
1984	5.1	6.5	4.1	5.2	6.5	4.1	4.6	5.7	3.7	4.8	6.0	4.0
1983	5.1	6.6	4.0	5.2	6.7	4.0	4.6	5.6	3.8	4.8	6.0	4.0
1982	5.2	6.6	4.0	5.2	6.7	4.1	4.6	5.7	3.8	4.9	6.1	4.0
1981	5.2	6.6	4.0	5.2	6.7	4.1	4.5	5.5	3.7	4.8	5.8	4.0
1980	5.4	6.9	4.2	5.5	7.0	4.3	4.6	5.7	3.8	4.8	6.0	4.0
1979	5.3	6.7	4.1	5.4	6	4.2	4.5	5.5	3.7	4.7	5.8	3.9

1983.....

7.2

7.1

8.7

8.7

6.2

6.2

7.9

7.9

10.0

10.2

8.9

9.2

5.6

5.5

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -MALE MALE H MALE HEMALE AND YEAR BOTH FEMALE BOTH BOTH MALE H MALE BOTH MALE OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203) 1996..... 8.2 10.0 6.6 8.1 10.0 6.6 8.1 10.2 6.5 9.4 11.9 7.5 1995..... 8.2 10.1 6.6 8.2 10.1 6.6 8.1 9.9 6.6 9.3 11.5 7.6 1994..... 8.2 10.1 6.6 8.2 10.1 6.6 7.9 9.8 6.4 9.0 11.3 7.3 1993..... 7.9 9.7 6.5 7.9 9.7 6.5 7.9 9.9 6.5 9.1 11.4 7.5 7.9 1992...... 9.8 6.3 7.9 9.8 6.3 7.8 9.8 6.3 9.0 11.4 7.2 1991..... 7.9 9.8 6.4 7.9 9.8 8.1 10.1 6.6 9.2 11.6 7.5 6.4 1990..... 7.7 9.7 6.1 7.7 9.7 6.0 7.8 10.0 6.1 8.8 11.5 6.8 1989..... 7.7 9.5 7.7 9.5 6.2 7.6 9.7 6.0 8.6 11.1 6.7 6.2 1988..... 7.5 9.2 6.0 7.4 9.2 6.0 7.3 9.1 6.0 8.3 10.4 6.7 1987..... 7.3 7.3 7.2 9.2 5.7 9.0 5.9 9.0 5.9 8.1 10.6 6.3 1986..... 5.9 7.4 9.2 6.0 7.4 9.2 6. 6.0² 9.8 8.4 10.9 6.6 1985..... 7.3 9.0 6. 6.02.3 9.0 5.9 7.3 9.1 6.0 8.0 10.0 6.5

5.9

5.8

7.1

7.1

8.7

8.6

7.2

7.1

5.9

1979.....

2.0

1.9

2.1

2.0

1.9

1.8

1.9

1.8

2.1

2.0

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -MALE H MALE HEMALE AND YEAR BOTH MALE FEMALE BOTH BOTH MALE H MALE BOTH MALE BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239) 1996..... 1.7 1.8 1.5 1.6 1.8 1.5 1.9 2.1 1.8 2.2 2.4 2.1 1.7 1995..... 1.7 1.9 1.6 1.9 1.5 2.0 2.1 1.9 2.3 2.5 2.1 1.7 1994...... 1.7 1.9 1.5 1.9 1.5 1.9 2.1 1.8 2.2 2.4 2.0 1993..... 1.7 2.0 1.5 1.7 1.9 1.5 1.9 2.2 1.7 2.2 2.6 1.9 1.7 2.0 1992...... 1.9 1.5 1.6 1.9 1.5 1.9 2.2 1.7 2.2 2.5 1991..... 1.7 1.9 1.6 1.9 1.9 2.2 1.8 2.3 2.6 2.1 1.5 1.5 1990..... 1.7 1.8 1.6 1.6 1.8 1.5 2.0 2.0 1.9 2.2 2.4 2.1 1.5 1989..... 1.7 1.9 1.7 1.9 1.5 2.0 2.1 1.9 2.2 2.4 2.1 1.6 1988..... 1.7 1.9 1.6 1.7 1.9 2.1 2.2 2.1 2.4 2.5 2.4 1987..... 1.7 2.0 1.7 2.3 1.7 2.1 2.6 1.8 1.6 1.9 1.5 1.9 2.1 1.7 1.8 2.3 2.1 2.5 2.3 1986...... 1.8 2.0 1.6 2.2 2.6 1985...... 1.9 2.0 1.7 1.8 2.0 1.6 2.3 2.4 2.3 2.6 2.7 2.6 1.8 1.8 2.3 2.0 2.2 1984..... 2.0 1.7 1.9 1.6 2.2 2.4 2.5 1983..... 1.9 2.1 1.7 1.8 2.0 1.7 2.2 2.3 2.0 2.4 2.5 2.2 1982..... 1.9 2.1 1.8 1.9 2.0 1.7 2.4 2.5 2.3 2.7 2.8 2.6 1981..... 1.9 2.1 1.7 1.9 2.1 1 2.2 2.2 2.2 2.4 2.3 2.5 2.7

1.8

1.7

2.6

2.4

2.7

2.3

2.6

2.4

2.8

2.5

3.0

2.5

9.8

10.0

9.5

8.8

9.3

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -- - - - BLACK - - - -HEMALE AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE DIABETES MELLITUS (250) 1996..... 13.6 14.9 12.5 12.0 13.7 10.7 24.6 23.8 25.0 28.8 27.8 29.4 1995..... 13.3 14.4 12.4 11.7 13.1 10.6 24.6 24.4 24.6 28.5 28.4 28.3 1994..... 12.9 13.9 12.1 11.5 12.7 10.4 23.5 23.1 23.6 27.4 27.1 27.4 1993..... 12.4 13.4 11.7 11.0 12.2 10.0 22.9 22.4 23.1 26.8 26.3 26.9 1992...... 11.9 12.7 11.1 10.5 11.6 9.6 21.8 20.8 22.2 25.3 24.2 25.8 1991..... 11.8 12.6 10.5 11.5 9.6 20.8 22.2 24.6 11.1 21.7 25.4 25.7 1990..... 12.3 10.4 9.5 21.6 20.6 22.2 24.8 23.6 11.7 11.1 11.3 25.4 1989..... 10.3 24.1 11.6 12.2 11.0 11.1 9.6 21.6 20.9 21.8 24.5 24.6 1988..... 10.2 10.7 9.8 9.0 9.7 8.4 19.3 18.3 19.9 21.9 6 0 7 22.5 8.8 19.2 1987..... 9.8 10.4 9.4 9.6 8.1 18.4 17.1 19.2 20.7 21.6 1986...... 9.7 10.0 9.3 8.6 9.1 8.1 18.2 16.7 19.2 20.4 18.6 21.6 1985...... 9.7 10.0 9.4 8.6 9.2 8.1 18.1 16.5 19.1 6 0.1 6 18.2 21.3 1984..... 9.5 9.9 6 9.2 8.5 9.1 8.0 17.7 16.4 18.5 19.6 18.1 20.6 1983..... 9.9 10.0 9.8 8.9 9.2 18.0 16.2 19.2 19.9 18.0 21.2 8.6 1982..... 9.6 9.8 9.4 8.7 9.2 8.3 16.7 14.7 18.2 18.3 16.0 19.9 1981..... 9.8 10.0 19.5 21.4 9.6 8.9 9.4 8.4 17.9 15.6 19.5 16.8 1980..... 10.1 10.2 10.0 9.1 9.5 8.7 18.8 16.4 20.6 20.3 17.7 22.1

8.3

18.1

16.1

19.5

19.3

17.0

UNITED STATES, 1979-96

									ALL OT	HER		
CAUSE OF DEATH,		- TOTAL -			WHITE -			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
NUTRITIONAL DEFI	CIENCIES	(260-269)										
1996	0.5	0.5	0.5	0.5	0.4	0.4	0.7	0.8	0.6	0.8	0.9	0.7
1995	0.5	0.5	0.5	0.5	0.4	0.5	0.7	0.8	0.6	0.9	1.0	0.7
1994	0.5	0.5	0.5	0.4	0.5	0.4	0.7	0.8	0.6	0.8	1.0	0.7
1993	0.5	0.5	0.5TH	0.5	0.4	0.8	1.0	0.6	0.9	1.2	0.7	
1992	0.5	0.5	0.4	0.4 AB	0.4	4 0.8	1.0	0.7	1.0	1.2	0.8	
1991TH	0.5	0.4	0.4	0.4	0.4	0.7	1.0	0.6	0.8	1.1	0.6	
1990T	0.5	0.5TAB	AB A	0.4 AB A	0.9	1.0	0.8	1.0	1.2	0.9		
1989TH	0.5	0.5	0.5	0.5 AB A	0.9	1.0	0.8	1.0	1.2	0.9		
1988T	0.5TH	0.5	0.4 A	0.5TAB A	0.9	1.1	0.7	1.0	1.3	0.8		
1987T	0.5TA	0.5TA	0.5TA	0.4	0.5	0.4	0.8	1.1	0.6	1.0	1.3	0.7
1986T	0.5	0.6	0.5TH	0.5	0.4 A	0.9	1.1	0.7	1.0	1.3	0.8	
1985T	0.5 A	0.6	0.5TA	0.5 A	0.5TA	0.4	0.9	1.0	0.8	0.9	1.1	0.8
1984T	0.5T	0.5	0.5 A	3 A 0.5	A 0.4	4 A 0.8	1.0	0.7	0.9	1.1	0.8	
1983т	0.5 A	0.6	0.5 A	0.5 A	0.5 A	0.4	0.9	1.3	0.7	1.0	1.4	0.7
1982T	0.5	0.6	0.4	0.4TH	0.4	0.9	1.0	0.8	1.0	1.1	0.9	
1981TH	0.5	0.4	0.4	0.5	0.4	0.8	1.0	0.7	0.9	1.0	0.8	
1980T	0.5	0.6	0.5	0.5 A	0.5 A	0.4T	0.9	1.2	0.7	1.0	1.3	0.8
1979T	0.5TA	0.6TH	0.4TH	0.4T 1	. 0	1.2	0.8	1.0	1.3	0.8		

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -©USE OF DEATH, --- TOTAL --- - WHITE --- - TOTAL --- - BLACK ---

GOSE OF DEATH,		- IUIAL -			MUTIF -			- IOIAL -			- BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ANEMIAS (280-285)											
1996	0.8	0.9	0.8	0.6	0.7	0.6	1.9	2.0	1.8	2.4	2.6	2.3
1995	0.9	1.0	0.9	0.7	0.7	0.6	2.1	2.3	2.1	2.7	2.8	2.6
1994	0.9	1.0	0.8	0.7	0.8	0.6	2.2	2.3	2.0	2.7	2.9	2.5
1993	0.9	0.9	0.8	0.6	0.7	0.6	2.1	2.2	2.0	2.6	2.8	2.4
1992	0.9	1.0	0.8	0.7	0.8	0.6	2.2	2.3	2.0	2.7	2.9	2.4
1991	0.9	1.0	0.8	0.7	0.7	0.6	2.1.9	1.9	2.5	2.8	2.3	}
1990	0.9	1.0	0.8	0.7	0.7	0.6	2.2	2.6	1.8	2.6	3.2	2.2
1989	0.9	1.0	0.9	0.7	0.8	0.6	2.1	2.3	2.0	2.6	2.8	2.4
1988	0.9	0.9	0.8	0.7	0.8	0.6	1.9	2.0	1.7	2.2	2.4	2.1
1987	0.9	1.0	0.8	0.7	0.8	0.6	1.9	2.2	1.7	2.3	2.7	2.0
1986	0.9	1.0	0.8	0.7	0.8	0.6	1.9	2.0	1.7	2.2	2.4	2.0
1985	0.9	1.0	0.8	0.7	0.8	0.6	2.0	2.2	1.8	2.4	2.6	2.1
1984	0.9	1.0	0.8	0.7	0.8	0.7	1.8	2.0	1.6	2.1	2.4	1.8
1983	0.9	1.0	0.8	0.7	0.8	0.7	1.9	2.2	1.7	2.2	2.6	1.9
1982	0.9	1.0	0.8	0.7	0.8	0.6	1.9	2.0	1.8	2.1	2.3	2.0
1981	0.9	1.0	0.8	0.7	0.9	0.7	1.9	2.1	1.7	2.2	2.5	2.0
1980	0.9	1.0	0.9	0.7	0.8	0.7	2.1	2.3	2.0	2.4	2.6	2.2
1979	0.9	1.1	0.8	0.8	0.9	0.7	2.1.	2.2	2.0	2.3	2.4	2.2

1988.....

1987.....

1986......

1985..... 6

1984..... 6

1983..... 6

1980....

1982..... 6 0.5

1981..... 6 0.5

1979..... 6 q6

0.4

0.4

0.A

0.A

0.AT

0.8

1.3 6 0.7

1.2 0.8

1.2 6 0.8

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -CAUSE OF DEATH, AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE MENINGITIS (320-322) 1996..... 0.3 0.6 0.3 0.2 0.2 0.2 0.1 0.5 0.6 0.4 0.8 0.5 1995...... 0.2 6 0.2 0.2 0.2 6 0.2 0.5 0.6 0.4 0.6 0.7 0.5 q 0.2 6 0.2 0.8 6 q5 1994..... 0.3 0.3 6 q2 6 0.2 0.5 0.6 0.4 0.6 1993..... 0.3 6 0.3 6 0.2 0.2 0.2 0.2 0.5 0.6 0.4 6 q6 US8 6 0.5 0.6 0.2 6 0.2 6 0.5 1992..... 0.2 0.3 0.2 6 q2 0.6 0.4 0.f 0.5 U 0.f 1991..... 0.3 0.3 0.3 0.2 0.3 0.2 6 0.6 0.5 0.f 6 q8 6 0.6 1990..... 0.3 0.AT 0.3 0.3 6 q3 6 0.3 6 0.f 6 0.9 0.6 0.9 1.1 0.7

0.2

0.3 6 0.AT 0.3 0.9 1.0 0.f

0.3 1.0

0.3 6 1.0

0.4 6 1.2

1.0

0.3 6 0.3 0.3 6 q8

0.4 6 q3

6 0.3 6 0.AT 0.3 0.9 6 0.3 0.A 6 q3 0.9

0.9 1.1

1.1

0.6 6 0.AT 1.1 1.AT 0.9 lq lq5 6 1.1

0.4 6 1.AT 1.6 U 1.2 1.A 1.f 6 1.2

0.3

0.5

0.A 6 0.5

0.A 6 0.5

0.3

0.A

qΑ

0.A

0.3

0.3 6 0.3

0.4 6 qA

0.f 6 qA 6 qA 6 0.5

 0.5^{-} 6 q5

0.5

0.4

0.5

0.5

0.6 gA

0.f 6 0.5

0.5 6

gAT 0.5 6

0.5 6 0.5

0.6 6 0.f

0.3

0.4

0.f

1.0 0.f 1.0

1.0 0.f 6 1.0

0.6

1.0

1.1 0.9 1.1 1.3 6 1.0

1.AT 1.0 1.3 6 1.5 1.2

1q3 6 0.8 6 1.2 6 1.4 0.9

1.1 0.8 6 1.1 1.2 6 1.0

1.0

1q0 1.2 6 q8

1q

1979..... 254.2 342.4

184.8

247.3

337.1

					UNITED ST	ATES, 19/9-	96					
									ALL OT	HER		
CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			- BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
MAJOR CARDIOVAS	CULAR DISE	ASES (390	-448)									
1996	170.7	219.7	130.6	163.6	212.6	123.0	214.3	265.0	175.6	251.0	311.7	205.8
1995	174.9	226.6	132.9	167.2	218.5	125.1	223.6	280.2	180.9	259.4	326.1	209.5
1994	176.8	230.1	133.8	169.3	222.6	125.9	224.7	280.3	182.8	259.7	324.7	211.6
1993	181.8	237.5	137.2	173.9	229.7	129.0	233.0	290.9	189.3	269.6	338.1	218.8
1992	180.4	236.5	135.6	172.8	229.1	127.6	229.9	287.3	186.9	265.3	333.6	215.3
1991	185.0	243.6	138.5	177.2	235.9	130.4	237.0	297.5	191.4	272.9	345.4	219.8
1990	189.8	250.5	142.1	182.1	243.0	133.9	242.2	303.1	196.8	277.0	350.1	223.8
1989	196.1	258.8	146.7	187.9	250.7	137.9	254.0	317.3	206.2	289.7	365.0	234.2
1988	208.3	275.0	155.8	200.1	267.2	147.2	265.3	332.0	215.1	301.8	380.2	243.9
1987	212.0	280.3	158.3	204.4	272.9	150.2	265.9	334.0	214.4	300.4	378.8	242.4
1986	218.0	289.3	162.0	210.4	282.3	153.7	271.7	339.8	220.1	306.4	385.1	247.7
1985	225.1	300.7	165.7	217.5	294.2	157.3	278.7	348.2	225.8	312.0	391.8	252.4
1984	229.2	306.2	169.1	222.2	300.3	160.9	280.0	348.9	227.4	312.1	391.0	253.0
1007	245 0	220 1	100 0	220 1	224 0	171 0	206.2	260.2	240.2	226 7	407.0	264.7
1987	245.9	330.1	180.0	239.1	324.8	171.9	296.2	368.3	240.2	326.7	407.9	264.7
1980	256.0	343.0	187.9	248.4	336.9	179.1	313.5	389.5	254.6	342.0	425.7	278.3

176.5

306.4 381.9

247.6

329.5

411.5

					ONTIED 3	DIALES, 197	3-30					
									ALL	OTHER		
CAUSE OF DEATH		TOTAL			WHITE			TOTAL			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MAL	E BOT	H MAL	E HEMALE
DISEASES OF	HEART (390	0-398,402,4	104-429)									
1996	134.5	178.8	98.2	129.8	174.5	92.9	162.5	205.5	129.6	191.5	242.6	153.4
1995	138.3	184.9	100.4	133.1	179.7	94.9	170.4	218.5	134.1	198.8	255.9	156.3
1994	140.4	188.5	101.6	135.4	183.8	96.1	171.1	218.4	135.5	198.8	254.0	158.0
1993	145.3	195.5	105.0	139.9	190.3	99.2	179.6	229.7	141.8	208.9	267.9	165.3
1992	144.3	195.1	103.8	139.2	190.3	98.1	177.2	226.7	140.1	205.4	264.1	162.4
1991	148.2	201.0	106.3	143.1	196.1	100.7	182.2	234.0	143.1	210.9	272.7	165.5
1990	0 "0	206.7	108.9	146.9	20"0	103.1	186.1	238.3	146.9	213.5	275.9	168.1
1989	0 157.5	214.0	112.7	151.9	208.7	106.6	195.8	251.4	153.9	224.0	289.7	175.6
1988	0 167.7	228.0	120.1	16 03	223.0	114.1	204.7	263.0	160.8	233.5	301.7	183.3
1987	0 170.8	232.7	121.9	165.7	228.1	116.2	205.6	264.7	160.9	232.9	301.0	182.6
1986	0 176.0	240.9	124.8	171.0	236.7	118.9	210.2	269.6	165.2	237.6	306.1	186.6

2.7

2.1

3.0

2.72

2.1

2.3

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -CAUSE OF DEATH, MALE H MALE MALE HEMALE AND YEAR BOTH FEMALE BOTH BOTH MALE H MALE BOTH MALE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398) 1996..... 1.1 0.8 1.3 1.1 0.8 1.3 1.0 0.7 1.2 1.0 0.7 1.2 1995..... 1.1 0.8 1.4 1.1 0.8 1.3 1.1 0.8 1.3 1.1 0.9 1.3 1994...... 1.2 1.0 1.5 1.2 1.0 1.8 1.1 0.9 1.3 1.1 0.9 1.3 1993..... 1.3 1.0 1.6 1.3 1.0 1.5 1.2 0.9 1.3 1.2 0.9 1.4 1992...... 1.3 1.0 1.6 1.3 1.0 1.72 1.3 1.0 1.5 1.3 1.0 1.6 1991..... 1.4 1.1 1.7 1.4 1.1 1.7 1.3 1.0 1.5 1.3 1.1 1.5 1990..... 1.5 1.1 1.7 1.5 1.1 1.8 1.8 1.0 1.6 1.8 1.1 1.7 1.8 1.72 1989..... 1.5 1.2 1.5 1.1 1.8 1.5 1.2 1.5 1.3 1.6 1988..... 1.7 1.3 2.0 1.7 1.2 2.0 1.5 1.2 1.72 1.5 1.2 1.6 1987..... 1.7 1.7 1.7 1.8 1.0 1.3 2.0 1.3 2.1 1.4 1.0 1.8 2.1 1.8 1.7 1.7 1.4 1.8 1986...... 1.8 1.8 1.8 2.1 1.4 1.8 1985...... 1.9 1.5 2.2 1.9 1.5 2.2 1.7 1.8 1.9 1.7 1.8 1.9 2.0 2.3 2.0 1.72 2.0 1984..... 1.6 2.8 1.7 1.3 2.0 1.7 1.3 1983..... 2.1 1.6 2.5 2.1 1.72 2.5 1.7 1.8 1.9 1.8 1.8 2.0 1982..... 2.2 1.7 2.5 2.2 1.8 2.5 1.7 1.5 1.9 1.7 1.8 2.0 1981..... 2.3 1.8 2.7 2.8 1.9 2.8 1.9 1.6 2.1 1.9 1.7 2.1 1980..... 2.72 2.1 3.0 2.72 2.1 3.0 2.1 1.8 2.5 2.3 1.9 2.5

3.0

2.1

1.9

2.3

2.2

					ONTIED SI	AIDO, IDID	50					
									ALL OT	HER	-	
CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
HYPERTENSIV	E HEART DI	SEASE (40	2)									
1996	5.2	6.1	4.3	4.0	4.6	3.2	13.6	16.7	11.2	17.2	21.3	14.0
1995	5.1	6.0	4.2	3.8	4.5	3.1	14.0	16.9	11.6	17.4	21.2	14.2
1994	5.0	5.8	4.2	3.7	4.3	3.0	13.8	16.3	11.8	17.2	20.5	14.5
1993	4.9	5.7	4.1	3.6	4.2	3.0	13.9	16.5	11.9	17.2	20.7	14.5
1992	4.8	5.5	4.1	3.5	4.1	3.0	13.9	16.2	11.9	17.2	20.4	14.7
1991	4.7	5.5	4.1	3.5	4.1	3.0	13.8	16.1	11.8	16.9	20.3	14.2
1990	4.8	5.5	4.2	3.6	4.1	3.0	14.3	16.6	12.5	EA7.4	20.5	15.0
1989	4.9	5.7	4.2	3.6	4.1	3.0	14.7	17.5	E12.4	17.8	21.5	E14.9
1988	5.0	5.7	4.3	3.7	4.2	3.1	14.9	17.3	13.0	17.9	20.9	15.5
1987	5.1	5.8	4.3	3.8	4.4	3.3	14.6	16.9	12.6	17.2	20.3	14.8
1986	5.1	5.7	4.5	3.8	4.3	3.3	14.9	17.0	13.1	17.7	20.5	15.4
1985	5.3	6.0	4.6	4.0	4.6	3.4	15.4	17.9	13.4	18.1	21.2	15.6
1984	5.4	6.1	4.6	4.1	4.6	3.5	E15.6	18.1	13.6	18.2	21.3	15.8
1983	5.5	6.3	4.8	4.2	4.8	3.6	16.2	18.7	14.0	18.7	22.0	16.1
1982	5.6	6.3	4.9	4.3	4.8	3.8	16.1	18.5	E14.1	18.6	21.5	16.2

1979.....

0.9

0.9

0.9

1.0

0.8

0.8

0.7

0.7

0.8

0.8

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -FEMALE HEMALE AND YEAR BOTH MALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HYPERTENSIVE HEART AND RENAL DISEASE (404) 1996..... 0.4 0.5 0.4 0.3 0.3 0.3 1.4 1.5 1.3 1.7 1.9 1.5 1995..... 0.4 0.5 0.4 0.3 0.3 0.3 1.3 1.4 1.3 1.7 1.8 1.6 1994..... 0.5 0.5 0.4 0.3 0.4 0.3 1.5 1.6 1.3 1.7 2.0 1.6 1993..... 0.5 0.5 0.4 0.3 0.R 0.3 1.4 1.5 1.4 1.8 1.9 1.6 1.7 1.8 1992...... 0.5 0.5 0.4 0.3 0.R 0.3 1.6 1.5 1.9 2.0 1991..... 0.5 0.5 0.R 0.3 0.R 0.3 1.6 1.7 1.5 1.9 2.2 1.8 1990..... 0.5 0.5 0.5 0.3 0.4 0.3 1.7 1.8 1.5 2.0 2.2 1.8 1.7 1.4 1.8 2.1 1.7 1989..... 0.5 0.5 0.3 0.R 0.3 1.6 0.R 1988..... 0.5 0.5 0.5 0.3 0.4 0.3 1.6 1.7 1.5 1.9 2.0 1.8 1987..... 0.5 0.R 0.4 0.R 1.7 2.0 2.3 0.6 0.5 1.9 1.5 1.7 0.5 0.3 1.8 1.5 1.9 1.7 1986...... 0.6 0.5 0.R 0.4 1.6 2.1 0.R 1985...... 0.6 0.7 0.5 0.4 0.5 1.8 1.8 1.7 2.1 2.2 2.0 0.6 0.5 0.R 1.8 1.7 2.3 1.9 1984..... 0.7 0.5 0.5 1.9 2.0 1983..... 0.6 0.7 0.6 0.5 0.6 0.5 1.9 2.0 1.8 2.2 2.3 2.1 1982..... 0.7 0.7 0.6 0.5 0.6 0.5 1.8 1.9 1.8 2.1 2.2 2.0 2.0 1981..... 0.8 0.7 2.0 2.3 2.3 2.2 0.8 0.7 0.6 0.6 2.0

0.6

0.6

2.R 2.2

2.R 2.4

2.7

2.6

2.6

2.7

2.8

2.5

2.5

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

									ALL C	ILEK		
©USE OF DEATH,		- TOTAL -			- WHITE -			- TOTAL -			- BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ISCHEMIC HE	CART DISEAS	SE (410-41	4)									
1996	86.7	119.3	60.4	86.4	120.2	58.8	86.4	109.8	68.8	99.4	125.4	80.1
1995	89.5	123.9	61.9	89.0	124.4	60.3	90.8	117.4	71.0	103.4	133.1	81.6
1994	91.4	127.0	63.1	91.1	127.7	61.6	91.6	118.2	71.8	103.8	133.2	82.2
1993	94.9	132.3	65.4	94.6	133.0	63.7	95.3	123.1	74.7	108.3	139.2	85.7
1992	95.7	133.8	65.7	95.5	134.8	64.1	95.1	122.5	74.7	107.3	138.2	84.9
1991	99.1	138.7	68.0	98.8	139.7	66.4	99.0	127.6	77.6	112.0	144.5	88.3
1990	102.6	144.0	70.2	102.5	145.3	68.6	100.6	130.0	78.8	113.2	147.1	88.8
1989	106.2	149.0	72.6	105.9	150.2	71.0	105.1	135.7	82.2	1LE.6	152.2	92.3
1988	111.1	155.9	76.1	111.2	157.6	74.7	107.3	139.0	83.7	119.9	155.1	94.1
1987	114.7	161.5	78.0	115.0	163.3	76.8	109.4	142.9	84.3	121.6	158.4	94.5
1986	119.5	168.8	80.7	120.0	171.3	79.5	112.3	144.9	87.7	124.4	160.3	97.8
1985	126.1	179.6	84.2	126.6	182.1	82.9	118.8	154.9	91.5	130.9	170.4	101.6
1984	130.2	185.2	87.2	130.9	188.0	86.0	121.2	157.6	93.5	133.0	173.0	103.2
1983	135.8	193.8	90.5	136.5	196.8	89.1	126.5	163.8	97.9	138.3	179.3	107.6
1982	139.6	200.1	92.2	140.5	203.5	91.0	127.9	1*7.3	97.7	139.1	181.4	107.3
1981	143.6	206.1	94.5	144.4	209.4	93.3	132.4	173.1	100.8	144.1	188.4	110.4
1980	149.8	214.8	98.8	150.6	218.0	97.4	139.6	182.4	106.6	150.5	196.0	116.1

1983.. 82

72.7

76.4 112.0

106.1

46.4

+3.5

56.1

85.2.0D49.2 70.8 93.1 54.2

- - - - - ALL OTHER - - - ----- WHITE ---- BLACK ----CAUSE OF DEATH, - - - - TOTAL - - - -H MALE MALE HEMALE AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE BOTH ACUTE MYOCARDIAL INFARCTION (410) 53.1 1996..... 42.0 58.0 28.8 41.9 58.6 28.1 41.8 33.2 48.5 61.3 39.0 1995..... 43.8 61.2 29.7 43.8 61.7 29.0 43.8 56.4 34.3 50.2 64.2 39.8 1994..... 45.6 63.8 31.0 45.5 64.3 30.2 45.4 58.6 35.7 51.9 66.7 41.2 1993..... 47.5 66.9 32.0 47.4 67.4 31.2 47.6 61.6 37.1 54.3 9.8 42.9 49.0 37.9 55.2 71.6 43.4 1992..... 49.1 69.1 33.2 69.7 32.4 48.6 63.2 1991..... 51.5 72.5 51.4 73.2 34.2.0D .1 65.8 40.1 57.9 74.6 45.8 34.8 1990..... 53.7 76.3 36.0 53.8 77.2 35.2 52.2 67.8 40.6 59.2.0D77.1 46.0 55.6 1989..... 56.5 80.3 56.4 36.7 71.7 43.5 62.1 80.3 48.8 37.6 81.1 1988..... 58.3 82.9 38.9 58.5 84.2 38.2 54.8 70.5 43.1 61.1 78.6 48.4 61.7 56.5 73.6 43.7 62.7 81.2 1987..... 61.3 87.6 40.5 89.1 39.9 49.2 58.6 65.2 75.7 65.0 64.7 41.7 45.7 83.9 1986...... 93.0 42.3 94.9 50.9 1985..... 69.6 101.3 44.7 70.3 103.4 44.1 62.7 82.1 48.1 68.8 89.6 53.4

108.4 45.8 64.6

48.2 77.3 114.6 47.6 67.0 87.9 51.0 73.3 96.2

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 38 UNITED STATES, 1979-96

---- ALL OTHER ----

CAUSE OF DEATH, --- TOTAL --- - BLACK --- BAND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE

OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - ALL OTHER - - - - - CAUSE OF DEATH, - - - TOTAL - - - - BLACK - - - -

CAUSE OF DEATH,		. IOIAL		W	UTIE	_		IOIAL	_		STACK	
AND YEAR	BOTH	MALE F	EMALE	BOTH	MALE H	MALE	BOTH	MALE H	MALE	BOTH	MALE	HEMALE
ANGINA PECT	ORIS (413)											
1996	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2
1995	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
1994	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1993	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1992	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1991	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
1990	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.2
1989	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2
1988	ÓÓÓ	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2			
1987	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3
1986	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
1985	0.2	0.3	0.2	0.2	0.3	Ó	0.2	0.2	0.3	0.3	0.3	
1984	0.2	0.3	0.66	0.3 .	0.1	0.2	0.3	Ó	0.3 .	0.2		
1983	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	Ó	0.3	0.2	
1982	0.2	0.2	0.1	0.2	0.2	0.1	0.1	*	0.1	0.1	*	0.2
1981	0.1	0.2	0.1	0.1	0.2	0. 0.1ñ	0.2	0. 0.1ñ.2	0.2	0.2		
1980	Ó	0.1	0.2	ñ 0.1	0.2	0.2	0.	0.2	0.2	0.1		
1979	0.1	0.2	0. 0.1ñ.	0.1ñ.2	0. 0.1f	i.2 (0.1	0.2	.2 0	.óó		

58.6

80.3

41.9 58.4

50.4

45.8

63.9 81.9

						,						
									ALL OTH	ER	· _	
CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
OLD MYOCA	RDIAL INFA	RCTION AN	D OTHER FOR	MS OF CHRO	NIC ISCHE	MIC HEART D	ISEASE (41	2.414)				
1996	44.0	60.2	31.0	43.8	60.6	30.3	43.7	55.3	34.9	49.6	62.4	40.2
1995	44.9	61.7	31.7	44.5	61.7	30.9	46.1	59.7	35.9	52.1	67.3	40.9
1994	45.0	62.1	31.6	44.8	62.3	30.9	45.2	58.2	35.4	50.7	64.9	40.1
1993	46.5	64.2	32.8	46.3	64.5	32.1	46.7	60.0	36.8	52.7	67.6	41.8
1992	45.7	63.4	31.9	45.5	63.9	31.1	45.3	57.6	36.0	50.7	64.6	40.6
1991	46.6	64.7	32.6	46.4	65.1	31.8	46.6	60.0	36.5	52.5	67.8	41.4
1990	47.8	66.2	33.5	47.7	66.7	32.9	46.9	60.2	37.1	52.5	67.5	41.6
1989	48.7	67.3	34.3	48.6	67.7	33.6	47.9	61.9	37.5	53.7	69.4	42.1
1988	51.8	71.5	36.5	51.7	71.9	35.9	51.1	66.5	39.6	57.1	74.1	44.5
1987	52.2	72.2	36.7	52.1	72.6	36.2	51.3	67.0	39.5	57.0	+4.6	44.2
1986	53.5	74.0	37.7	53.5	74.6	37.0	51.9	66.6	40.8	57.4	73.5	45.5
1985	55.2	76.4	38.7	55.0	76.9	38.1	54.2	70.4	41.9	60.0	78.0	46.5
1984	56.2	77.1	40.0	56.2	77.8	39.4	54.5	69.7	42.9	59.8	76.6	47.3

41.1 58.7 75.5

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -CAUSE OF DEATH, --- TOTAL ---BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE BOTH MALE FEMALE AND YEAR OTHER DISEASES OF ENDOCARDIUM (424)
 2.7
 3.3.0
 2.4
 2.3
 2.6
 2.0
 2.6
 3.0
 2.3

 3.0
 2.4
 2.3
 2.5
 2.2
 2.6
 2.8
 2..
 1996..... 2.7 3.0 2.4 2.3 2..4Ž.6 1995...... 2.6 3.0
 2.6
 3.0
 2.3
 2.2
 2.6
 1.9
 2.5
 2.9

 2.6
 3.3.0
 2.3
 2.4
 2.6
 2.2
 2.6
 2.8
 2.4
 2.6 2.9 2.3 1994..... 1993..... 2.6 3.0 2.3 3.1 2.2 2.6 3.0 Ž.2 Ž 2.3 Ž 2.8 1.9 2.7 3 3.3 3.0 2.2 Ž 2.5 3.0 2.2 2.1 2.5 1.7 3 Ž.. 2.8 2.6 1992..... 2.2 2.5 2.8 1991..... 2.0 1990.1..‡5 3.0 2.2 ž 2.5 3.0 2.2H 2.7 3 ž 2.0 2.6 3.0 ž 2.2 1989...... 2..4ž 2.9 2.0 2. 2.9 ž.1 2.2 2.6 1.8 2.. 3.0 1988.1..‡ž. 2.9 2.0 2.4 2.9 2.0 2. 3.3.0 2.0 ž.6 3.2 ž 2.2 2.0 1987.1..‡Ž 2..4Ž 2.9 Ž 1.9H Ž.9 Ž 1.9 2.. 3 2.8 2.1 2.7 3.2 2.3 1986...... 2.2 2.7 1.9 2.2H 2.7 1.9H 2.1 Ž.5 1.8 2..4Ž 2.8

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		- TOTAL -			- WHITE -			- TOTAL -			- BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
ALL OTHER FO	RMS OF HE	ART DISEAS	SE (415-423	,425-429)								
1996	38.4	49.1	29.4	35.3	45.5	26.8	57.7	74.2	45.1	69.6	90.3	54.3
1995	39.5	50.8	30.1	36.2	46.7	27.4	60.9	79.4	46.8	72.7	96.2	55.2
1994	39.7	51.3	30.1	36.5	47.4	27.4	60.9	78.8	47.4	72.5	94.4	56.3
1993	41.1	53.1	31.3	37.5	48.6	28.3	65.4	85.1	50.4	77.8	102.4	59.6
1992	39.4	51.2	29.8	36.0	47.0	26.9	63.1	82.4	48.5	75.0	99.3	57.2
1991	39.9	52.2	29.9	36.5	47.9	27.1	64.5	85.0	49.0	76.4	101.9	57.7
1990	40.1	52.6	30.1	36.6	48.2	27.2	65.9	86.3	50.5	76.8	101.9	58.5
1989	41.9	54.8	31.6	38.0	49.9	28.4	70.8	92.6	54.4	82.8	109.6	63.2
1988	47.0	61.6	35.3	42.9	56.6	32.0	77.0	100.8	59.0	89.7	119.1	68.1
1987	46.4	60.7	35.1	42.5	55.8	31.9	76.2	99.2	58.7	88.0	115.8	67.5
1986	46.9	61.7	35.2	42.8	56.6	31.9	77.6	101.9	59.3	89.6	118.9	67.9
1985	45.3	59.5	34.1	41.5	54.8	31.0	74.6	97.3	57.4	85.3	112.5	65.1
1983	43.4	57.2	32.7	39.8	52.7	29.6	72.6	93.8	56.3	82.0	106.8	63.4
1982	40.9	53.7	30.9	37.6	49.7	28.2	66.9	87.0	51.5	75.4	99.1	57.6
1980	40.8	53.5	30.9	37.2	49.1	27.9	70.7	91.4	54.7	78.6	102.3	60.5

1979.....

2.0

1.9

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -MALE HEMALE AND YEAR BOTH FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403) 1996..... 2.3 2.5 2.1 1.8 2.0 1.7 5.6 6.3 5.0 6.9 7.9 6.1 1995..... 2.3 2.5 2.1 1.8 2.0 1.6 5.8 6.5 5.3 7.1 8.0 6.4 1994..... 2.2 2.5 2.0 1.7 1.9 1.6 5.6 6.4 5.0 6.8 7.8 6.0 1993..... 2.2 2.4 2.0 1.7 1.9 1.5 5.7 5.9 5.4 6.9 7.4 6.4 1992..... 2.0 2.3 1.8 1.6 1.8 1.4 5.3 5.7 5.1 6.4 6.9 6.0 1991..... 1.9 2.2 1.8 1.5 1.7 5.6 4.8 6.9 5.8 1.3 5.2 6.3 1990..... 1.9 2.1 1.7 1.5 5.1 5.6 4.6 6.1 6.8 5.6 1.7 1.3 1.6 1989..... 1.9 2.2 1.5 4.9 5.6 4.4 5.9 6.8 5.2 1.7 1.2 1988..... 1.8 2.1 1.7 1.5 1.7 1.2 4.9 4.9 4.9 5.9 5.7 5.8 1987..... 5.2 5.5 1.8 2.1 1.6 1.4 1.7 1.2 4.7 4.2 6.2 4.9 1.5 5.7 5.1 1986...... 1.8 2.0 1.6 1.7 1.3 4.6 4.8 4.4 5.4 1985...... 1.8 2.1 1.6 1.4 1.7 1.2 4.8 5.2 4.5 5.6 6.2 5.2 1984..... 4.5 6.1 5.2 1.8 2.1 1.6 1.5 1.8 1.3 4.8 5.2 5.6 1983..... 1.8 2.2 1.6 1.5 1.8 1.3 4.6 5.1 4.2 5.3 5.9 4.8 1982..... 1.8 2.2 1.6 1.5 1.9 1.3 4.5 4.8 4.2 5.1 5.5 4.8 1981..... 1.9 1.7 1.5 1.9 5.4 4.7 5.7 6.2 5.4 2.3 1.3 5.1

1.4

1.3

5.3

5.0

5.7

5.5

5.0

4.6

5.9

5.5

6.4

6.2

5.6

5.1

1.8

1.6

1.6

1.5

2.0

1.9

2.4

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

							ALL OIRER		
CAUSE OF DEATH,	TO	OTAL	WH	IITE	-	TOTAL -		BLACK	
AND YEAR	BOTH M	ALE FEMALE	BOTH M	IALE H M	ALE B	OTH MALE	H MALE	BOTH MAL	E HEMALE
CEREBROVASCULAR	DISEASES (4	30-438)							
1996	26.4 28	8.5 24.6	24.5 2	16.3 22	.9 38	.9 44.2	34.8	44.2 50.9	39.2
1995	26.7 28	8.9 24.8	24.7 5 "	23.1	40.0	46.3 35	.3 45.0	52.2	39.6
19940 5 "5	29.0	24.5 24.5	26.6	22.8	40.2	46.2 35.6	45.4	52.4 40	.1
19930 5 "5	29.0	24, 24.5	26.8	22.7 5	39.9	45.5 35.7	5 45.0	51.9 39.	9
19920 26	.2 28.6	24.2 2	4.2 26.3	22.5	39.9	45.4	35.6 45.	0 52.0	39.9
19910 5 "8	29.4	24,,7 5 24.7	26.9	22.8	41.7 5	48.2 36.9	46.8	54.9 41	. 0
19900 5 27	.7 5 30.2	25.7 2	5.5 27.7	23.8	43.1	49.0	38.6 48.	4 56.1	42.7
19890 5 28	.3 30.9	26.2 2	6.0 28.4	24.2	45.0	50.4	40.9 50.	6 57.3	45.5
19880 5 29	.9 32.9	27.6 2	7.6 30.3	25.5	47.1	53.4	42.4 52.	9 60.8	47.1
19870 5 30	.4 33.1	28.3 2	8.2 30.6	26.3	47.1	53.2	42.4 52.	5 59.7 5	47.1
19860 5 31	.1 33.8	29.0 2	8.9 31.2	27.0	48.0	54.3	43.2 53.	6 61.1	47.9

					UNITED SIA.	гьо, тэтэ-:	0					
									ALL OTH	HER		
CAUSE OF DEATH,		- TOTAL			- WHITE			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
INTRACEREBR.	AL AND OTH	ER INTRAC	CRANIAL H	MORRHAGE	(431-432)							
1996	5.2	5.9	4.6	4.5	5.1	4.1	9.1	11.2	7.5	10.1	12.6	8.1
1995	5.1	5.8	4.5	4.4	5.0	3.9	9.2	11.3	7.4	10.0	12.4	8.1
1994	5.0	5.8	4.4	4.4	5.0	3.8	9.2	11.3	7.6	10.2	12.5	8.4
1993	5.1	5.8	4.4	4.4	5.0	3.9	9.1	11.4	7.3	10.1	12.8	8.0
1992	5.1	5.7	4.5	4.4	5.0	3.9	9.1	11.2	7.5	10.0	12.5	8.1
1991	5.1	5.8	4.5	4.3	4.9	3.9	9.6	11.8	7.9	10.5	13.0	8.6
1990	5.2	5.8	4.6	4.5	4.9	4.1	9.8	12.0	8.0	10.8	13.4	8.8
1989	5.2	6.0	4.6	4.5	5.1	4.1	10.1	12.4	8.2	11.2	14.0	8.9
1988	5.5	6.3	4.9	4.7	5.3	4.3	10.7	13.1	8.7	11.9	14.9	9.6
1987	5.5	6.2	4.9	4.7	5.2	4.3	10.4	12.8	8.5	11.4	14.2	9.2
1986	5.5	6.1	5.0	4.8	5.2	4.4	10.4	12.3	8.9	11.5	13.6	9.8
1985	5.6	6.3	5.0	4.9	5.5	4.5	10.6	12.8	8.9	11.7	14.3	9.7
1984	5.7	6.2	5.2	5.0	5.4	4.7	10.5	12.3	9.1	11.6	13.8	9.9
1983	5.5	6.1	5.0	4.8	5.3	4.5	10.5	12.3	9.1	11.6	13.6	10.0
1982	5.8	6.5	5.2	5.1	5.6	4.7	10.7	13.0	8.9	11.9	14.3	9.9
1981	6.0	6.5	5.5	5.3	5.7	5.0	11.0	13.2	9.2	12.0	14.5	9.9
1980	6.2	6.9	5.7	5.5	6.0	5.1	12.0	14.3	10.2	13.1	15.7	11.0
1979	6.6	7.4	6.0	3.3	1 6.4	5.4	12.6	15.3	10.5	13.6	16.6	11.2
	0.0	,	0.0		_ 0.1	3.1	12.0	13.3	10.5	_5.0	_0.0	

UNITED STATES, 1979-96

									ALL	OTHER		-	
CAUSE OF DEAT	Н,	TOTAL			WHITE			TOTAL			E	BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MAL	E BOTH	MALE	H MA	LE	BOTH	MALE	HEMALE
CEREBRAL '	THROMBOSIS	AND UNSPE	CIFIED OCC	LUSION OF	CEREBRAL A	RTERIES (134.0,434.9)					
1996	2.0	2.3	1.8	1.9	2.1	1.7	2.8	3.3	2.5		3.3	3.9	2.8
1995	2.2	0 4	2.0	2.1	2.3	1.9	3.2	3.7	2.9	3.7	4.2	3.3	3
	0 4	2.7	2.2	2.2	2.5	2.0	3.5	4.2	3.0	4.0	4.8	3.4	4
1993	2.5	2.8	2.3	2.4	2.7	2.1	3.6	4.2	3.1		4.0	4.7	3.5
1992	2.7	3.0	2.4	2.5	2.8	2.3	3.8	4.5	3.3		4.4	5.2	3.8
1991	2.9	3.3	2.6	2.8	3.1	2.5	4.2	5.1	3.5		4.8	5.8	4.0
1990	3.3	3.6	3.0	3.1	3.4	2.8	4.6	5.3	4.1		5.2	6.2	4.5
1989	3.6	4.0	3.2	3.4	3.8	3.1	4.9	5.6	4.5		5.6	6.4	5.0
1988	4.0	4.4	3.6	3.8	4.2	3.4	5.4	6.1	4.8		6.0	7.0	5.4
1987	4.3	4.8	3.9	4.1	4.5	3.7	5.6	6.6	4.9		6.3	7.4	5.5
1986	4.5	5.1	4.1	4.3	4.9	3.9	6.1	6.8	5.5		6.8	7.7	6.1
1985	4.8	5.4	4.4	4.6	5.1	4.2	6.6	7.4	6.0		7.4	8.2	6AG
1984	5.1	5.8	4.6	4.9	5.5	4.4	6.7	7.8	5.8		7.5	8.8	6.5
1983	5.5	6.2	4.9	5.2	5.9	4.7	7.4	8.3	6.7		8.2	9.2	7.4
1982	6.0	6.7	5.4	5.7	6.5	5.2	7.7	8.7	6.8		8.4	9.7	7.4
1981	6.7	7.5	6.1	6.4	7.2	5.8	8.7	9.8	7.8		9.5	10.7	8.6
1980	7.6	8.5	6.9	7.3	8.1	6.6	10.1	11		11.0	12.4	10.0	
1979	8.1	9.1	7.3	7.8	8.7	7.1	10.5	12		11.2	13.3	9.6	
						–							

1980..... 1979..... 0.2 0.2

0.2.

0.2

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - TOTAL - - -BOTH MALE H MALE MALE H MALE BOTH MALE FEMALE AND YEAR BOTH BOTH MALE HEMALE CEREBRAL EMBOLISM (434.1) 0.1 0.1 0.1 0.1 0.1 0.1 0.1 1996..... 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 T 0.1 0.1 0.1 0.1 0.1 * 0.1 0.1 0.1 0.1 0.1 1995...... 1994..... 0.1 0.1 T 0.1 0.1 1993..... 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 * 0.1 0.1 0.1 0.1 0.1 0.2 H 2 H 0.2 H 0.1 1992.... т т 0.1 T 0.1 0.1 0.1 1991..... 0.1 1990..... 0.1 0.1 T 0.1 T 0.1 0.1 0.1 T 0.2 H * 0.1 0.1 0.1 0.1 0.1 0.2 H 0.1 0.2 H 1989..... 0.1 0.2 0.1 0.2 H 0.2 1988..... 0.1 0.1 0.2 0.1 0.1 0.2 0.11987..... T 0.2 . T 0.1 0.2 H 2 0.2 H 0.2 H 0.2 0.2 0.2 0.2 1986..... 1985...... 0.2 0.2 0.2 0.2 1984..... 1983..... 0.2 H 0.2 1982..... 0.2 0.2 1981..... 0.2

1984.....

21.8

22.6

23.5

24.5

20.4

21.1

34.1

35.3

39.9

41.7

						,			ALL O	THER		
©USE OF DEATH,		- TOTAL -			WHITE -			- TOTAL -			- BLACK -	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER AN	ND LATE EF	FECTS OF	CEREBROVASC	ULAR DISEA	SES (430	,433,435-43	8)					
1996	19.1	20.2	18.0	17.9	18.9	17.0	26.8	29.6	24.7	30.7	34.3	28.1
1995	19.2	20.5	18.2	18.1	19.1	17.2	27.5	31.2	24.9	31.2	35.5	28.1
1994	19.0	20.4	17.9	17.8	19.0	16.8	27.3	30.5	25.0	31.0	34.9	28.2
1993	18.8	20.2	17.7	17.6	18.9	16.6	27.1	29.9	25.2	30.8	34.3	28.3
1992	18.4	19.7	17.3	17.2	18.5	16.2	26.8	29.7	24.7	30.5	34.2	27.8
1991	18.6	20.2	17.5	17.4	18.7	16.4	27.8	31.2	25.3	31.4	35.8	28.3
1990	19.1	20.6	18.0	17.8	19.3	16.7	28.6	31.6	26.4	32.2	36.4	29.3
1989	19.4	20.8	18.2	18.0	19.4	16.9	29.8	32.2	28.1	33.6	36.6	31.5
1988	20.3	22.0	19.0	19.0	20.6	17.7	30.9	34.0	28.7	34.8	38.8	32.0
1987	20.6	22.0	19.4	19.2	20.6	18.1	30.9	33.6	28.9	34.5	37.8	32.2
1986	20.9	22.5	19.7	19.6	21.0	18.5	31.3	35.0	28.7	35.1	39.6	31.8

19.1

19.7

22.1

23.0

32.9

34.4

35.4

37.3

30.9

32.2

36.6

38.1

20.4

1980...... 3 5.7

1979..... 3.5.7 6.5

6.6

5.6

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -FEMALE HEMALE AND YEAR BOTH MALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE ATHEROSCLEROSIS (440) 1996.... 2.2 2.5 1.9 2.2 2.6 1.9 2.0 2.2 1.9 2.4 2.6 2.1 1995..... 2.3 2.7 2.0 2.3 2.7 2.0 2.1 2.5 1.9 2.4 2.9 2.1 1994..... 2.3 2.7 2.1 2.3 2.7 2.0 2.3 2.7 2.1 2.6 3.1 2.4 1993..... 2.4 2.8 2.1 2.4 2.8 2.1 2.3 2.6 2.0 2.6 3.0 2.3 1992..... 2.4 2.8 2.1 2.4 2.8 2.2/0 2.8 1.9 2.6 3.2 2.2 2.9 1991..... 2.6 3.0 2.2 2.6 3.0 2.2 2.5 3.0 2.3 3.5 2.5 1990..... 2.7 3.2 2.4 2.7 3.2 2.4 2.7 3.1 2.4 3.1 3.6 2.7 3.2 1989..... 3.0 3.4 2.6 3.0 3.5 2.6 2.8 3.1 2.7 3.5 2.9 1988..... 3.5 4.0 3.0 3.5 4.0 3.0 3.5 4.2 3.0 3.9 4.8 3.3 1987..... 3.6 4.1 3.9 4.6 4.2 3.2 3.6 4.2 3.2 3.5 3.0 3.4 3.7 3.7 3.2 3.2 4.2 1986...... 4.3 3.3 4.3 3.8 4.6 5.2 3.5 3.5 4.4 3.5.2 4.2 5.0 1985...... 4.0 4.6 4.0 4.6 3.5 4.0 4.6 3.5 3.8 3.7 3.9 4.8 3.7 4.6 3.4 1984..... 4.2 4.8 4.2 3.7 1983..... 4.6 3.5.4 3 4.1 4.7 5.4 4.1 4.3 5.2 3.7 4.8 5.8 4.1 1982..... 4.8 5.7 4.2 4.9 5.8 4.2 4.6 3.5.4 4.0 5.0 5.9 4.4 6.1 2.05 5.2 5.8 4.7 5.7 6.4 1981..... 3.5.2 6.0 4.6 5.2 5.2

6.5 5.0 5.9 6.8 5.2 6.4 3 7.5

6.5 3.5.0 5.6 6.3 5.1 5.9 6.7 5.3

5.6

5.6

5.0

1979.....

5.5

5.5

8.8

8.8

3.1

3.1

5.5

5.5

9.0

9.00

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -MALE HEMALE AND YEAR BOTH FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) 1996..... 5.3 7.3 3.7 5.2 7.4 3.6 5.4 6.8 4.3 6.1 7.7 4.9 1995..... 5.3 5.3 7.5 3.7 7.6 3.5 5.2 6.4 4.4 6.0 7.2 5.2 5.3 1994...... 5.3 7.5 3.7 7.6 3.5 5.4 6.7 4.5 6.1 7.4 5.1 1993..... 5.4 7.9 3.5 5.4 7.9 3.4 5.5 7.1 4.4 6.1 7.9 4.9 7.8 1992...... 5.4 3.6 5.4 7.9 3.5 5.2 6.7 4.1 5.8 7.40 7.7 1991..... 5.4 8.0 3.5 5.40 8.2 3.3 6.7 4.3 7.4 5.0 5.3 6.0 1990..... 5.4 8.2 3.4 5.4 8.3 3.3 5.3 7.0 4.1 5.9 7.7 4.6 3.4 8.4 1989..... 5.5 8.3 5.4 5.4 6.9 4.3 6.0 7.7 4.9 3.3 1988..... 5.3 8.1 3.3 5.3 8.2 3.3 5.1 6.5 4.0 5.6 7.10 7.4 1987..... 5.4 5.6 7.3 8.2 3.3 5.40 8.3 3.2 5.1 6.8 3.9 4.4 5.4 3.2 6.5 7.00 7.5 1986...... 8.2 3.3 5.40 8.40 5.1 4.1 5.6 1985...... 5.4 8.40 3.2 5.4 8.6 3.1 5.2 6.6 4.1 5.5 7.0 4.5 5.4 4.0 4.4 1984..... 8.5 3.2 5.5 8.7 3.1 5.2 6.8 5.6 7.3 1983..... 5.3 8.5 3.1 5.4 8.7 3.0 4.9 6....8 5.2 6.80 7.0 1982..... 5.3 8.....1 5.3 8.5 3.00 7.9 6.5 3.6 5.3 6.9 4.0 1981..... 5.3 3.0 5.40 8.8 2.9 6.1 3.9 5.2 6.5 8.5 4.9 4.3

3.0

3.0

5.2

4.9

6.8

6.5

3.9

3.6

5.4

5.1

7.00 7.3

3.9

UNITED STATES, 1979-96

									ALL OTH	ER	-	
CAUSE OF DEATH,		- TOTAL -			- WHITE -			TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
ACUTE BRONCHITIS	S AND BRON	CHIOLITIS	(466)									
1996	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
1995	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1994	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
1993	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1
1992	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2
1991	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1
1990	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1
1989	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
1988	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
1987	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
1986	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
1985	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1
1984	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1
1983	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.2	0.1
1982	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1
1981	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1980	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1979	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2

UNITED STATES, 1979-96

				C	MIIED DIAI	BO, 1010	50		777 00	TITED.			
										THER			
CAUSE OF DEATH,		- TOTAL -			WHITE			- TOTAL -			- BLACK -		
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE	
PNEUMONIA AND IN	FLUENZA (480-487)											
1996	12.8	16.2	10.4	12.2	15.2	10.1	15.9	22.0	11.6	17.8	24.8	12.9	
1995	12.9	16.5	10.4	12.4	15.7	10.1	16.1	22.0	12.0	17.8	24.5	13.2	
1994	13.0	16.7	10.4	12.5	15.9	10.1	15.8	21.8	11.7	17.5	24.2	12.8	
1993	13.5	17.5	10.7	12.9	16.ATE2	ô	16.8	23.3	12.3	18.ATE2	25.9	13.5	
1992	12.7	16.7	9.9	12.1	15.8	9.7	15.7	22.2	11.1	17.4	25.0	12.2	
1991	13.4	17.5	10.ATE2	12.8	16.ATE2	10.2	16.8	23.2	12.2	18.7	26.2	13.5	
1990	14.0	18.5	11.0	13.4	17.5	10.6	17.9	25.4	12.6	19.8	28.7	13.7	
1989	13.8	18.2	10.8	13.1	17.1	10.4	18.4	26.0	12.8	20.3	29.3	14.0	
1988	14.3	19.2	11.0	13.7	18.2	10.7	17.9	25.7	12.3	20.1	29.2	13.6	
1987	13.2	17.9	10.0	12.6	16.9	9.7	16.8	24.4	11.3	18.ATE2	27.5	12.3	
1986	13.6	18.A	10.3	13.0	17.ATE2	9.9	17.4	25.0	12.0	19.4	28.1	13.2	
1985	13.5	18.4	10.1	12.9	17.5	9.9	17.1	24.8	11.5	18.8	27.5	12.5	
1984	12.2	16.8	9.1	11.ATE2	15.9	8.8	16.0	23.4	10.A	17.4	25.7	11.4	
1983	11.9	16.3	8.8	11.3	15.4	8.6	15.1	22.4	9.7	16.4	24.8	10.3	
1982 2	Ô.9	15.2	8.0	10.3	14.3	7.A	14.6	21.2	9.ATE2	16.0	23.2	10.2	
1981 2	12.3	16.A	9.2	11.A	15.ATE2	9.0	16.4	24.0 2	Ô.ATE2	17.8	26.4	11.4	
1980 2	12.9	17.4	9.8	12.2	16.2	9.4	4	4 426.	1 11	.9 19.	2	100 2	12.7
1979	11.2	15.4	8.2	10.5	14.4	7.8	15.8	22.8	10.5	16.A	24.2	10.9	

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
PNEUMONIA (480	0-486)											
1996	12.7	16.0	10.3	12.1	15.1	10.0	15.8	21.9	11.5	17.7	24.7	12.8
1995	12.8	16.4	10.3	12.3	15.6	10.0	16.0	21.9	11.9	17.8	24.5	13.2
1994	12.8	16.6	10.3	12.3	15.7	9.9	15.7	21.7	11.6	17.4	24.1	12.7
1993	13.3	17.3	10.6	12.7	16.3	10.2	16.7	23.2	12.2	18.4	25.8	13.4
1992	12.5	16.5	9.8	11.9	15.6	9.5	15.6	22.1	11.0	17.3	24.9	12.1
1991	13.2	17.3	10.4	12.5	16.4	10.0	16.7	23.1	12.1	18.5	26.0	13.4
1990	13.7	18.1	10.7	13.0	17.0	10.3	17.7	25.1	12.4	19.6	28.4	13.5
1989	13.5	17.9	10.5	12.8	16.8	10.1	18.2	25.8	12.7	20.2	29.1	13.8
1988	14.0	18.9	10.7	13.3	17.9	10.3	17.8	25.5	12.2	19.9	29.0	13.4
1987	13.1	17.8	9.9	12.5	16.8	9.6	16.7	24.3	11.2	18.5	27.4	12.2
1986	13.3	18.2	10.0	12.6	17.3	9.6	17.2	24.9	11.8	19.2	27.9	13.0
1985	13.1	18.0	9.8	12.5	17.1	9.5	16.9	24.5	11.3	18.6	27.2	12.3
1984	12.0	16.6	8.9	11.4	15.6	8.6	15.9	23.3	10.5	17.3	25.6	11.3
1983	11.6	16.0	8.6	11.0	15.1	8.3	15.0	22.3	9.6	16.3	24.6	10.2
1982	10.7	15.0	7.8	10.2	14.2	7.5	14.5	21.0	9.5	15.6	23.1	10.1
1981	11.6	16.0	8.6	11.0	14.9	8.4	15.9	23.6	10.2	17.3	25.9	11.0
1980	12.4	16.8	9.3	11.6	15.6	8.8	17.7	25.8	11.7	19.0	27.7	12.4
1979	11.0	15.2	8.1	10.3	14.2	7.7	15.6	22.6	10.3	16.5	24.0	10.8

1979.....

0.5

0.1

0.6

0.1

0.5

0.1

0.6

0.1

0.6

0.1

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - TOTAL - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -- - - - BLACK - - - -H MALE HEMALE AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE BOTH MALE INFLUENZA (487) 0.1 1996..... 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 * 1995..... 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.1 0.1 0.1 1994..... 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.1 0.1 0.1 0.1 1993..... 0.2 0.2 0.1 0.2 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 1992...... 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.1 0.1 0.1 * 0.1 1991..... 0.2 0.2 0.2 0.2 0.1 0.1 0.1 0.2 0.2 0.2 0.1 0.1 1990..... 0.3 0.4 0.3 0.3 0.4 0.2 0.2 0.1 0.2 0.3 0.1 0.3 1989..... 0.3 0.1 0.2 0.1 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.1 1988..... 0.3 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 1987..... * * * 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.2 1986..... 0.3 0.4 0.3 0.3 0.4 0.3 0.2 0.2 0.2 1985...... 0.3 0.4 0.3 0.3 0.4 0.3 0.2 0.3 0.2 0.3 0.3 0.2 0.2 1984..... 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.2 0.1 0.1 0.1 1983..... 0.3 0.3 0.2 0.3 0.3 0.1 0.1 0.1 0.1 0.3 0.1 1982..... 0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.2 0.1 1981..... 0.4 0.5 0.5 0.4 0.6 0.6 0.6 0.6 0.7 0.6 0.4 0.4

0.5

0.1

0.3

0.1

0.3

0.2

0.3

0.1

0.3

0.1

0.3

0.2

0.2

19856 5.5

14.6

24.3 7.7

14.9

- - - - - ALL OTHER - - - -- - - - WHITE - - - -- - - - TOTAL - - - -MALE FEMALE MALE H MALE MALE H MALE AND YEAR BOTH BOTH BOTH BOTH MALE HEMALE CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496) GE 1996..... 21.0 25.9 17.6 21.5 26.3 18.3 15.6 21.7 11.4 17.8 24.8 13.1 17.8 11.1 1995..... 20.8 26.3 17.1 21.3 26.6 15.6 22.5 17.6 25.4 12.5 26.9 27.3 1994...... 21.0 17.1 21.6 17.AB 15.6 22.6 10.9 17.7 25.7 12.4 1993..... 21.4 27.8 17.1 21.9 28.2 17.AB 15.9 23.6 10.8 17.AB 26.6 12.2 20.4 26.AB 16.1 14.7 21.AB 9.9 16.6 24.AB 11.2 1992...... 19.9 26.4 15.5 20.1 22.AB 10.1 17.1 25.9 11.3 1991..... 27.0 15.5 27.4 16.1 15.2 9.6 26.5 1990..... 19.7 27.2 14.7 20.1 27.4 15.2 15.2 23.6 16.9 10.7 15.5 9.9 17.2 26.5 1989..... 19.6 26.9 14.7 19.9 27.2 15.2 23.8 11.1 1988..... 19.6 27.9 14.0 20.0 28.2 14.5 15.4 24.4 9.2 17.1 27.4 10.2 27.3 19.3 27.7 13.7 14.5 8.AB 15.9 25.2 9.6 1987..... 18.9 13.2 22.7 19.3 27.9 14.3 23.2 8.1 15.7 25.6 9.0 1986...... 18.9 12.8 28.3 13.3 19.2 1985...... 18.8 28.1 12.5 28.7 12.9 14.0 22.4 8.1 15.3 24.A 8.A 27.2 18.2 27.7 13.3 7.5 14.4 23.4 8.1 1984..... 17.A 11.4 11.8 21.5 1983..... 17.5 27.2 10.9 17.9 2 21 11.3 12.9 20.9 7.1 13.9 22.7 7.7 1982..... 16.2 25.6 9.AB 16.6 26.3 10.1 11.AB 18.7 6.7 12.A 20.6 7.4 1981..... 26.2 9.5 16.8 26.9 9.9 11.7 19.6 5.9 12.6 21.4 6.4 16.3 5.8 8.9 9.2 11 27.2 19.2 1980..... 15.9 26.1 16.3 26.7 12.5 20.9 6.3

8.0

10

27.2 17.4

5.3

11.1

1.0

1.6

0.6

1.1

1.7

- - - - - ALL OTHER - - - -- - - - WHITE - - - -©USE OF DEATH, - - - - TOTAL - - - -AND YEAR BOTH MALE FEMALE BOTH MAE FEMAE BOTH MALE FEMALE BOTH MALE FEMALE BRONCHITIS, CHRONIC AND ADSPECIFIED (490-491) 0.6 0.7 0.5 0.6 0.8 0.5 0.5 0.6 1996..... 0.4 0.5 0.7 0.4 1995..... *f*8 $0.85 \ f \qquad 0.5$ 0.7 0.4 0.6f8 0.5 0.6 0.4 0.7 0.95 f 1994..... 0.7 0.95 0.6 0.5 0.7 0.4 0.5 0.8 E A4 1993..... 0.8 E 0.95 f 0.8 E 1.0 0.7 0.5f80.45 f 0.8 0.4 0.7 0.7 0.45 0.5*f*8 0.45 0.6*f* 1.0 0.8 0.95 f 0.8 E 1.0 1992..... 0.5f0.4 0.4 1991.....f8 1.0 0.6*f* 0.8 1.0 0.6 C 1990..... f 0.8 1.0 0.6*f* 0.8 1.0 0.6f 0.5 0.8 0.3 0.5f0.95 0.3 1989.....f8 1.15 0.7 0.5 0.7 0.6 0.8 E 0.5 1.15 f 0.8 0.4 1988.....*f* 0.8 E 1.1 0.7 0.9 1.15 0.7 0.5f0.8 0.3 0.6 0.95 0.4 0.7 1.1 0.5*f* 1987.....f 0.8 0.6 0.8 1.1 0.7 0.5 0.7 E A4 0.4 1986....f 1.2 0.7 E 0.5 0.95 0.3 0.9 0.6 0.9 1.2 0.3 0.5 C 0.5 1985....*f* 0.95 1.2 0.6f 0.95 1.3 0.6 0.5 0.7 E 0.4 0.7 E 0.4 1984....*f* 0.9 1.2 0.9 0.5f0.7 0.3 0.5 0.8 0.3 0.6 1.3 0.6 1983.... f 0.95 1.3 0.6 0.95 1.4 0.65 f0.9 0.35 f 0.95 0.4 1982.....f 0.9 1.3 0.6 0.9 $1.45 \ f$ 0.5 0.8 0.3 0.6f8 0.4 1981..... 1.0 1.5 1.0 1.6 0.6 1.0 0.2 0.6 1.15 0.3 0.6 0.6 0.7 E 1.2 E A4 1980..... 1.0 1.6f 0.6 1.0 1.7 0.7 0.7 E 1.0 0.4

0.7

0.6

0.95

0.45 f 0.95 0.3

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 57 UNITED STATES, 1979-96

					ONTIED C	IAIDO, IJ	J J 0					
									ALL	OTHER		
CAUSE OF DEATH,		- TOTAL			WHITE			TOTAL -			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MAI	JE BOT	'H MA	LE HEMALE
EMPHYSEMA (492)											
1996	3.6	4.6	2.9	3.8	4.8	3.1	2.0	3.2	1.2	2.3	3.7	1.3
1995	3.6	4.7	2.8	3.8	4.9	3.1	2.0	3.4	1.0		3.9	1.2
1994	3.7	4.9	BT.9	3.9	5.1	3.1	2.1	3.4	1.1	2.4	3.9	1.3
1993	3.9	5.2	3.0	в 4.1	5.4	3.2	2.3	3.7	1.3	BT.5	4.1	1.4
1992	3.7	5.0	в 2.7	3.9	5.2	2.9	2.1	3.7	1.1	2.4	4.1	1.2
1991	3.8	5.2	2.8	4.0	5.4	3.0	2.1	3.5	1.1	2.3	3.9	1.2
1990	3.7	5.3	2.6	3.9	в 5.5	BT.8	2.1	3.7	1.0	2.3 B	4.1	1.1
1989	3.7	5.3	BT.6	3.9 B	5.5 B	2.8	2.1	3.7	1.1	2.3 B	4.1	1.2
1988	3.8	5.6	2.5	в 4.0	5.7	2.7	2.3	B 4.4	0.9	2.5	в 4.9	B 1.0
1987	3.6	5.4	2.4	3.8	5.6	2.5	B 2.1	3.8	0.9	2.3	4.3	в 0.9
1986	3.7	5.7	2.3	в 3.9	5.9	2.5	B 2.1	3.9	0.8	2.3	4.4	0.9
1985	3.7	5.8	2.2	3.8	6.0	2.4	2.2	3.9	0.9	2.3	в 4.1	0.9
1984	3.5 B	5.6	2.0	3.6	5.8	2.2	2.0	3.7	0.8	2.1	3.9	B 0.8
1983	3.6	5.9	в 2.0	3.7	6.1	2.1	2.0	3.7	0.8	2.1	4.0	0.8
1982	3.5 B	5.9	в 1.9	3.7	6.1	2.0	1.9	3.5	0.7	2.0	3.8	0.8
1981	3.8	6.4	1.9	4.0	6.6	2.1	2.1	4.1	0.7	2.3	в 4.5	
1980	4.0	6.9	в 1.9	в 4.2	7.2	2.1	2.2	4.0	0.8	2.3	4.4	0.8

TABLE 293.	AGE ADJUSTED DEATH RATES	FOR 72 SELECTED	CAUSES BY COLOR AND	D SEX PER 100,000 POPULATION:
		UNITED STATES	, 1979-96	

PAGE 58

198/04/20

						,			ALL OTHE	R	_	
CAUSE OF DEATH,		- TOTAL			- WHITE			TOTAL -		:	BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE H	MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
ASTHMA (493)												
1996	1.5	1.3	1.7	1.2	1.0	1.4	3.3	3.1	3.5	3.9	3.6	4.1
1995	1.5	1.3	1.7	1.3	1.0	1.5	3.2	3.1	3.3	3.8	3.6	3.9
1994	1.5	1.4	1.7	1.2	1.0	1.4	3.1	3.1	3.1	3.7	3.6	3.7
1993	1.4	1.3	1.6	1.2	1.0	1.3	2.9	2.8	3.0	3.5	3.3	3.7
1992	1.4	1.2	1.5	1.1	0.9 w 3	2.8	2.8	2.	9 w 3.3	3.1	3.5	
1991	1.5	1.3	1.6	1.2	1.0	1.4	3.0	3.0	3.0	3.5	3.5	3.5

1982..... 10.7

1984.1 12.2. 3.4

1981..... 10.5

17.4 6.2 11.1

7.7

17.3

13.4. 3.7

5.9 10.9

- - - - - ALL OTHER - - - -- - - - WHITE - - - -CAUSE OF DEATH, - - - - TOTAL - - - -MALE MALE H MALE HEMALE AND YEAR BOTH FEMALE BOTH BOTH MALE H MALE BOTH MALE OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496) 1996..... 15.2 19.2 12.5 15.9 19.8 13.3 9.7 14.7 6.4 11.0 16.8 7.3 15.6 1995..... 15.0 19.4 12.0 19.9 12.7 9.9 15.2 6.4 11.0 17.2 7.0 15.7 20.2 1994..... 15.1 19.7 11.9 12.7 9.9 15.3 6.3 11.1 17.4 7.0 1993..... 15.2 20.3 11.9 15.9 20.8 12.6 10.1 16.2 6.1 11.2 18.4 6.6 14.6 9.2 9.5 1992..... 14.0 19.2 10.6 19.6 11.2 14.7 5.5 10.3 16.8 6.2 14.5 1991..... 14.1 19.4 10.5 19.9 11.1 15.4 5.6 10.6 17.5 6.2 1990..... 13.7 19.6 9.9 14.2 19.9 10.4 9.7 16.1 5.5 10.7 17.9 6.0 5.5 1989..... 19.3 9.8 14.0 19.6 10.3 10.0 16.5 18.3 6.1 13.6 11.0 1988..... 13.6 19.9 9.3 14.0 20.3 9.8 9.4 16.0 4.9 10.4 18.0 5.4 1987..... 19.5 8.8 13.5 9.0 1TD2 4.8 16.8 5.1 13.1 20.0 9.3 9.8 13.5 4.3 17.4 4.7 1986...... 13.1 19.9 8.6 20.3 9.1 9.0 1T.8 9.8 8.3 13.4 1985...... 13.0 20.0 20.5 8.7 8.9 15.2 4.5 9.6 16.9 4.7 1984..... 7.6 12.7 7.9 8.5 14.6 4.1 12.3 19.3 19.7 9.1 16.1 4.3 1983..... 11.8 18.9 1984.0 12.2 19.4 7.4 7.8 13.7 3.5 8.4 15.0 3.7

6.4

6.2

7.0

12.3

3.1 7.5

13.3. 3.2

17.9

- - - - - ALL OTHER - - - -©USE OF DEATH, --- TOTAL --- -- WHITE --- -- TOTAL --- -- BLACK ----AND YEAR BOTH MALE FEMALE BOTH MAE FEMAE BOTH MALE FEMALE BOTH MALE FEMALE

ULCER OF STOMACH A	AND DUODENU	JM (531-533)								
1996	0.9	1.2	.8 0.	9 1.1	0.7	1.2	1.7	0.9	1.4 1	.9 1.0
1995	1.0	1.3	.8 1.	1.2	0.8	1.2	1.7	0.9	1.4 1	.9 0.9
1994	1.2	1.51 2 1	.1 1.	41 2	1.43.2.0	1.0	1.51	2.1 1	.1	
1993	1.2	1.51	.9 1.	1 1.4	0.9	1.41	2.11 2	1.6	2.2	1.0
1992	1.2	1.51	.9 1.	2 1.5	1 0.9	1.4	2.0	1.0	1.63.2.3	1.0
1991	1.2	1.6	.0 1.	2 1.5	1.0	1.5	2.1	1.1	1.6 2	.2 1.1
1990	1.3 0 07	1.0	1.2	1.6	1.0	1.63.2.2	1.1	1.7	2.51 1	. 2
1989	1.4	1.8	.1 1.	3 0 1.6	1.0	1.8	2.6	1.3 0	2.03.2.7	1.4
1988	1.4	1.8	.0 1.	4 1.8	1.0	1.63.2.	3 0 1.1	0 073.2.51	1.1	
1987	1.4	1.2 1.0	1.4	1.8	1.0	1.53.2.3	1.0	1.7	2.51	1.1
1986	1.43	1.2 1.2	1.43	1.8	1.110 0	73 2.4	1.2	1.93.2.	6 1.3	
1985	1.51	2.03	.2 1.	5 2.0	1.2	1.73.2.	4 1.1	10 1.83	.2.6 1	. 2
1984	1.6	2.03	.2 1.	5 2.0	1.2	1.73.2.	4 1.2	1.	1.2D S6	1.3
1983	1.63	2.1 1	.2 1.	53.2.0	1.2	1.7 2.	51 1.1	10 1.	1.2D2.7	1.2
1982 0 07	3 2.2	1.3 0	1.63.2.	2 1.3	3.2.03.2.7	1.43	2.1	2. 1	.ºD1.4	
1981 0	1.7	2.3	.2 1.	63.2.2	1.2	2.0 2.	1.3	3 2.1	3.1	1.4
19800	1.73.2.4	1.2	1.7	2.3 0	1.2	1.8 2.	8 1.0	1.	1.2D3.0	1.1
1979 0 07	3 2.3	0 1.2	1.63	2.2	1.2	1. 1. ² I	2.8 1	.1 1.	1.2D2.	1.2D1.1

					UNITED ST	ATES, 1979-9	96					
									- ALL OTHE	R	_	
CAUSE OF DEATH,		TOTAL			- WHITE -			TOTAL			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
APPENDICITIS (5	40-543)											
1996	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1
1995	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.2	0.4	0.1
1994	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.3	0.1	0.2	0.3	0.1
1993	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.3	0.1	0.2	0.4	0.1
1992	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.2	0.2	0.2	0.3	0.2
1991	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1
1990	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.1
1989	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.4	0.2
1988	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.4	0.2	0.3	0.4	0.2
1987	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.3	0.4	0.2
1986	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.4	0.3	0.4	0.4	0.3
1985	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2 2	AT.4	0.2	
1984	0.1	0.2	0.1	0.1	0.1	0.1	0.2 2	0.AT.2	0.3	0.3	0.3	
1983	0.1	0.2	0.1	0.1	0.2	2 0.1	0.3	0.4	0.2	0.3	0.4	0.3
1982	0.2	0.2	2 0.1	0.1	0.2	0.1	0.AT.4	0.AT	AT.5	0.3		
1981	0.2	0.3	0.1	0.1	0.2	0.1	0.4	0.5	0.3	0.4	0.5	0.3
1980	0.2	2 0.3	0.2	2 0.2	0.3	0.2	0.4	0.5	0.4	0.5	0.6	0.4
1979	0.2	0.3	0.2	2 0.2	0.2	0.1	0.5	0.6	0.4	0.5	0.7	0.4

1979.....

1.4

1.4

1.4

1.5

1.3

1.3

1.8

1.6 2.2.1B 2.6 1.8 1.7 2.2 2.7 1.8

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -MALE FEMALE MALE H MALE MALE H MALE AND YEAR BOTH BOTH BOTH BOTH MALE HEMALE HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560) 1.0 1996..... 1.0 1.1 1.0 1.0 0.9 1.5 1.7 1.3 1.8 2.2 1.6 1.0 1.0 1.0 1.4 1.7 1.2 1.7 1.0 1.0 1.0 0.9 1.5 1.8 1.3 1.8 1995...... 1.0 1.1 1.0 2.1 1.4 1994...... 1.1 1.1 1.0 2.2 1.1 1.0 0.9 1.0 3.0.9 1.4 1.7 1.2 1.7 2.1 1.4 1.2.1BT2.1B 1.0 1.0 1.0 1.5 1.7 1.3 1.7 2.0 1.5 1993..... 1.0 1992...... 1.1 1.1 1.0 1.0 1.0 1.6 2.0 1.4 1.9 2.3 1.6 BT2 1.0 3 1.0 1.0 1.6 1.8 1.4 1.8 2.2 1.5 1991..... 1.2.1B 1.2 1990..... 1.2 1.1 1989..... B 1.0 1.0 1.0 3 1.0 1.6 1.8 1.3 1.8 2.2 1.5 1.2 1.1 B 1.2.1B 1.0 1.0 1.0 1.6 1.5 1988..... 1.1 1.1 1.9 1.9 2.2 1.7 BT2 1.1 B 1.2.1B 1.1 1.0 1.5 1.9 1.3 1.8 2.2 1.4 1987..... 1.2 1.2 1.2 1.2 1.7 1.1 B 1.2 1.9 1.5 1.9 2.2 1.7 1986...... 1985...... B 1.2.1B 1.2 1.2 1.1 B 1.2.1B 1.0 1.6 2.0 1.4 1.8 2.2 1.6 1.2 1.1 1.0 1.6 B 1.2 1.2 1.1 1.8 1.8 2.0 1984...... 1.4 1.6 1.0 1.7 1983..... в 1.2 1.3 1.2 BT2 1.2 2.2 1.4 2.0 2.5 1.6 1982..... 1.2 1.2 1.2.1B 1.2.1B 1.2 1.1 B 1.7 2.3 1.3 1.9 2.5 1.5 1.3 1.2 1.2 1.2 1.9 1.3 1.3 1.3 1.3 1.9 1.6 2.2.1B 2.5 1981..... 1.3 1.3 2.3 1.8

1.9 2.0

1.3

2.3

2.5

1.6

1.3 1.3

9.7 13.7

6.1

8.9

12.7

10.2

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -CAUSE OF DEATH, - - - - WHITE - - - -MALE FEMALE MALE H MALE AND YEAR BOTH BOTH MALE H MALE BOTH BOTH MALE HEMALE CHRONIC LIVER DISEASE AND CIRRHOSIS (571) 4.5 1996..... 7.5 10.7 7.3 10.5 4.4 8.3 12.0 5.3 9.2 0 3.8 5.7 1995..... 5.7 7.6 11.0 4.6 7.4 10.7 4.3 9.0 13.0 9.9 14.7 6.0 11.3 15.9 1994..... 7.9 4.8 7.5 10.9 4.5 9.6 13.8 6.1 10.7 6.6 1993..... 7.9 11.3 4.9 7.6 10.8 4.6 9.6 13.8 6.2 0 10.9 16.1 6.6 4.8 5.2 0 EA0.3 11.4 17.2 0 1992..... 8.0 11.6 7.7 11.1 4.6 15.0 6.4 6.9 17.4 10.7 1991..... 8.3 11.7 7.8 11.2 0 4.8 15.0 7.3 12.3 8.2 1990..... 8.6 E12.2 5.3 8.0 11.5 4.8 12.0 17.2 7.9 13.7 20.0 8.7 1989..... 9.0 12.9 5.5 8.4 5.0 12.7 18.4 8.1 14.3 21.2 8.7 12.1 9.1 13.1 1988..... 5.6 8.5 12.3 5.1 13.1 18.5 8.7 14.8 21.3 9.5 1987..... 9.2 13.2 5.6 8.5 12.2 0 5.1 0 3.3 19.4 8.4 15.2 22.6 E 9.2 5.9 1986..... 9.3 8.7 5.4 13.1 18.6 8.5 14.7 21.3 13.1 12.3 9.4

5.6

E14.5

20.9

9.4

16.3

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

							ALL OTHER							
OUSE OF DEATH,		- TOTAL -			WHITE -			- TOTAL -		BLACK				
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE		
CHOLELITHIASIS	AND OTHER	DISORDERS	OF GALLBLA	DDER (574-	575)									
1996	0.5	0.6	0.4	0.5	0.5	0.4	0.7	0.7	0.7	0.7	0.8	0.7		
1995	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6	0.7	0.7	0.7		
1994	0.5	0.6	0.5	0.5	0.6	0.4	0.6	0.7	0.6	0.7	0.7	0.7		
1993	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6	0.7	0.7	0.6		
1992	0.5	0.6	0.5	0.5	0.6	0.5	0.6	0.6	0.7	0.7	0.6	0.7		
1991	0.5	0.6	0.5	0.5	0.6	0.5	0.6	0.6	0.7	0.7	0.6	0.7		
1990	0.6	0.7	0.5	0.6	0.7	0.5	0.6	0.7	0.6	0.6	0.7	0.6		
1989	0.6	0.7	0.5	0.6	0.7	0.5	0.7	0.7	0.7	0.7	0.7	0.7		
1988	0.6	0.7	0.5	0.6	0.7	0.5	0.7	0.8	0.7	0.8	0.8	0.7		
1987	0.6	0.7	0.6	0.6	0.7	0.5	0.7	0.7	0.7	0.7	0.7	0.7		
1986	0.6	0.7	0.5	0.6	0.8	0.5	0.7	0.7	0.6	0.6	0.7	0.6		
1985	0.6	0.8	0.5	0.6	0.8	0.5	0.8	0.9	0.7	0.8	0.9	0.7		
1984	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.7	0.6	0.7	0.7	0.7		
1983	0.7	0.8	0.6	0.6	0.8	0.5	0.8	0.8	0.8	0.8	0.8	0.8		
1982	0.7	0.8	0.6	0.7	0.8	0.6	0.8	0.7	0.8	0.8	0.7	0.8		
1981	0.7	0.8	0.7	0.7	0.8	0.6	0.8	0.6	0.9	0.7	0.5	0.8		
1980	0.8	1.0	0.7	0.8	0.9	0.7	0.9	0.9	0.9	0.8	0.8	0.9		
1979	0.8	0.9	0.7	0.8	0.9	0.7	0.8	0.8	0.8	0.8	0.8	0.8		

4.3

5.6

3.5

3.7

4.9.

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -MALE HEMALE AND YEAR BOTH FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) 1996..... 4.3 5.3 3.6 3.8 4.7 3.1 8.2 9.5 7.3 9.8 11.5 8.5 1995..... 4.3 5.4 3.6 3.7 4.7 3.1 8.5 9.9 7.5 10.2 12.0 8.8 1994...... 4.3 5.2 3.6 3.7 4.6 3.1 8.4 9.6 7.5 10.1 11.7 8.8 3.8 1993..... 4.5 5.5 3.8 4.9 3.2 9.0 10.4 7.8 10.5 12.4 9.2 8.7 1992..... 4.3 5.5 3.6 3.7 4.8 3.0 8.8 10.5 7.6 10.2 12.5 3.5 1991..... 4.3 3.7 4.7 3.0 8.8 10.6 7.4 10.3 12.8 8.6 5.4 1990..... 4.3 5.4 3.6 3.6 4.6 3.0 9.3 10.9 8.1 10.8 12.9 9.4 1989..... 4.5 5.7 3.6 3.7 4.8 3.0 10.2 12.5 8.5 11.8 14.7 9.7 1988..... 4.8 6.1 4.0 4.1 5.3 3.3 10.3 12.0 9.1 11.9 14.0 10.5 1987..... 4.8 6.1 3.9 4.1 5.4 3.3 10.2 12.1 8.8 11.6 14.0 9.9 4.2 5.5 3.3 10.5 12.6 9.0 12.0 14.7 10.0 1986...... 4.9.6.3 4.0 12.2 1985...... 4.9 6.2 4.0 4.2 5.4 3.4 10.8 12.6 9.5 14.5 10.6 4.7 6.0 3.9 4.1 10.2 11.8 9.0 13.3 10.1 1984..... 5.3 3.3 11.4 1983..... 4.6 5.7 3.9 4.0 5.0 3.3 9.8 11.3 8.8 11.0 12.9 9.6 1982..... 4.5 5.8 3.7 3.8 5.1 3.1 10.1 11.7 9.0 11.3 13.2 9.9 1981..... 4.5 5.6 3.8 4.9. 11.7 8.7 11.1 13.2 9.6 3.6 3.1 10.0 1980..... 4.5 5.7 3.6 3.7 4.9 2.9 10.8 12.7 9.5 11.9 14.2 10.3

2.9

9.9

11.8

8.6

10.8

12.8

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 66

UNITED STATES, 1979-96
---- ALL OTHER ----

ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		- TOTAL			- WHITE -			TOTAL			- BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALI	E BOTH	MALE	HEMALE
CHRONIC GLOMER	ULONEPHRI	TIS, NEPH	RITIS AND 1	NEPHROPATHY,	N.S. AS	ACUTE OR	CHRONIC, AND	RENAL :	SCLEROSIS,	UNSPECIFIED	(582-583,	587)
1996	0.3	0.4	0.2	0.2	0.3	0.2	0.6	0.7	0.5	0.7	0.8	0.5
1995	0.3	0.4	0.2	0.2	0.3	0.2	0.6	0.7	0.5	0.7	0.8	0.5
1994	0.3	0.3	0.3	0.2	0.3	0.2	0.6	0.8	0.6	0.8	0.9	0.7
1993	0.3	0.4	0.2	0.3	0.3	0.2	0.7	0.8	0.6	0.8	1.0	0.6
1992	0.3	0.4	0.2	0.3	0.3	0.2	0.6	0.8	0.4	0.7	1.0	0.5
1991	0.3	0.4	0.3	0.3	0.3	0.2	0.6	0.8	0.6	0.7	0.9	0.6
1990	0.3	0.4	0.3	0.3	0.4	0.2	0.7	1.0	0.6	0.8	1.1	0.6
1989	0.3	0.4	0.3	0.3	0.3 7.	0.7	0.8	0.6	0.8	1.0	0.7	
1988	0.3	0.4	0.3	0.3	0.4	0.2	0.6	0.8	0.5	0.7	1.0	0.5
1987	0.4	0.3 7	0.3	0.3	0.4	0.2	0.7	0.9	0.6	0.8	1.0	0.7
1986	0.3	0.5	0.3	0.3	0.4	0.2	0.8	1.0	0.6	0.9	1.2	0.7
1985	0.4	0.5	0.3	0.3	0.3 7	0.2	0.8	1.0	0.6	0.9	1.2	0.6
1984	0.4	0.6	0.4	0.4	0.5	0.3	0.9	1.0	0.8	1.0	1.2	0.9
1983	0.5	0.6	0.4	0.4	0.5	0.4	1.1	1.3	0.9	1.2	1.5	0.9
1982	0.5	0.6	0.4	0.3 7	0.5	0.3	1.1	1.3	1.0	1.2	1.4	1.0
1981	0.5	0.6	0.5	0.5	0.6	0.4	1.1	1.2	1.1	1.2	1.3	1.1
1980	0.6	0.8	0.5	0.5	0.6	0.3 7	1.6	1.8	1.4	1.7	2.0	1.5
1979	0.7	0.8	0.5	0.5	0.7	0.3 7	1.6	2.0	1.3	1.7	2.2	1.4

1982....A

1981.....A

1980....A

1979.....

3.9

3.8

3.8

3.6

5.0

4.9

1.8

4.6

. 2

3.AN

3.AN

2.9

3.3 Û4

3.3

3.0

3.2ATE2

- - - - - ALL OTHER - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589) 1996..... 3.9 4.9 3.3 3.4 4.3 2.8 7.5 8.6 6.7 9.0 10.5 7.9 1995..... 4.3 2.8 7.9 9.2 9.4 11.1 4.0 4.9 3.3 3.4 7.0 8.2 3.4ATE2 2.9 7.6 8.7 10.6 8.0 1994...... 3.9 4.8 3.3 6.8 9.2 1993..... 4.AN 5.0 3.5 3.5 4.5 2.9 8.2 9.5 7.2 9.6 11.2 3Û4 2.8 7.0 1992...... 4.0 5.0 3.3 8.0 9.5 9.4 11.4 8.0 2.7 3.2 1991..... 3.9 4.9 8.0 9.7 6.7 9.4 11.7 7.8 3.3 4.3 1990..... 3.9 4.8 .3 3.3 4.2 2.7 8.5 9.8 7.5 9.8 11.6 8.6 1989..... 4.0 5.1 3.3 3.3 2.7 9.3 11.5 7.8 10.8 13.5 8.9 4.3 1988..... 4.4 5.5 3.7 3.7 4.8 3.0 9.6 11.AN 8.5 11.A 12.8 9.8 1987..... 4.4 5.6 199 9.3 12.8 9.1 3.6 3.8 3.0 11.0 8.AN 10.6 1986..... 4.5 5.7 3.8 5.0 3.6 3.0 9.6 11.5 8.3 10.9 13.3 9.2 1985...... 4.5 5.6 . 7 3.8 4.9 3.AN 9.9 11.4 8.7 11.2 13.2 9.8 9.AN 10.6 1984.....ATE2 5.4 3.6 4.7 2.9 8.4...10.2 12.0 9.0 3.5 1983..... 4.0 5.0 3.4 3.5 4.5 2.8 8.6 9.8 7.8 9.6 11.A 8.6

8.8

2.6

9.4...10.6

2.4 8.2

10.2

8.7

7.9

10.3

8.0

9.6

9.8

7.5

10.0

7.2

11.6

9.7

11.9

8.9

8.6

11.6

8.6

10.4

8.3

7.8

2.6

4.3

2.4

UNITED STATES, 1979-96

									ALL OTHER		
CAUSE OF DEATH,		- TOTAL			WHITE		1	COTAL	_		BLACK
AND YEAR	BOTH	MALE F	EMALE	BOTH	MALE H	MALE	BOTH	MALE H	MALE	BOTH	MALE HEMALE
INFECTIONS OF KIL	NEY (590)										
1996	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.3	0.23 "	
1995 3 "	0.1	0.2	0.1	0.1	0.2	0.33 "	0.3	0.33	0.2	0.3	
19943 "	0.13 "	0.2	0.13 "	0.3	0.2	0.3	0.3	0.3	0.3		
1993	0.2	0.13 "	0.2	0.13	0.2	0.33	0.2	0.33	0.3	0.33	0.3
1992	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.2	0.3	0.3	0.3 0.3
19913 "	0.2	0.3	0.2	0.2	0.2	0.3	0.33	0.4	0.4	0.3	0.4
1990D C 0.2	0.2	0.33	0.23	" 0.3	0.3	0.4	0.3	4 -4	0.3		
1989D C 0.3	0.2	0.3	0.2	0.2	0.3	0.5	0.4	0.5	0.5	0.5	0.6
1988	0.3 4	- 0.3	0.3	4 0.2	0.3	4 0.4	0.5	0.4	0.5	0.5	0.5
1987		0.3	0.4	0.3	0.3	0.4	0.5 -4	0.5	0.5	0	.5 0.6
1986D C 0.4	0.3	4 0.4	0.3	4 0.3	0.4	0.6	0.4	0.7	0.6	0.5	0.7
1985	0.4	0.4	0.4	0.4	0.33	0.4	0.6	0.7	0.6	0.7	0.7 TD7
1984	0.4	0.4	0.5	0.4	0.4	0.4	0.7	0.7	0.7	0.7 T	0.8 TD7
1983	0.5	0.4	0.5	0.4 -	4 0.4	0.	7 0.6	0.7	0.8	T	0.4 LA
1982D C 0.5	- 0.4	0.5	0.5	0.4	0.5	- 0.7	0.7	0.4	L 0.	8	0.8 T 0.8
1981	0.5	0.5	0.6	0.5	0.5	0.5	0.8	0.6	0.9	0.8	0.7 1.0
1980	0.7 T	0.6	0.7	0.6	0.5	0.7	1.1	1.0	1.13	1.2	1.1 1.2
1979D C 0.7	0.7	0.7	0.6	0.6	0.7	1.13	1.1	1.1	1.2	1.2	1.2

1979.....

0.2

0.2

0.4

0.5

. . .

. . .

0.1

0.2

0.4

0.4

. . .

. . .

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -CAUSE OF DEATH, - - - - WHITE - - - -AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE HEMALE HYPERPLASIA OF PROSTATE (600) 1996..... 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 1995..... 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 1994..... 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 1993..... 0.1 0.2 0.1 0.2 0.1 0.3 0.1 0.3 . . . 1992..... 0.1 0.2 0.1 0.2 0.1 0.2 . . . 0.1 0.2 1 Tw1..... 0.1 0.2 0.1 0.2 0.1 0.3 0.1 0.3 1990.... 0.1 0.2 0.1 0.2 0.1 0.3 0.1 0.3 1 89..... 0.1 0.2 0.5 . . . 0.1 0.2 . . . 0.2 0.4 . . . 0.2 . . . 1 88..... 0.1 0.2 . . . 0.1 0.2 . . . 0.1 0.3 . . . 0.1 0.4 . . . 1 85..... 0.1 0.2 0.1 0.2 0.1 0.3 0.1 0.4 1984..... 0.1 0.3 0.1 0.3 0.1 0.4 0.2 0.4 0.5 1 83..... 0.1 0.3 0.1 0.3 0.2 0.4 . . . 0.2

. . .

. . .

0.3

0.3

0.ATE

0.7

. . .

. . .

0.3

0.3

0.7

UNITED STATES, 1979-96

							ALL OTHER							
CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK			
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE		
COMPLICATIONS OF	PREGNANCY	, CHILDB	IRTH, AND T	HE PUERPER	IUM (630-	676)								
1996	0.1		0.2	0.1		0.1	0.3		0.6	0.4		0.7		
1995	0.1		0.2	0.1		0.1	0.3		0.6	0.4		0.8		
1994	0.1		0.3	0.1		0.2	0.3		0.6	0.4		0.7		
1993	0.1		0.2	0.1		0.1	0.3		0.7	0.4		0.8		
1992	0.1		0.3	0.1		0.2	0.4		0.7	0.4		0.9		
1991	0.1		0.2	0.1		0.2	0.3		0.6	0.4		0.8		
1990	0.1		0.3	0.1		0.2	0.4		0.8	0.5		0.9		
1989	0.1		0.3	0.1		0.2	0.3		0.6	0.4		0.7		
1988	0.1		0.3	0.1		0.2	0.4		0.7	0.4		0.8		
1987	0.1		0.2	0.1		0.1	0.2		0.5	0.3		0.6		
1986	0.1		0.2	0.1		0.1	0.3		0.6	0.4		0.8		
1985	0.1		0.3	0.1		0.1	0.4		0.7	0.4		0.8		
1984	0.1		0.2	0.1		0.2	0.3		0.7	0.4		0.7		
1983	0.1		0.3	0.1		0.2	0.3		0.6	0.4		0.7		
1982	0.1		0.2	0.1		0.2	0.3		0.7	0.4		0.7		
1981	0.1		0.3	0.1		0.2	0.4		0.7	0.4		0.8		
1980	0.1		0.3	0.1		0.2	0.4		0.9	0.5		0.9		
1979	0.1		0.3	0.1		0.2	0.5		1.0	0.6		1.0		

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

SHOP OF BEAUL		moma r		WHITE BLACK BLACK									
©USE OF DEATH,		1011111			WHITE			rotal	_		3LACK	_	
AND YEAR	BOTH	MALE F	TEMALE	BOTH	MAE F	EMAE	BOTH I	MALE FEM	IALE E	BOTH N	MALE FEMA	ALE	
PREGNANCY WIT	H ABORTIVE	OUTCOME (63	30-638)								AG		
1996	0.0		0.0	0.0		0.0	*		*	*		*	
1995	0.0		0.0	*	A*	0.1		0.1	0.1		0.1		
1994	0.0		0.0	0.0		0.0	*		*	*		*	
1993	0.0		0.0	0.0		0.0	0.104	0.1	0.1		0.1		
1992	0.004	0.0	0.0		0.0	0.1		0.1	0.1		0.1		
1991	0.0		0.0	0.004	0.0	0.10		0.1	0.104	0.2			
1990	0.0		0.0	0.00		0.0	0.104	0.2	0.1		0.2		
1989/		0.0	0.0		0.0	0.1		0.10		0.2			
	004 0.0	0.0		0.0	0.10		0.2	0.10		0.2			
1987	0.0		0.0	0.0		0.0	*		* A*C				
1986	0.0		0.0	0.00		0.00	0.104	0.1	0.1		0.2		
1985	0.00		0.0	*04	*	0.10		0.2	0.10		0.2		
1984	0.0		0.0	0.0		0.0	0.1		0.2	0.10		0.2	
1983	0.0		0.0	0.0		0.0	0.1		0.1	0.10		0.2	
1982	0.0		0.0	0.00		0.0	0.104	0.1	0.10		0.1		
1981	0.00		0.0	0.0	/0			0.10)	0.1		
	00	0.1	0.0		0.0	0.1		0.2	0.10		0.2		
1979	0.00		0.10	0.0		0.00	0.1		0.2	0.10		0.2	

UNITED STATES, 1979-96

CAUSE OF DEATH,TOTAL BLACK AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE BOTH MALE	- HEMALE
AND VEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE BOTH MALE	HEMALE
AND THAK DOTT MADE FEMALE DOTT MADE IT MADE IT MADE IT MADE	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)	
1996 0.1 0.2 0.1 0.1 0.3 0.5 0.3 0.5	0.6
1995 0.1 0.2 0.1 0.1 0.3 0.5 0.3 0.5	0.7
1994 0.1 0.2 0.1 0.2 0.3 0.5 0.3 0.5	0.6
1993 0.1 0.2 0.1 0.1 0.3 0.5 0.3 0.5	0.6
1992 0.1 0.2 0.1 0.1 0.3 0.5 0.6 0.3 0.5	0.7
19912.ŏ 0.2ŏ 0.2ŏ 0.3 0.5 0.3 0.6	
1990ð 0.2 0.1 0.1 0.3 0.6 0.4 0.7	
19892.ŏ 0.1 0.2 0.1 0.2 0.3 0.5 0.3 0.6	
1988ð 0.1 7.2 0.1 7.2 0.3 0.5 0.3 0.6	
1987 0.1 0.1 0.2 0.1 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.2 0.1 0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.1 0.2	0.5
19862.ð 0.1 0.2ð 0.1 0.2 0.5 0.3 0.6	
1985ð 0.1 7 0.2 0.1 7 0.1 0.3 0.5 0.3	0.6
1984ŏ 0.1 0.2 0.1 0.1 0.3 0.5 0.3	0.6
1983ð 0.2 0.1 0.1 0.3 0.5 0.3 0.5	
1982ŏ 0.1 0.2ŏ 0.1 0.3 0.5 0.3 0.6	
19812ŏ 0.1 0.2 0.1 0.2 0.3 0.6 0.3	0.7
1980ð 0.1 7 0.2ð 0.2 0.3 0.6 0.4 7 0.7	
$19792.\delta$ 0.1 0.3 0.1 7.2 0.4 7 0.8 0.4 0.8	

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 74 UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -

CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			BLACK -			
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTI	H MALE	HEMAL	C	
CONGENITAL ANOMA	LIES (740-	759)												
1996	4.3	4.6	4.0	4.2	4.5	3.8	4.7	4.9	4.5	5.4	5.6	5.1		
1995	4.4	4.7	4.1	4.3	4.6	4.0	4.4	4.7	4.1	4.9	5.3	4.6		
1994	4.	4.5-	4.2	4.4	4.6	4.2	4.7	4.9	4.	4.5-	5.2	5.	4.5-	4.9
1993	4.6	4.9	4.3	4.5	4.9	4.2	4.9	5.3	4.6	5.	4.5-	6.0	5.1	
1992	4.6	5.0	4.3	4.	4.5-	4.8	4.1	5.1	5.4	4.8	5.6	6.1	5.2	
1991	4.7	5.1	4.3	4.6	5.0	4.2	5.0	5.4	4.	5.	4.5-	6.2	5.0	
1990	5.0	5.4	4.6	4.9	5.3	4.	5.2	5.7	4.8	5.7	6.2	5.2		
1989	5.0	5.3	4.7	4.9	5.2	4.6	5.4	5.8	5.1	5.9	6.2	5.		
1988	5.1	5.4	4.8	5.0	5.4	4.7	5.3	5.7	4.9	5.7	6.1	5.3		
1987	5.0	5.4	4.6	4.9	5.3	4.5	5.	4.5-	5.7	5.3	6.0	6.4	5.6	
1986	5.1	5.	4.8	5.0		- 5.7	7 6.		3 3.6.1 3.	6.6	5.6			
1985	5.3 3	5.7	4.8	5.2	5.6	4.7	5.6	5.8	5.3	6.0	6.3	5.7		
1984	5.	5.8	5.2	5.4	- 5.8	5.1	5.8	6.0	5.6	6.0	6.4	5.8		
1983	5.	4.5-	5.8	5.1	5.4	5.7	5.1	5.9	6.4	5. 3.6			. 9	
1982	5.7	6.0	5.4	5.6	5.9	5.3 3.		6.4	5.9	6.		7 3.6.3		
1981	5.7	6.0		- 5.7	6.0	5.4 3		6.2	5.8	6.3	6.6	6.1		
1980	6.0	6.	4.5-	5.6	5.9	6.4	5.			5.9 3.6.0	6.7	7.3	6.	2
1979	6.0 3.6		4.5- 5.	4.5		6.4	5.4	6.3	6.6	6.0	6. 3		6.2	_
	2.0 0.0	-		1.5	5.5	0.1	5.1	0.5	0.0	0.0	٠. ٥			

1979..... 10.5

11.7

9.2

8.7

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -MALE H MALE MALE H MALE BOTH MALE FEMALE AND YEAR BOTH BOTH BOTH MALE HEMALE CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779) 4.8 9.3 1996..... 5.3 5.8 4.1 4.4 3.7 10.4 11.5 13.2 14.6 11.8 5.9 4.8 4.1 4.6 3.6 9.8 10.6 8.9 12.2 13.3 11.1 5.7 6.3 5.1 4.3 4.7 1994.... 3.9 11.0 12.1 9.8 13.7 15.1 12.2 1993..... 5.9 6.5 5.3 4.• 4.8 3.9 11.5 12.7 10.3 14.• 15.9 12.8 6.63 • 4.• 4.9 4.0 12.0 13.3 10.6 14.9 16.6 13.2 1992..... 6.0 4.9 5.5 2 S3 11.7 13.0 10.2 14.8 16.63 12.9 5.2 5.8 4.5 2 13.• 14.8 12.0 16.2 17.9 14.5 5.7 2 á 5.0 14.3 15.5 13.1 17.1 18.6 15.7 5.7 1991..... 6.4 7.2 1990..... 6.9 7.63 6.1 7.5 2 8.2 6.7 1989..... 8.3 2 á5 2 5.7 6.4 4.9 14.• 15.8 13.0 17.3 19.1 15.4 1988..... 7.•
 á6
 5.9
 6.6
 5.1
 14.5
 16. •
 12.7
 17.2
 19.3
 19.3

 26.0
 6.8
 5.3
 14. •
 16.2
 12.5
 2
 17.0
 19.2
 14.8

 á9
 6.5. 7. •
 5.5
 2
 14.8
 16.3
 13.2
 17.4
 19.2
 15.5
 1987..... 7.5 8.5 2 2 15.1 1986..... 7.6 8.6 6.7 1985..... 8.0 9.0 2 6.6. 7á• 5.7 14.8 16.3 13á 17.3 1983..... 8.1 9.1 7.1 19.1 15.5

9.8 7.5 2 18.9 20.7

17.1

20.9

22.8

1985......

1984.....

3.2

3.4

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -- - - - WHITE - - - -CAUSE OF DEATH, MALE H MALE MALE FEMALE MALE H MALE MALE HEMALE AND YEAR BOTH BOTH BOTH BOTH BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769) 0.7 1.2 1.7 1.2 1.7 1996.... 0.8 0.9 0.7 0.8 0.5 1.4 1.6 1.2 2.0 1.5 1995..... 0.9 0.7 0.6 1.4 2.0 1.0 0.7 0.8 1.6 0.8 0.9 . 6 1.5 1.8 1.2 1.9 . 2.2 1.6 1994..... 0.9 1.1 0.8 1993..... 1.0 1.2 0.9 0.8 0.9 0.7 1. 0.8× 1.5 2.2 2.6 0.8 2.2 1.0 1.9 2.1 1.6 2.3 2.7 1.3 1992..... 1.1 0.9 1.0 1.9 1.5 2.4 1991..... 1.3 1.1 1.3 2.2 2.1 3.1 2.5 3.6 1990..... 1.5 1. 1.2 1.2 1.4 1.0 2.6 3.1 3.6 2.5 3.6 1.5 3.1 2.9 1989..... 1.8 2.2 1.5 1. 1.2 4.3 1988..... 1.7 × 1.4 1.5 1.7 1.2 2. 0.8 A 2.5 3.3 3.6 2.9 1987..... 0.8×.1 1. 1.2 2.9 3.4 ×.5 3.5 3.0 1. 1.4 1.5 4.0 1.9 . 1.4 3.0 1986..... 1.9 . 2.3 1.6 1.7 3.6 2.4 3.5 4.2 2.8

2.3 1.5

1.6

2.3

3.3

3.4

3.9 . 2.7

3.

3.9

0.8×.9 . 3.9 4.4

4.5

1.7

1.

1.9

1.9 .

2.2

×.2

2.6

UNITED STATES, 1979-96

					ALI	OTHER	
CAUSE OF DEATH,	TOTAL -		WHITE -		TOTAL	BL	ACK
AND YEAR	BOTH MALE	FEMALE BOTH	H MALE	H MALE BOT	H MALE H MA	LE BOTH	MALE HEMALE
OTHER CONDITI	ONS ORIGINATING IN T	HE PERINATAL PER	IOD (760-766,7	770-779)			
1996BT	4.5 4.9	4.1 3.4			9.9 8.1		.6 10.3
1995BT.BT.	4.5 3. 4>3.	.1 3.4	3.8 3	3.0 8.4	9.0 7.8	10.5 3 11.3	9.7
1994.BT.B 3.	.8 5B2 34	3.5	.8 3.2 3	3 972 10.3	8.5 3 11.8	12.>3 10.	7
1993.BT.B 3.	.>3 5.3 4.4	4 3.6	3.>3 3.2		0.7 8.8 1	2.2 3 13.4	11.0
1992BT.B 3	4 > 51	B4 4.4	3.5 3 3	3.8 3.2 3	10.1 11.1	9.0 12.6	13.>3 11.3
1991.BT.B	5/2 5/6	4 A 3	3.8 4.2	3.4 9	. A 10.6 872	12/2 13.6	10.7
1990.BT.B	5B4 5/>3	4JU 3.9	34 3	3.5 3 10.9 3	11.8 10.0	13.2 3 14.3	12.0
1989.BT.B	5B A 6.0	5.2 31	72 3.8	11.3 11.9	3 10. A 13.5	14.3 12.7	
1988BT.B	5/7 6.3	5.1	4 Tw 77	3.7 11	. A 12.8 10.4	14.0 15	35 3 12.5
1987.BT.B	5.7 6.3	5/ Tw 4.3 3.	.7 3.>3	3 11. A 13.0	10.2 3 13.7	15B3 12.	2
1986.BT.B	5B7 6.3	5.0 .3	.8	3.8 11.4	12.6 10.1	1372 15.0	12.0
1985BBT.B	5BJU 6.4 5B			1172 12.4	10.5 13.6	14.7 12	. 3
1984.BBT.B.	5/>. 6.4 5/	4 4		4.2 3 11.4		A 13.5 3 14.5	3 12.4
1983.BBT.B.	5.>3 6.4	5.3 4. 2	A 5.0	71 11.4	12.5 3 10.3	13.4 14.7	12.0
1982.BT.B	6.1 6.7	5B5 4.>3	3 5B3	4.4 11.>3		13.8 15B1	12.5
1981.BBT.B.	6.4 6.9 3	5.8 5.0	5B5 3.	.5 3 12.3	13.2 11.4	14.2 3 15B2	13.1
1980.BBT.B.	6.6 7.3	6.0 5.3	5.JU 3		14/2 11. A		13.0
1979BT.B	6.9 3 772	6.3 5B5 3	6.1	5B0 13.3	14.2 3 12.3	1 4J	15.8 13.6

UNITED STATES, 1979-96

					ONTILD DI	AIBO, IJIJ J	. 0		3.T.T. O.D.T.	T.D.				
					THE CITER									
CAUSE OF DEATH,		- TOTAL			- WHITE -			- TOTAL -			- BLACK -			
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MAL	E HEMAL	E	
SYMPTOMS, SIGNS,	AND ILL-	DEFINED C	ONDITIONS (780-799)										
1996	6.6	8.3	5.1	6.0	7.4	4.6	10.0	12.7	7.7	12.3	15.8	9.5		
1995	7.2	9.1	5.5	6.5	8.2	4.9	10.6	13.9	7.9	13.0	17.2	9.5		
1994	6.8	8.5	5.1	5.9	7.4	4.5	10.8	14.2	7.9	13.0	17.3	9Tf		
1993	7.4	9.3	5.5	6.4	8.0	4.8	12.3	16.3	9.0	15.0	20.0	10.8		
1992	6.7	8.4	5.0	5.8	7.2	4.3	11.2	14.5	8.4	13.5	17.5	10.1		
1991	7.2	9.1	5.3	6.2	8.0	4.5	11.9	15.1	9.1	14.2	18.4	10.8		
1990	7.3	9.4	5.4	6.2	8.0	4.5	13.2	17.4	9.6	15.5	20.6	11.2		
1989	8.2	10.6	6.0	7.0	9.1	5.1	14.2	19.0	10.1	16.7	22.8	11.8		
1988	9.3	11.9	6.9	8.0	10.3	6.0	16.1	21.2	11.9	19.0	2	5w 4.0		
1987	9.6	12.4	7.1	8.3	10.7	6.0	17.1	22.5	12.7	20.1	26.8	14.7		
1986	9.5	12.5	7.0	8.2	10.8	5.9	17.5	23.4	12.7	20.5	27.9	14.7		
1985	9.4	12.5	6.8	8.1	10.8	5.7	18.0	24.1	13.2	20.8	28.2	15.1		
1984	9.2	12.2	6.7	7.9	10.5	5.7	18.0	24.2	13.0	20.7	28.4	14.8		
1983	9.3	12.2	6.9	7.9	10.4	5.8	19.0	25.1	14.1	21.7	29.0	15.9		
1982	9T8	12.8	7.1	8.2	10.8	5.9	20.4	27.1	15.0	23.1	31.0	16.8		
1980	9.8	12.7	7.3	8.0	10.5	5.8	23.0 5	29.8	17.4	25.5	33.6	19.2		
1979	9.6	12.6	7.0	7.7	10.3	5.5	23.1	30.2	17.4	2	5w	33.4	18.8	

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - ALL OTHER - - - - - CAUSE OF DEATH, - - - TOTAL - - - - BLACK - - -

CAUSE OF DEATH,		IUIAL			- MUTIF -			- IUIAL			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MAE	FEMAE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER DISEAS	ES (RESI	DUAL)										
1996	41.5	47.7	36.3	39.8	45.7	34.8	50.4	59.7	43.4	59.6	71.4	50.8
1995	41.1	47.7	35.6	39.1	45.3	33.9	51.8	62.6	43.6	60.6	73.9	50.7
1994	40.3	47.2	34.5	38.3	44.9	32.8	51.3	62.0	43.2	60.0	73.3	50.1
1993	39.7	46.7	34.0	37.5	44.2	32.1	51.9	63.0	43.5	60.4	74.2	50.1
1992	38.1	45.4	32.3	35.9	42.7	30.4	51.2	62.5	42.7	59.9	74.3	49.3
1991	38.5	45.9	32.5	36.2	43.2	30.6	52.1	63.8	43.2	61.1	75.9	50.1
1990	38.4	46.1	32.3	35.9	42.9	30.2	54.4	67.9	44.0	63.0	79.7	50.5
1989	38.9	47.0	32.5	36.1	43.6	30.1	56.9	70.7	46.3	66.1	83.1	53.3
1988	39.2	47.5	32.5	36.3	43.9	30.3	57.5	72.7	45.7	66.3	85.1	52.0
1987	38.4	46.7	31.9	35.6	43.2	29PE	56.6	71.0	45.5	65.0	82.9	51.5
1986	40.1	50.6	31.5	36.9	46.3	29P2	61.1	80.2	45.8	70.6	94.1	52.2
1985	38PE	48.2	31.0	35.7	44.3	28.8	58.5	75.3	45.2	66.9	87.6	50.8
1984	36.4	44.8	29P8	33.7	41.4	27.6	534343	368.6	43.Y61.8	78.7	48.6	
1983	35.6	43.6	29P2	32.9	40.5	27.2	53.4	67.2	42PE	59PE	75.9	47.3
1981	34.4	42.1	28.4	31.8	38.8	26.3	53.3	66.5	42.9	59.0	72	31 47.1
1980	34.9	42.9	28.6	32.0	39.2	26.3	55.9	70.9	44.0	61.2	78.4	47.9
1979	33.5	41.3	27.2	30.8	38.0	25.2	52.8	67.4	41.2	56.8	72PE	44.2

1979.....

42.9

64.9

21.9

42.0

63.3

- - - - - ALL OTHER - - - -- - - - TOTAL - - - -CAUSE OF DEATH, - - - - TOTAL - - - -- - - - WHITE - - - -- - - - BLACK - - - -HEMALE AND YEAR BOTH MALE FEMALE BOTH MALE H MALE BOTH MALE H MALE BOTH MALE ACCIDENTS AND ADVERSE EFFECTS (E800-E949) 1996..... 30.4 43.3 17.9 29.9 42.4 17.6 33.2 49.2 19.2 36.7 55.7 20.5 1995..... 30.5 44.1 17.5 29.9 43.0 17.2 34.0 51.4 19.0 37.4 57.6 20.2 1994..... 30.3 44.0 17.2 29.5 42.7 16.8 34.6 52.2 19.4 38.1 58.5 20.7 1993..... 30.3 44.2 17.0 29.6 42.9 16.6 34.7 52.7 19.0 38.4 59.8 20.1 1992...... 29.4 43.1 16.4 28.8 41.9 16.1 33.4 50.9 18.3 36.5 56.7 19.3 1991..... 31.0 45.3 43.9 17.0 54.3 18.7 61.0 19.9 17.2 30.3 35.3 38.9 1990..... 47.7 17.9 46.4 17.6 36.8 56.7 19.6 39.7 62.4 32.5 31.8 20.4 20.7 1989...... 33.9 49.5 18.9 33.0 47.8 18.6 39.6 61.5 43.4 68.8 21.9 1988..... 35.0 51.6 19.2 34.2 50.0 18.9 40.9 63.8 21.2 44.4 70.4 22.4 1987..... 34.7 51.3 18.8 34.0 49.8 18.6 39.8 62.3 20.3 42.7 68.0 21.2 1986..... 35.2 52.5 18.8 34.6 51.2 18.5 40.0 62.6 20.5 42.7 68.0 21.2 1985...... 34.8 51.8 18.7 34.2 50.5 18.4 39.8 62.4 20.5 42.3 67.6 20.9 41.0 20.3 1984..... 35.1 52.4 18.7 34.7 51.4 18.6 38.6 60.8 19.5 65.4 1983..... 35.3 52.9 18.7 34.7 51.7 18.3 40.3 62.7 21.1 292.5 66.8 22.0 1982..... 36.6 55.2 18.9 36.1 54.1 18.7 40.8 64.5 20.6 42.7 68.5 20.9 1981..... 70.0 21.4 74.6 21.7 39.7 60.2 20.4 39.3 59.1 20.2 43.8 45.9 1980..... 42.3 64.0 21.8 41.5 62.3 21.4 49.5 78.4 24.8 51.2 82.0 25.1

21.6

49.3

78.9

23.9

50.3

81.3

1982.....

19.2

28.7

8.3 16.6 27.3

UNITED STATES, 1979-96 - - - - - ALL OTHER - - - -- - - - TOTAL - - - ----- WHITE ---- BLACK ----CAUSE OF DEATH, MALE H MALE MALE FEMALE MALE H MALE HEMALE AND YEAR BOTH BOTH BOTH BOTH MALE MOTOR VEHICLE ACCIDENTS (E810-E825) 1996..... 16.2 22.3 10.2 16.3 22.2 10.4 16.0 23.1 9.5 16.7 24.9 9.4 9.3 1995..... 16.3 22.7 10.0 16.4 22.6 10.3 16.1 23.8 16.6 25.3 8.9 1994..... 16.1 22.5 9.9 16.2 22.5 10.0 16.0 23.2 9.6 16.6 24.7 9.5 1993..... 16.0 22.5 9.6 16.1 22.5 3.9.7 15.7 23.3 9.0 16.3 25.3 8.5 15.9 9.5 22.2 3.9.6 15.7 9.0 16.3 25.0 8.7 1992..... 15.8 22.3 23.4 17.2 1991..... 17.0 24.1 10.1 24.2 3 10.4 16.3 24.7 8.9 16.8 26.2 8.7 1990..... 18.5 26.3 10.7 18.6 26.3 11.9.0 F.0 27.3 9.7 18.4 28.9 3.9.3 27.7 18.9 3 11.6 18.1 9.6 18.8 1989..... 26.7 11.2 19.1 26.7 29.8 9.3 1988..... 19.7 28.2 11.3 20.0 28.4 11.6 18.5 28.4 9.7 19.0 30.1 9.4 28.1 19.8 17.9 27.7 9.2 18.1 28.9 8.8 1987..... 19.4 11.9 28.3 11.4 9.0 18.3 8.8 17.4 19.8 28.7 11.9 18.1 29.5 8.5 1986...... 19.4 28.5 10.6 28.4 19.1 17.4 1985...... F.8 27.3 10.5 27.6 10.8 27.2 28.0 8.2 10.9 8.9.0 6.8 27.5 7.7 1984..... 19.6 28.4 16.7 26.5 19.1 28.0 10.5 1983..... 18.5 27.3 10.9.0 9.0 27.7 10.3 16.5 26.1 8.1 16.3 26.6

10.1 19.8 29.2 10.4 16.8 26.7

198/04/20 TABLE 293. AGE ADJUSTED DEATH RATES FOR 72 SELECTED CAUSES BY COLOR AND SEX PER 100,000 POPULATION: PAGE 82 UNITED STATES, 1979-96

---- ALL OTHER ----

ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949)

					UNITED ST	ATES, 1979-9	6							
								ALL OTHER						
CAUSE OF DEATH,		- TOTAL		WHITE				TOTAL BI						
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE		
SUICIDE (E950-E	959)													
1996	10.8	18.0	4.0	11.6	19.1	4.4	6.8	11.5	2.5	6.6	11.8	2.0		
1995	11.2	18.6	4.1	11.9	19.7	4.4	7.0	12.1	2.5	6.9	12.4	2.0		
1994	11.2	18.7	4.2	11.9	19.7	4.5	7.3	12.6	2.5	7.1	12.7	2.1		
1993	11.3	18.7	4.3	12.0	19.7	4.6	7.2	12.4	2.6	7.2	12.9	2.1		
1992	11.1	18.4	4.3	11.8	19.5	4.6	6.9	11.8	2.5	6.9	12.4	2.1		
1991	11.4	18.8	4.3	12.1	19.9	4.8	6.9	12.1	2.3	6.9	12.5	1.9		
1990	11.5	19.0	4.5	12.2	20.1	4.8	7.1	12.1	2.6	7.0	12.4	2.4		
1989	11.3	18.7	4.5	12.0	19.7	4.8	7.1	12.1	2.7	7.2	12.6	2.4		
1988	11.5	18.8	4.7	12.2	19.9	5.1	6.8	11.6	2.6	6.9	11.9	2.5		
1987	11.7	19.1	4.9	12.5	20.2	5.3	6.9	11.9	2.5	6.7	12.1	2.1		
1986	11.9	19.4	5.1	12.8	20.6	5.5	6.8	11.5	2.7	6.6	11.6	2.4		
1985	11.5	18.8	4.9	12.3	19.9	5.3	6.7	11.4	2.6	6.4	11.5	2.1		
1984	11.7	18.7	5.2	12.4	19.8	5.6	6.6	11.2	2.7	6.4	11.3	2.3		
1983	11.4	18.2	5.2	12.2	19.3	5.6	6.3	10.7	2.6	6.0	10.6	2.1		
1982	11.6	18.4	5.4	12.4	19.4	5.8	6.4	10.8	2.6	6.2	10.8	2.3		
1981	11.5	17.9	5.6	12.3	18.9	6.0	6.7	11.1	3.0	6.4	11.0	2.5		
1980	11.4	18.0	5.4	12.1	18.9	5.7	6.7	11.3	2.8	6.4	11.1	2.4		
1979	11.7	17.9	5.9	12.2	18.6	6.3	7.7	12.7	3.3	7.3	12.5	2.9		

TABLE 293.	AGE ADJUSTED	DEATH RATES	FOR 72	SELECTED	CAUSES E	Y COLOR	AND SE	X PER	100,000	POPULATION:	
			UNIT	ED STATES	, 1979-96	;					

PAGE 84

				ALL OTHER												
CAUSE OF DEATH,		- TOTAL		WHITE			TOTAL			BLACK						
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE				
HOMICIDE AND LEG	AL INTERV	ENTION (E	960-E978)													
1996	8.5	13.3	3.6	4.9	7.3	2.5	24.0	40.7	8.2	30.6	52.6	10.2				
1995	9.4	14.7	4.0	5.5	8.2	2.8	26.4	45.0	9.0	33.4	57.6	11.0				
1994	10.3	16.4	4.0	5.8	8.8	2.7	30.1	51.5	9.9	38.2	66.2	12.3				
1993	10.7	17.0	4.5	6.0	8.9	3.0	32.3	55.1	10.9	40.9	70.7	13.4				

198/04/20

1980.....

1979.....

1.6

1.7

2.3

2.4

0.9

1.0

5.2

5.3

1.5

1.9

	UNITED STATES, 1979-96											
CALICE OF DEAML		шоша т			WILLIAM				- ALL OTHE		_ DI 7 GIZ	
CAUSE OF DEATH,		- TOTAL			WHITE -			TOTAL			BLACK	
AND YEAR	BOTH	MALE	FEMALE	BOTH	MALE	H MALE	BOTH	MALE	H MALE	BOTH	MALE	HEMALE
ALL OTHER EXTERN	NAL CAUSES	(E980-E9	99)									
1996	1.2	1.9	0.6	1.2	1.7	0.6	1.7	2.7	0.7	2.1	3.5	0.9
1995	1.2	1.8	0.6	1.1	1.6	0.5	1.8	2.9	0.8	2.2	3.6	0.9
1994	1.3	1.9	0.7	1.2	1.7	0.6	1.8	3.0	0.8	2.2	3.7	0.9
1993	1.3	1.9	0.7	1.1	1.7	0.6	1.9	3.1	0.9	2.3	3.7	1.1
1992	1.1	1.6	0.6	1.0	1.4	0.5	1.5	2.5	0.7	1.8	3.1	0.8
1991	0.9	1.4	0.5	0.9	1.2	0.5	1.3	2.0	0.7	1.6	2.4	0.9
1990	0.9	1.4	0.5	0.8	1.2	0.4	1.4	2.2	0.7	1.6	2.5	0.7
1989	1.0	1.5	0.5	0.9 R	0.5	1.8	2.9 H	0.9	2.2	3.5	1.0	
1988	1.2	1.8	0.6	1.0	1.5	0.6	2.0	3.2	0.9	2.4	3.9	1.0
1987	1.2	1.8	0.6	1.0	1.5	0.6	2.2	3.6	1.0	2.6	4.2	1.2
1986	1.2	1.9	0.6	1.1	1.6	0.6	2.2	3.5	1.0	2.4	3.9	1.1
1985	1.2	1.7	0.6	1.0	1.5	0.6	1.9	3.0	1.0	2.1	3.4	1.1
1984	1.2	1.8	0.7	1.1	1.6	0.6	2.2	3.4	1.1	2.4	3.9	1.2
1983	1.3	1.9	0.7	1.1	1.6	0.6	2.4	3.6	1.3	2.6	4.0	1.4
1982	1.3	2.0	0.7	1.1	1.7	0.6	2.5	4.0	1.2	2.7	4.5	1.2
1981	1.5	2.2	0.9	1.3	1.9	0.8	2.8	4.4	1.4	3.1	4.9	1.5

0.8

0.9

2.9

3.2

4.8

4.9

1.4

1.8

3.2

3.5

1.4

1.4

2.0