

# Formulating and simulating a hypothesis


STATISTICAL THINKING IN PYTHON (PART 2)



**Justin Bois**

Lecturer at the California Institute of  
Technology

# 2008 US swing state election results



<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)




# Hypothesis testing

- Assessment of how reasonable the observed data are assuming a hypothesis is true

# Null hypothesis

- Another name for the hypothesis you are testing

# ECDFs of swing state election results



<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# Percent vote for Obama

	PA	OH	PA — OH difference
mean	45.5%	44.3%	1.2%
median	44.0%	43.7%	0.4%
standard deviation	9.8%	9.9%	−0.1%

<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# Simulating the hypothesis

60.08,	40.64,	36.07,	41.21,	31.04,	43.78,	44.08,	46.85,
44.71,	46.15,	63.10,	52.20,	43.18,	40.24,	39.92,	47.87,
37.77,	40.11,	49.85,	48.61,	38.62,	54.25,	34.84,	47.75,
43.82,	55.97,	58.23,	42.97,	42.38,	36.11,	37.53,	42.65,
50.96,	47.43,	56.24,	45.60,	46.39,	35.22,	48.56,	32.97,
57.88,	36.05,	37.72,	50.36,	32.12,	41.55,	54.66,	57.81,
54.58,	32.88,	54.37,	40.45,	47.61,	60.49,	43.11,	27.32,
44.03,	33.56,	37.26,	54.64,	43.12,	25.34,	49.79,	83.56,
40.09,	60.81,	49.81,	56.94,	50.46,	65.99,	45.88,	42.23,
45.26,	57.01,	53.61,	59.10,	61.48,	43.43,	44.69,	54.59,
48.36,	45.89,	48.62,	43.92,	38.23,	28.79,	63.57,	38.07,
40.18,	43.05,	41.56,	42.49,	36.06,	52.76,	46.07,	39.43,
39.26,	47.47,	27.92,	38.01,	45.45,	29.07,	28.94,	51.28,
50.10,	39.84,	36.43,	35.71,	31.47,	47.01,	40.10,	48.76,
31.56,	39.86,	45.31,	35.47,	51.38,	46.33,	48.73,	41.77,
41.32,	48.46,	53.14,	34.01,	54.74,	40.67,	38.96,	46.29,
38.25,	6.80,	31.75,	46.33,	44.90,	33.57,	38.10,	39.67,
40.47,	49.44,	37.62,	36.71,	46.73,	42.20,	53.16,	52.40,
58.36,	68.02,	38.53,	34.58,	69.64,	60.50,	53.53,	36.54,
49.58,	41.97,	38.11,					

Pennsylvania

Ohio

<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)



# Simulating the hypothesis

```
60.08, 40.64, 36.07, 41.21, 31.04, 43.78, 44.08, 46.85,  
44.71, 46.15, 63.10, 52.20, 43.18, 40.24, 39.92, 47.87,  
37.77, 40.11, 49.85, 48.61, 38.62, 54.25, 34.84, 47.75,  
43.82, 55.97, 58.23, 42.97, 42.38, 36.11, 37.53, 42.65,  
50.96, 47.43, 56.24, 45.60, 46.39, 35.22, 48.56, 32.97,  
57.88, 36.05, 37.72, 50.36, 32.12, 41.55, 54.66, 57.81,  
54.58, 32.88, 54.37, 40.45, 47.61, 60.49, 43.11, 27.32,  
44.03, 33.56, 37.26, 54.64, 43.12, 25.34, 49.79, 83.56,  
40.09, 60.81, 49.81, 56.94, 50.46, 65.99, 45.88, 42.23,  
45.26, 57.01, 53.61, 59.10, 61.48, 43.43, 44.69, 54.59,  
48.36, 45.89, 48.62, 43.92, 38.23, 28.79, 63.57, 38.07,  
40.18, 43.05, 41.56, 42.49, 36.06, 52.76, 46.07, 39.43,  
39.26, 47.47, 27.92, 38.01, 45.45, 29.07, 28.94, 51.28,  
50.10, 39.84, 36.43, 35.71, 31.47, 47.01, 40.10, 48.76,  
31.56, 39.86, 45.31, 35.47, 51.38, 46.33, 48.73, 41.77,  
41.32, 48.46, 53.14, 34.01, 54.74, 40.67, 38.96, 46.29,  
38.25, 6.80, 31.75, 46.33, 44.90, 33.57, 38.10, 39.67,  
40.47, 49.44, 37.62, 36.71, 46.73, 42.20, 53.16, 52.40,  
58.36, 68.02, 38.53, 34.58, 69.64, 60.50, 53.53, 36.54,  
49.58, 41.97, 38.11
```

<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# Simulating the hypothesis

```
59.10, 38.62, 51.38, 60.49, 6.80, 41.97, 48.56, 37.77,  
48.36, 54.59, 40.11, 57.81, 45.89, 83.56, 40.64, 46.07,  
28.79, 55.97, 33.57, 42.23, 48.61, 44.69, 39.67, 57.88,  
48.62, 54.66, 54.74, 48.46, 36.07, 43.92, 49.85, 53.53,  
48.76, 41.77, 36.54, 47.01, 52.76, 49.44, 34.58, 40.24,  
44.08, 46.29, 49.81, 69.64, 60.50, 27.32, 45.60, 63.10,  
35.71, 39.86, 40.67, 65.99, 50.46, 37.72, 50.96, 42.49,  
31.56, 38.23, 37.26, 41.21, 37.53, 46.85, 44.03, 41.32,  
45.88, 40.45, 32.12, 35.22, 49.79, 43.12, 43.18, 45.45,  
25.34, 46.73, 44.90, 56.94, 58.23, 39.84, 36.05, 43.05,  
38.25, 40.47, 31.04, 54.25, 46.15, 57.01, 52.20, 47.75,  
36.06, 47.61, 51.28, 43.43, 42.97, 38.01, 54.64, 45.26,  
47.47, 34.84, 49.58, 48.73, 29.07, 54.58, 27.92, 34.01,  
38.07, 31.47, 36.11, 39.26, 41.56, 52.40, 40.18, 47.87,  
46.33, 46.39, 43.11, 38.53, 33.56, 42.65, 68.02, 35.47,  
40.09, 36.43, 36.71, 60.08, 50.36, 39.43, 28.94, 58.36,  
42.20, 47.43, 44.71, 43.78, 39.92, 37.62, 63.57, 53.61,  
40.10, 46.33, 53.16, 32.88, 38.96, 41.55, 56.24, 38.11,  
42.38, 38.10, 43.82, 45.31, 60.81, 54.37, 53.14, 32.97,  
61.48, 50.10, 31.75
```

<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# Simulating the hypothesis

59.10,	38.62,	51.38,	60.49,	6.80,	41.97,	48.56,	37.77,
48.36,	54.59,	40.11,	57.81,	45.89,	83.56,	40.64,	46.07,
28.79,	55.97,	33.57,	42.23,	48.61,	44.69,	39.67,	57.88,
48.62,	54.66,	54.74,	48.46,	36.07,	43.92,	49.85,	53.53,
48.76,	41.77,	36.54,	47.01,	52.76,	49.44,	34.58,	40.24,
44.08,	46.29,	49.81,	69.64,	60.50,	27.32,	45.60,	63.10,
35.71,	39.86,	40.67,	65.99,	50.46,	37.72,	50.96,	42.49,
31.56,	38.23,	37.26,	41.21,	37.53,	46.85,	44.03,	41.32,
45.88,	40.45,	32.12,	35.22,	49.79,	43.12,	43.18,	45.45,
25.34,	46.73,	44.90,	56.94,	58.23,	39.84,	36.05,	43.05,
38.25,	40.47,	31.04,	54.25,	46.15,	57.01,	52.20,	47.75,
36.06,	47.61,	51.28,	43.43,	42.97,	38.01,	54.64,	45.26,
47.47,	34.84,	49.58,	48.73,	29.07,	54.58,	27.92,	34.01,
38.07,	31.47,	36.11,	39.26,	41.56,	52.40,	40.18,	47.87,
46.33,	46.39,	43.11,	38.53,	33.56,	42.65,	68.02,	35.47,
40.09,	36.43,	36.71,	60.08,	50.36,	39.43,	28.94,	58.36,
42.20,	47.43,	44.71,	43.78,	39.92,	37.62,	63.57,	53.61,
40.10,	46.33,	53.16,	32.88,	38.96,	41.55,	56.24,	38.11,
42.38,	38.10,	43.82,	45.31,	60.81,	54.37,	53.14,	32.97,
61.48,	50.10,	31.75,					

"Pennsylvania"

"Ohio"

# Permutation

- Random reordering of entries in an array

# Generating a permutation sample


```
import numpy as np
dem_share_both = np.concatenate(
    (dem_share_PA, dem_share_OH))
dem_share_perm = np.random.permutation(dem_share_both)
perm_sample_PA = dem_share_perm[:len(dem_share_PA)]
perm_sample_OH = dem_share_perm[len(dem_share_PA):]
```

# Let's practice!

STATISTICAL THINKING IN PYTHON (PART 2)

# Test statistics and p-values


STATISTICAL THINKING IN PYTHON (PART 2)



**Justin Bois**

Lecturer at the California Institute of  
Technology

# Are OH and PA different?



<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)



# Hypothesis testing

- Assessment of how reasonable the observed data are assuming a hypothesis is true

# Test statistic

- A single number that can be computed from observed data and from data you simulate under the null hypothesis
- It serves as a basis of comparison between the two

# Permutation replicate


```
np.mean(perm_sample_PA) - np.mean(perm_sample_OH)
```

```
1.122220149253728
```

```
np.mean(dem_share_PA) - np.mean(dem_share_OH) # orig. data
```


```
1.1582360922659518
```

# Mean vote difference under null hypothesis



<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# Mean vote difference under null hypothesis



<sup>1</sup> Data retrieved from Data.gov (<https://www.data.gov/>)

# p-value

- The probability of obtaining a value of your test statistic that is at least as extreme as what was observed, under the assumption the null hypothesis is true
- **NOT** the probability that the null hypothesis is true

# Statistical significance

- Determined by the smallness of a p-value

# Null hypothesis significance testing (NHST)

- Another name for what we are doing in this chapter



# statistical significance ? practical significance

# Let's practice!

STATISTICAL THINKING IN PYTHON (PART 2)

# Bootstrap hypothesis tests

STATISTICAL THINKING IN PYTHON (PART 2)





**Justin Bois**

Lecturer at the California Institute of  
Technology

# Pipeline for hypothesis testing


- Clearly state the null hypothesis
- Define your test statistic
- Generate many sets of simulated data assuming the null hypothesis is true
- Compute the test statistic for each simulated data set
- The p-value is the fraction of your simulated data sets for which the test statistic is at least as extreme as for the real data

# Michelson and Newcomb: speed of light pioneers




<sup>1</sup> Michelson image: public domain, Smithsonian <sup>2</sup> Newcomb image: US Library of Congress

# Michelson and Newcomb: speed of light pioneers



299,852 km/s




299,860 km/s

<sup>1</sup> Michelson image: public domain, Smithsonian <sup>2</sup> Newcomb image: US Library of Congress

# The data we have

Michelson:



Newcomb:

mean = 299,860 km/s

<sup>1</sup> Data: Michelson, 1880


# Null hypothesis

- The true mean speed of light in Michelson's experiments was actually Newcomb's reported value



# Shifting the Michelson data

```
newcomb_value = 299860 # km/s
michelson_shifted = michelson_speed_of_light \
    - np.mean(michelson_speed_of_light) + newcomb_value
```



# Calculating the test statistic

```
def diff_from_newcomb(data, newcomb_value=299860):  
    return np.mean(data) - newcomb_value
```

```
diff_obs = diff_from_newcomb(michelson_speed_of_light)  
diff_obs
```

```
-7.59999999999767169
```

# Computing the p-value

```
bs_replicates = draw_bs_reps(michelson_shifted,  
                             diff_from_newcomb, 10000)  
p_value = np.sum(bs_replicates <= diff_observed) / 10000  
p_value
```

```
0.16039999999999999
```

# One sample test

- Compare one set of data to a single number

# Two sample test

- Compare two sets of data

# Let's practice!

STATISTICAL THINKING IN PYTHON (PART 2)