

[Collapse All](#) | [Expand All](#)

- › [Home](#)
- › [Archived](#)
- › [Acknowledgements](#)
- [Blog and News](#)
- › [Documentation v2-0-alpha](#)
- › [Documentation v1-6](#)
- › [Documentation v1-5](#)
- › [Documentation v1-1](#)
- › [Download](#)
- ▼ [Developer](#)
 - [Coding conventions](#)
 - [Classes design v2-0](#)
 - ▼ [Database design v2-0](#)
 - [Database 2-0 Tables](#)
 - [Ticket Status Guide](#)
 - [Browser-compatibility-matrix](#)
 - [Installation notes for 1-5 development code](#)
 - [Notes on 1-0-1 fixes and stuff](#)
 - [International Character Handling](#)
 - [Transferring multiple files](#)
 - [HTML5](#)
- › [Testing](#)
- › [Specifications](#)
- release process**
- [Creating repositories](#)
- [Developers](#)
- › [Usage statistics module](#)
- [Icons](#)
- [Existing installations](#)
- [Feature requests](#)

[Online Demo](#)

[Project organisation](#)

[Roadmap](#)

[Release Schedule](#)

[Release status and life cycle](#)

[Reviews and prototypes](#)

[Support and Mailinglists](#)

[Twitter](#)

[FileSender's workflows](#)

[Installation - Linux Source 2-0-Alpha-from-svn](#)

release process



Version 21, last updated by [wendy_mason](#) at 2011-01-10

Here you can find how to make a new release for filesender. Details of past and planned filesender releases are listed in the [release schedule](#)

Source packages

- First make sure that you really want to make a release. No files should be changed from this point, except for files containing version numbers and changelog.
- Make a branch in the svn. `$ svn cp http://subversion.assembla.com/svn/file_sender/filesender/trunk/ http://subversion.assembla.com/svn/file_sender/filesender/branch/filesender-`
- Edit the files containing version numbers and changelogs. Commit this to the branch.
- Do a clean export of the branch `$ svn export http://subversion.assembla.com/svn/file_sender/filesender/branch/filesender-`
- Create new release tarball and zipfile `$ tar -zcvf filesender-.tar.gz filesender- $ zip -rv filesender-filesender-`
- Calculate SHA-1 hash `$ sha1sum filesender-.zip filesender-.tar.gz`
- Create a wiki page describing the release. Name of the wiki page is "release-". The wiki page contains a release version number, a general description of the release, a description of the changes implemented (split in bug fixes and feature changes) and the download links with the SHA-1 hashes.
- Edit the [download overview page](#): depreciate the current release to the top entry under 'previous releases' and add the new release as current.
- Edit the *Development Status* section on the [home page](#) to reflect the current release number and release date.
- Send the release announcement email as **plain text (NO HTML!)** using the following email template:

```
To: filesender-announce@filesender.org
Cc: filesender-dev@filesender.org
Subject: FileSender released

Hi,

FileSender is now available for download.

Download page:
  http://www.assembla.com/wiki/show/file_sender/Beta-1-2

CHANGES
=====
Features implemented:
-

Bugs fixed:
-

Cheers,
```

Debian package

Requirements: a debian system

- Make sure you have all debian packaging tools installed \$ `sudo apt-get install devscripts`
- To sign the packages you need your the filesender-dev key in your gnupg configuration.
- Do a clean export of the tag \$ `svn export http://subversion.assembla.com/svn/file_sender/filesender/tags/filesender-`
- inside the exported folder run \$ `dpkg-buildpackage`
- Debian packages will be in the parent
- You can add the debian package to the stable repository by running \$ `reprepro -b /var/www/debian/ includedeb stable filesender all.deb`
- You can also add the source to the source stable repo: \$ `reprepro -b /var/www/debian/ includedsc stable *.dsc`

RPM package

- Make sure you have RPM installed: \$ `sudo apt-get install rpm`
- Create the required directory structure: `mkdir -p rpmbuild/{BUILD,RPMS,SOURCES,SPECS,SRPMS,TMP}`
- To sign the packages you need to put this in `~/.rpmmacros %signature gpg %gpg_name Filesender Development filesender-dev@filesender.org` Also make sure the filesender-dev private key is in your gnupg configuration
- Put the specs file from `http://subversion.assembla.com/svn/file_sender/filesender/tags/filesender-` in `rpmbuild/SPECS`
- Put the source tarball, patches and extra files in `rpmbuild/SOURCES`. The required files are listed in the spec file and can be found in `http://subversion.assembla.com/svn/file_sender/filesender/tags/filesender-`
- run `rpmbuild -ba --sign rpmbuild/SPECS/*.spec`
- If everything went well the RPM's will be in `rpmbuild/RPMS`
- to publish the RPM copy it to `/var/www/rpm/stable`
- Update the yum repository database: \$ `cd /var/www/rpm/stable $ createrepo -o .`

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project.
[You can add Messages tool from Tools section on the Admin tab.](#)