```
1 package com.jtc.mysql storedprocedure;
 2
3
4
 5
       import java.sql.Connection;
 6
       import java.sql.DriverManager;
7
8
       public class Mysql StoredProcedure {
           public static void main(String[] args) {
9
               Connection con = null;
10
11
               java.sql.CallableStatement cs = null;
12
               try {
13 Class.forName("com.mysql.cj.jdbc.Driver");
   con = DriverManager.getConnection("jdbc:mysql://@localhost:3306/demo",
       "root", "Mysql@1234");
15
16
                     //String sql = "{call studentInfo(?,?,?,?)}";
                    String delete = "delete from student where id = ?";
17
18
                    cs = con.prepareCall(delete);
19
                     //cs = con.prepareCall(sql);
20
21 //cs.setInt("id", 116); cs.setString("name", "Joker"); cs.setInt("phone",
22
                     //81203456); cs.setString("city", "Jharkhand");
23
24
                    cs.setInt(1, 116);
25
26
                    int a = cs.executeUpdate();
27
                    System.out.println(a);
28
                } catch (Exception e) {
29
                    e.printStackTrace();
                } finally {
30
31
                    try {
32
                        if (con != null)
33
                            con.close();
34
                        if (cs != null)
                            cs.close();
35
36
                    } catch (Exception e2) {
37
                        e2.printStackTrace();
38
                    }
               }
39
40
           }
       }
41
42
43
       /*DELIMITER $$
44
       USE `demo`$$
       CREATE DEFINER=`root`@`localhost` PROCEDURE
45
       `studentInfos`(id int, name varchar(20), phone int, city varchar(20))
46
47
       BEGIN
48
       insert into students values(id, name, phone, city);
       END$$
49
50
```

```
51 DELIMITER;
52;*/
53
54
55
```