Decibel Threshold Event Displayer

Final Presentation

January 7, 2025

Dominic Gernert, Lukas von Allmen, Darius Degel

Title Page

Table of Contents



Initial Situation













Project Goals

Analyze Audio File



Project Goals

- Analyze Audio File
- Summarize findings in a PDF




Project Goals

- Analyze Audio File
- Summarize findings in a PDF
- Easy to use



Audio Files



Measuring the Sound Level



DecibelX for IOS



Berner Fachhochschule | Haute école spécialisée bernoise | Bern University of Applied Sciences

■ Take .wav file, threshold and additional reference values as input

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize
 - Metadata

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize
 - Metadata
 - Plot

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize
 - Metadata
 - Plot
- User should not need any Technical know-How

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize
 - Metadata
 - Plot
- User should not need any Technical know-How
- Platform independent

- Take .wav file, threshold and additional reference values as input
- Analyze and Summarize
 - Metadata
 - Plot
- User should not need any Technical know-How
- Platform independent
- (Multiple Languages)


Technology evaluation

Technology	Total score
Kotlin minimal	74
Kotlin bundled	56
Web SwiftLaTeX	82

Table of Contents




Architecture - Class Diagram




Architecture - SPA Techstack

- Vanilla JS SPA Framework (Web Programming Module)
- Bootstrap CSS Framework
- SwiftLaTeX in Browser WASM LaTeX rendering Library




Processes


- 1. Read *.way File
- 2. Group samples into frames (duration of 300ms)
- 3. Calculate root-mean-square (RMS) per frame
- 4. Convert RMS dB values per frame
- Map the relative dB to absolute dB(A)
- 6. Filter the resulting list of dB(A)
- 7. Render PDF with dB(A) and user data



Testing - Overview




Testing - In action



Privacy concerns

- No data is sent to the server, after the initial request
- From the Plot on the PDF the original Audio File cannot be recreated



The user does not get into legal trouble, using the application or the resulting PDF!

License

Dependency Licenses:

■ SwiftLaTeX: AGPL-3.o

pgfplots: GPL-3.o

Resulting License:

GPL-3.0 licence (FLOSS)




Image Source: https://dwheeler.com/essays/floss-license-slide.html

Deployment / Distribution

- 1. A dev pushes or merges code to the main branch
- GitLab automatically mirrors the repository to GitHub
- GitHub deploys automatically to GitHub Pages
- The Application is available under: https://decibel-threshold-eventdisplayer.github.io/




Table of Contents



Scrum

- 2 week iterations
- Daily every week
- Review every other week
- Product goals / sprint goals
- GitLab, MS Teams, LaTeX, excalidraw, draw.io

Table of Contents



Demo

- Watch the demo on YouTube
- Or better yet: Try it yourself on Github Pages!

Table of Contents



Conclusion

- Product goals achieved
- Scrum generally applied
- Minor issues with GitLab
- Great teamwork and team chemistry
- Interesting and well-defined project
- Lots of insights about audio, WAV files, and WebAssembly

Future Work

- Localization (DE, FR, IT)
- Custom thresholds
- Custom form fields
- Support more audio formats
- Dark mode / visual improvements



Questions / Discussion

