



Feature			Scel	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S	
This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.	1.669 s	4	4	0	0	32	32	0	0	

TAG	Scenario				Feature					
Name	T	P	F	S	T	P	F	S		
@get-method	2	2	0	0	1	1	0	0		
@api-test1	2	2	0	0	1	1	0	0		
@api-test2	1	1	0	0	1	1	0	0		
@post-method	2	2	0	0	1	1	0	0		
@api-test2.1	1	1	0	0	1	1	0	0		

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using	4	4	0	0	1.669 s
	RESTAssured library.					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature will test/verify basic functionalities of REST API [GET, *	GET Method Test - verify active users & stocks data using GET method	9	9	0	0	1.421 s
2		GET Method Test - verify active users & stocks data using GET method	9	9	0	0	0.057 s
3		POST Method Test - create new user using POST method	7	7	0	0	0.070 s
4		POST Method Test - create new stock using POST method	7	7	0	0	0.058 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION --- 6 --

This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.




GET Method Test - verify active users & stocks data using GET method




#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	1.286 s
2	When user access the endpoint "/users"	PASSED	0.024 s
3	Then user should get status as "200"	PASSED	0.002 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	And user should get active user "Oneil Pinto"	PASSED	0.050 s
6	When user access the endpoint "/stocks"	PASSED	0.013 s
7	Then user should get status as "200"	PASSED	0.001 s
8	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
9	Then user should get stock as "TCS"	PASSED	0.001 s

GET Method Test - verify active users & stocks data using GET method



#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	0.017 s
2	When user access the endpoint "/users"	PASSED	0.015 s
3	Then user should get status as "200"	PASSED	0.001 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	And user should get active user "Amol Jadhav"	PASSED	0.002 s
6	When user access the endpoint "/stocks"	PASSED	0.011 s
7	Then user should get status as "200"	PASSED	0.001 s
8	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
9	Then user should get stock as "HDFC"	PASSED	0.001 s

POST Method Test - create new user using POST method



#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	0.016 s
2	When user access the endpoint "/users"	PASSED	0.013 s
3	Then user should get status as "200"	PASSED	0.001 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When user create and reads the payload_new_user.txt"	PASSED	0.001 s
6	And attach it to the request body and post	PASSED	0.032 s
7	Then user should get status as "201"	PASSED	0.000 s

POST Method Test - create new stock using POST method

PASSED DURATION - 0.058 s	0.15		-		-		-	-	Steps		
/ 9:46:28.824 pm // 9:46:28.882 pm /	0.1						!		Total - 7		
	0.1								Pass - 7		
This feature will test/verify basic functionalities of REST	.05						+		Fail - 0	7	
API [GET, POST, PUT & DELETE] using RESTAssu *									Skip - 0		
	0 -										"
@api-test2.1 @post-method		1	2	3	4	5	6	7			

#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	0.015 s
2	When user access the endpoint "/stocks"	PASSED	0.012 s
3	Then user should get status as "200"	PASSED	0.002 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	When user create and reads the payload "payload_new_stock.txt"	PASSED	0.001 s
6	And attach it to the request body and post	PASSED	0.020 s
7	Then user should get status as "201"	PASSED	0.001 s