



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.	1.585 s	3	3	0	0	25	25	0	0	

TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@get-method	2	2	0	0	1	1	0	0
@api-test1	2	2	0	0	1	1	0	0
@api-test2	1	1	0	0	1	1	0	0
@post-method	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using	3	3	0	0	1.585 s
	RESTAssured library.					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature will test/verify basic functionalities of REST API [GET, *	GET Method Test - verify active users & stocks data using GET method	9	9	0	0	1.396 s
2		GET Method Test - verify active users & stocks data using GET method	9	9	0	0	0.063 s
3		POST Method Test - create new user using POST method	7	7	0	0	0.067 s


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 6 --

## This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.




## GET Method Test - verify active users & stocks data using GET method




#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	1.252 s
2	When user access the endpoint "/users"	PASSED	0.024 s
3	Then user should get status as "200"	PASSED	0.003 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	And user should get active user "Oneil Pinto"	PASSED	0.051 s
6	When user access the endpoint "/stocks"	PASSED	0.013 s
7	Then user should get status as "200"	PASSED	0.001 s
8	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
9	Then user should get stock as "TCS"	PASSED	0.001 s

**GET Method Test - verify active users & stocks data using GET method** 



#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	0.014 s
2	When user access the endpoint "/users"	PASSED	0.012 s
3	Then user should get status as "200"	PASSED	0.001 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	And user should get active user "Amol Jadhav"	PASSED	0.004 s
6	When user access the endpoint "/stocks"	PASSED	0.012 s
7	Then user should get status as "200"	PASSED	0.000 s
8	And user should receive data with header content-type as "application/json"	PASSED	0.002 s
9	Then user should get stock as "HDFC"	PASSED	0.001 s

## **POST Method Test - create new user using POST method**



#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	0.017 s
2	When user access the endpoint "/users"	PASSED	0.012 s
3	Then user should get status as "200"	PASSED	0.000 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.000 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
5	When user create and reads the payload_new_user.txt"	PASSED	0.001 s
6	And attach it to the request body and post	PASSED	0.028 s
7	Then user should get status as "201"	PASSED	0.000 s