Analysis using Belief Propagation Techniques Under the Guidance of **Prof.Dr.Kushal.R.Tuckley**

What is spintronics?

- The automatic synthesis of a SISO and MIMO QFT controllers is still an open problem.
- The most successful method for such a design takes into consideration the non-linear/non-convex QFT bounds without any approximation.
- It thereby ensures closed loop stability of the system, and becomes largely independent of the initial controller solution.
- Magnetic Levitation system is subjected to many external disturbances.
- It is highly nonlinear system.

Outline

- Introduction
- Brief of Magnetic Levitation setup
- Mathematical Modelling og Magnetic Levitation System
- Preliminaries- QFT and Constraint Solver
- QFT Controller Synthesis Problem
- Proposed QFT Controller Synthesis Method and Prefilter Design for SISO case
- Proposed QFT Controller Synthesis Method and Prefilter Design for MIMO case
- Oiscussion
- Onclusions and Future Work

Sensor Linearization for Lower Magnet and Coil

Table: Raw Sensor Data for Lower SISO case

Magnet position (cm)	Raw Sensor Output y_{1raw} (counts)
0	27900
0.5	22700
1	18300
2	12000
3	8200
4	5800
5	4100
6	2800

Sensor Nonlinearity

$$y_{ical} = \frac{e_i}{y_{iraw}} + \frac{f_i}{\sqrt{y_{iraw}}} + g_i + h_i y_{iraw}$$
 $e_1 = -11347, f_1 = 713.5441, g_1 = -2.9904, h_1 = -2.5283 * 10^{-5}$
 $e_2 = 7109.4, f_2 = -581.75, g_2 = 1.8355, h_2 = 4.1371 * 10^{-5}$

Thank You...