

Cpre 530 - Program 6

Fall 2011

Suganya Baskaran

SMTP packets - Output

Destination Hardware Address: 00:15:f2:7c:77:e0

Source MAC Address: 00:0d:65:d2:4a:e0

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 10

Length of the packet: 58

Packet Id: 27644

TTL is 65

Protocol Number is 6

Packet Type: TCP

Source Port: 58510

Destination Port: 25

Sequence # : 2883731347683879014

ACK # : 2883731346322465022

Offset: 32792

Payload SMTP:

:xWelcome

The Source IP: 192.188.162.61

The Destination IP: 129.186.215.40

Destination Hardware Address: 00:0d:65:d2:4a:e0

Source MAC Address: 00:15:f2:7c:77:e0

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 0

Length of the packet: 92

Packet Id: 62404

TTL is 69

Protocol Number is 6

Packet Type: TCP

Source Port: 25

Destination Port: 58510

Sequence # : 2883731346322465022

ACK # : 2883731347683879020

Offset: 32792

Payload SMTP:

:x501 5.0.0 Welcome

The Source IP: 129.186.215.40

The Destination IP: 192.188.162.61

Destination Hardware Address: 00:15:f2:7c:77:e0

Source MAC Address: 00:0d:65:d2:4a:e0

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 10

Length of the packet: 52

Packet Id: 32505

TTL is 66

Protocol Number is 6

Packet Type: TCP

Source Port: 58510

Destination Port: 25

Sequence # : 2883731347683879020

ACK # : 2883731346322465062

Offset: 32784

Payload SMTP:

x:

The Source IP: 192.188.162.61

The Destination IP: 129.186.215.40

Destination Hardware Address: 00:0d:65:d2:4a:e0

Source MAC Address: 00:08:74:f9:04:ab

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 0

Length of the packet: 48

Packet Id: 22632

TTL is 69

Protocol Number is 6

Packet Type: TCP

Source Port: 49215

Destination Port: 25

Sequence # : 2883731346314660162

ACK # : 2883731344221798400

Offset: 28674

Payload SMTP:

The Source IP: 129.186.215.41

The Destination IP: 209.85.237.25

287 packets received by filter

0 packets dropped by kernel

ARP packets: 0

IP packets: 246

Broadcast packets: 13

ICMP packets: 59
 No of TCP packets: 155
 No of DNS packets: 0
 No of SMTP packets: 8
 No of POP packets: 0
 No of IMAP packets: 0
 >

POP Packets Output

Destination Hardware Address: 00:15:f2:7c:77:e0
 Source MAC Address: 00:0d:65:d2:4a:e0
 The Header Length: 5
 Packet Type: IP
 IP version: 4
 Header Length: 5
 Type of Service: 10
 Length of the packet: 60
 Packet Id: 19918
 TTL is 66
 Protocol Number is 6
 Packet Type: TCP
 Source Port: 58531
 Destination Port: 110
 Sequence # : 2883731344418534963
 ACK # : 2883731346788050841
 Offset: 32792
 Payload POP:
 xRETR 1
 The Source IP: 192.188.162.61
 The Destination IP: 129.186.215.40

Destination Hardware Address: 00:0d:65:d2:4a:e0
 Source MAC Address: 00:15:f2:7c:77:e0
 The Header Length: 5
 Packet Type: IP
 IP version: 4
 Header Length: 5
 Type of Service: 0
 Length of the packet: 68
 Packet Id: 64464
 TTL is 64
 Protocol Number is 6
 Packet Type: TCP
 Source Port: 110
 Destination Port: 58531
 Sequence # : 2883731346788050841
 ACK # : 2883731344418534971
 Offset: 32792
 Payload POP:
 x+OK 532 octets
 The Source IP: 129.186.215.40

The Destination IP: 192.188.162.61

Destination Hardware Address: 00:15:f2:7c:77:e0

Source MAC Address: 00:0d:65:d2:4a:e0

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 10

Length of the packet: 52

Packet Id: 22498

TTL is 61

Protocol Number is 6

Packet Type: TCP

Source Port: 58531

Destination Port: 110

Sequence # : 2883731344418534971

ACK # : 2883731346788050857

Offset: 32784

Payload POP:

x

The Source IP: 192.188.162.61

The Destination IP: 129.186.215.40

Destination Hardware Address: 00:0d:65:d2:4a:e0

Source MAC Address: 00:15:f2:7c:77:e0

The Header Length: 5

Packet Type: IP

IP version: 4

Header Length: 5

Type of Service: 0

Length of the packet: 585

Packet Id: 64465

TTL is 69

Protocol Number is 6

Packet Type: TCP

Source Port: 110

Destination Port: 58531

Sequence # : 2883731346788050857

ACK # : 2883731344418534971

Offset: 32792

Payload POP:

xReturn-Path: suganya@bones.ee.iastate.eduReceived: from

suganya.bones.ee.iastate.edu (bones.ee.iastate.edu [129.186.215.41])by

spock.ee.iastate.edu (8.13.4/8.13.4) with SMTP id mA6NgOhb048572for suganya; Wed, 30

Nov 2011 17:49:44 -0600 (CST)(envelope-from suganya@bones.ee.iastate.edu)Date:

Wed, 30 Nov 2011 17:42:24 -0600 (CST)From: suganya@bones.ee.iastate.eduMessage-

Id: <201111302349.mA6NgOhb048572@spock.ee.iastate.edu>To: undisclosedrecipients;;

X-UIDL: b987d93d271a3d6fbcfe7391eb9ba5d7Welcome".".

The Source IP: 129.186.215.40

The Destination IP: 192.188.162.61

Destination Hardware Address: 00:15:f2:7c:77:e0
Source MAC Address: 00:0d:65:d2:4a:e0
The Header Length: 5
Packet Type: IP
IP version: 4
Header Length: 5
Type of Service: 10
Length of the packet: 52
Packet Id: 59371
TTL is 66
Protocol Number is 6
Packet Type: TCP
Source Port: 58531
Destination Port: 110
Sequence # : 2883731344418534971
ACK # : 2883731346788051390
Offset: 32784
Payload POP:
x
The Source IP: 192.188.162.61
The Destination IP: 129.186.215.40

227 packets received by filter
0 packets dropped by kernel
ARP packets: 0
IP packets: 185
Broadcast packets: 16
ICMP packets: 71
No of TCP packets: 114
No of DNS packets: 0
No of SMTP packets: 0
No of POP packets: 10
No of IMAP packets: 0
>

IMAP packets -Output

Destination Hardware Address: 00:15:f2:7c:77:e0
Source MAC Address: 00:0d:65:d2:4a:e0
The Header Length: 5
Packet Type: IP
IP version: 4
Header Length: 5
Type of Service: 10
Length of the packet: 69
Packet Id: 53706
TTL is 61
Protocol Number is 6
Packet Type: TCP
Source Port: 58660
Destination Port: 143

Sequence # : 2883731346739807369
ACK # : 2883731348398086248
Offset: 32792
Payload IMAP:
y,?a001 CAPABILITY

The Source IP: 192.188.162.61
The Destination IP: 129.186.215.40

Destination Hardware Address: 00:0d:65:d2:4a:e0
Source MAC Address: 00:15:f2:7c:77:e0
The Header Length: 5
Packet Type: IP
IP version: 4
Header Length: 5
Type of Service: 0
Length of the packet: 273
Packet Id: 1897
TTL is 74
Protocol Number is 6
Packet Type: TCP
Source Port: 143
Destination Port: 58660
Sequence # : 2883731348398086248
ACK # : 2883731346739807386
Offset: 32792
Payload IMAP:
,y* CAPABILITY IMAP4REV1 LITERAL+ IDLE NAMESPACE MAILBOX-REFERRALS
BINARY UNSELECT SCAN SORT THREAD=REFERENCES
THREAD=ORDEREDSUBJECT MULTIAPPEND SASL-IR LOGIN-REFERRALS
STARTTLS LOGINDISABLEDa001 OK CAPABILITY completed

The Source IP: 129.186.215.40
The Destination IP: 192.188.162.61

Destination Hardware Address: 00:15:f2:7c:77:e0
Source MAC Address: 00:0d:65:d2:4a:e0
The Header Length: 5
Packet Type: IP
IP version: 4
Header Length: 5
Type of Service: 10
Length of the packet: 52
Packet Id: 9355
TTL is 70
Protocol Number is 6
Packet Type: TCP
Source Port: 58660
Destination Port: 143
Sequence # : 2883731346739807386
ACK # : 2883731348398086469

Offset: 32784

Payload IMAP:

y

The Source IP: 192.188.162.61

The Destination IP: 129.186.215.40

214 packets received by filter

0 packets dropped by kernel

ARP packets: 0

IP packets: 170

Broadcast packets: 16

ICMP packets: 70

No of TCP packets: 100

No of DNS packets: 0

No of SMTP packets: 0

No of POP packets: 0

No of IMAP packets: 3

>

Reference:

1. <http://www.dougj.net/modules/index.html>