| Yeast extract Peptone Dextrose (YPD) | |
|---|------------|
| BactoYeast Extract | 1 % w/v |
| Bacto Peptone | 2 % w/v |
| Glucose | 2 % w/v |
| | |
| Synthetic Complete (SC) | |
| DifcoTM Yeast nitrogen base w/o amino acids | |
| Glucose | 2 % w/v |
| Amino acid stock (SC) | 10 % v/v |
| Amino acid stock (SC) –dissolved in 100 mL H20 | |
| Adenine | 0.5 g |
| Leucine | 10 g |
| Alanine, Arginine, Asparagine, Aspartic acid, | |
| Cysteine, Glutamine, Glutamic acid, Glycine, | |
| Histidine, Inositol, Isoleucine, Lysine, | |
| Methionine, para-Aminobenzoic acid, | |
| Phenylalanine, Proline, Serine, Threonine, | |
| Tryptophan, Tyrosine, Uracil, Valine. For | |
| auxotrophic selection, one amino acid is left | |
| out | 2 g each |
| Sporulation plates | |
| Potassium acetate | 1 % w/v |
| Bacto Agar | 2 % w/v |
| Amino acid stock (sporulation plate) | 0.25 % v/v |
| Ausing asid stack (as a welstice relate) | |
| Amino acid stock (sporulation plate) | 0.2 a |
| Uracil, Histidine, Methionine | 0.2 g |
| Leucine, Lysine | 0.3 g |
| Antibiotic selection plates | |
| Hygromycin B (Hph) (InvivoGen) | 300 mg/L |
| Geneticin disulphate salt (G418) (Sigma) | 200 mg/L |
| Nourseothricin (clonNAT) (Werner BioAgents) | 100 mg/L |
| | |