
Cucumber Report



Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
<u>Car Valuation</u>	1 m 11.892 s	1	1	0	0	3	3	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	1	1	0	0	1 m 11.892 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	Cars valuation based on extracted vehicle registration numbers	3	3	0	0	1 m 11.883 s

DETAILED SECTION -- 5 --

Car Valuation

PASSED	DURATION - 1 m 11.892 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:45:29.413 pm //	/ 2:46:41.305 pm /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	, , , , , , , , , , , , , , , , , , ,
		Skip - 0		Skip - 0	

Cars valuation based on extracted vehicle registration numbers



#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input2.txt" and the output file "car_output2.txt"	PASSED	0.098 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	image		
2	When I fetch vehicle details for each registration from the car valuation website	PASSED	1 m 6.141 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	image		
	webuyenyear We will be a second to the seco		
	Vote details		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.004 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	image		
	webayanipcar webayanipcar to describe the described to th		
	Vour details		
	0 4 5 10 10 10 10 10 10 10		
	1		
	A transposition of the second		