

# Cucumber Report

4 Nov 2024, 13:38:14

Start : Nov 04, 1:37:13.914 pm

End : Nov 04, 1:38:13.293 pm

Duration : 59.379 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Car Valuation</u>	59.379 s	1	0	1	0	3	3	0	0

#	Feature Name	Scenario Name
1	<u>Car Valuation</u>	<u>Cars valuation based on extracted vehicle registration numbers</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	1	0	1	0	59.379 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	<u>Cars valuation based on extracted vehicle registration numbers</u>	3	3	0	0	59.360 s

## Car Valuation

<b>FAILED</b>	<b>DURATION - 59.379 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:37:13.914 pm // 1:38:13.293 pm /					

## Cars valuation based on extracted vehicle registration numbers

<b>FAILED</b>	<b>DURATION - 59.360 s</b>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:37:13.933 pm // 1:38:13.293 pm /				
Car Valuation				

#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input1.txt" and the output file "car_output1.txt"	PASSED	0.057 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.001 s
	image		
2	When I fetch vehicle details for each registration from the car valuation website	PASSED	52.567 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	image		
			

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.496 s
	<p>AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.92, chrome: {chromedriverVersion: 130.0.6723.91 (53ac07678369..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54147}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54147/devtoo..., se:cdpVersion: 130.0.6723.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:151)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)</p> <p>at hooks.BaseHook.takeScreenshot(BaseHook.java:29)</p>	FAILED	0.007 s