
## **Cucumber Report**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Car Valuation</u>	1 m 13.498 s	1	1	0	0	3	3	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	1	1	0	0	1 m 13.498 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	Cars valuation based on extracted vehicle registration numbers	3	3	0	0	1 m 13.486 s

DETAILED SECTION -- 5 --

## **Car Valuation**

PASSED	DURATION - 1 m 13.498 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:13:30.303 pm // 2	2:14:43.801 pm /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Cars valuation based on extracted vehicle registration numbers



#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input2.txt" and the output file "car_output2.txt"	PASSED	0.064 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.636 s
2	When I fetch vehicle details for each registration from the car valuation website  AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED PASSED	1 m 8.402 s 0.273 s
	websymptor  Your details  Visit streaming to the streamin		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.001 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	image		
	webayanipcar webayanipcar to describe the described to th		
	Vour details		
	0   4   10   10   11   11   11   11		
	1		
	A transposition of the second		