
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Car Valuation</u>	1 m 25.299 s	1	1	0	0	3	3	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	1	1	0	0	1 m 25.299 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Car Valuation</u>	Cars valuation based on extracted vehicle registration numbers	3	3	0	0	1 m 25.285 s

DETAILED SECTION -- 5 --

Car Valuation

PASSED	DURATION - 1 m 25.299 s	Scenarios		Steps			
		Total - 1		Total - 3			A
/ 2:26:16.180 pm // 2	:27:41.479 pm /	Pass - 1	1	Pass - 3		3	
		Fail - 0		Fail - 0		\ J	
		Skip - 0		Skip - 0	\		'

Cars valuation based on extracted vehicle registration numbers



#	Step / Hook Details	Status	Duration
1	Given I have the input file "car_input2.txt" and the output file "car_output2.txt"	PASSED	0.071 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.132 s
	image		
2	When I fetch vehicle details for each registration from the car valuation website	PASSED	1 m 17.970 s
_	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	image	ITAGGED	0.0723
	Voc details Voc details		
	for the patients of the patien		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
3	Then the fetched details should match with the output file	PASSED	0.004 s
	AFTER_STEP - hooks.BaseHook.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
	image		
	webayanjear So denotes to Vor-visitored to gueranted for 4 days		
	Vour details		
	€ 6 6 7 7 7 7 7 7 7 7		
	10 10 10 10 10 10 10 10		
	Companion to the companion of the compan		