

**Pranav Balaji
& Sushant Gupta**

DBFA Billing Framework Computer Science Board Project

//DBFA Billing Framework

Python Project Report

TOPIC: Billing system

Pranav Balaji and Sushant Gupta

XII – A

ACKNOWLEDGMENT:

This is to certify that Pranav Balaji and Sushant Gupta of Apeejay School, NOIDA (Class: 12-A) have created a project on the topic “Billing system”, called the “DBFA Billing Framework”.

They have generated this report after a lot of hard work. The report has been created under the guidance of the teacher Mrs. Sujata Bhardwaj and qualifies the benchmarks for the Python Project.

//About:

About the Project:

The project is focussed on being an all-rounder solution for services/ shops to manage their billing, customers, and record-keeping needs.

The project asks the user to select from nine options, namely: -

- INVOICING
- CUSTOMER REGISTRATION
- CUSTOMER REGISTRY
- CUSTOMER RECORDS
- OVERALL SALES AND ACCESS REGISTRY
- TO REVIEW THE STORE LISTING
- TO VIEW THE LICENSING
- REVIEW/ UPDATE STORE STOCK
- EXIT PROGRAM OPTION

Alongside a tenth option for internal testing, displayed upon entering a special testing code.

The same has been discussed in brief-detail below:

In the **invoicing mode**, the (optional) customer I.D. is asked for, and then the number of items being purchased. Then the user is required to enter each product's code, followed by the discount amount (can be zero) to be applied. The total amount is subsequently printed, logged in the registry file, and simultaneously synced to the Telethon web API, via requests.

In the **customer registration mode**, the user is asked to enter the customer's new I.D., full-name, and email address. The same is inserted into the SQL database.

In the **customer registry mode**, the program contacts the SQL database and displays the complete table of registered customers.

In the **customer records mode**, the program contacts a secondary included SQL database and displays a table with customer records including the customer I.D., number of purchases made and the amount those total to.

In the **view purchase and access registry mode**, the program first asks the user to authorize the action by asking for the password (default = "root"). Upon successful authentication, the program opens the sales log externally, with the default notepad application (system default .txt app).

The fifth option **view store listing** displays the complete store listing as entered in the programming.

The sixth option – **view licensing information** displays the brief license text and provides an option to display the whole externally.

The fifth option **review/ update stock** mode is quite a comprehensive one. An option is provided to either enforce stock universally, update individual stock, or to view all stock information, tabulated.

(NOTE: A negative number can be specified in either to decrease the stock directly)

The program also handles stock subtraction upon purchase, autonomously. Friendly alerts are also generated during invoicing if the product quantity (post invoicing) goes below 5.

Upon selecting the seventh – **exit option**, the program exits.

//Working:

Working Explained:

When the user **starts the script**, a GUI-based authentication script is launched. This accepts the password required to log-into DBFA. If and when an invalid password is provided, the script re-asks for the valid credentials.

Once authenticated, the python shell is opened and a UWP-native prompt appears, instructing the user to read the documentation supplied along with the program.

Then the program displays a sponsor-advert (optional feature), alongside the menu of options.

In the “**Billing**” option, the customer ID (if registered) is asked for, alongside the number of items being billed for, followed by their respective product codes. These are then matched with their prices and names as stored in two dictionaries (one provides cost; the other, the name). The cost is subsequently totalled and upon reaching the number of items purchased, the user (store cashier) is asked about the discount to be applied. Tax bars are auto applied, and the net payable amount is shown.

Simultaneously in the background, this data is sent via the Telethon web API to Telegram servers. The product details and total are also written to an external file.

The “**Customer Registration**” mode contacts the SQL database with the entered details and inserts them into a table by employing the mysql.connector or the derivative sqlite3 library.

The “**View Registered Customers**” mode refreshes the SQL connection and loads all the registration data from the data table.

The “**Customer Records**” mode refreshes the SQL connection and loads all the registration data from a secondary data table.

The “**View All Sales Records**” mode displays the externally written log in Notepad. A password is required to view the same. The user is provided with two chances for a valid authentication post which the option exits and the main screen reappears. Accessing this option, alongside the attempts required to complete authentication is sent via Telethon too, thereby ensuring maximum security.

The sixth, “**View Store Listing**” option displays the store listing fetched from the two dictionaries, each holding the commodity names and prices.

The seventh, “**View Licensing**” option displays a brief-up of the license with an option to view the whole. On selecting the same, the license file is opened externally.

The eighth, “**View/ Update Stock**” option, a choice is given to the user. This option presents another three internal options.

- **ENFORCE STOCK UNIVERSALLY:** A number is accepted and set as the stock for all product enforcing-ly.
- **UPDATE INDIVIDUAL STOCK:** This lets the stock be adjusted for individual products, on a additional schema, un-enforcing-ly.
- **VIEW ALL STOCK INFORMATION:** Displays all stock information in a tabular manner.

On selecting the ninth, “**EXIT**” option, the program simply exits.

On entering the internal testing code, “101”, the program opens a testing mode which can run an external script to REMOVE ALL CUSTOMER RECORDS, including, but not limited to registration data.

//Modules:

Functions Used:

`from datetime import datetime()`

- In-built function to display the system's date and time.

`import time.sleep()`

- In-built function used to specify delays in the program.

`import os(), import time(), import sys()`

- In-built modules to use system-wide functions.

`import getpass()`

- In-built function to get echo-less inputs, used especially for passwords.

`import pathlib()`

- In-built function to fetch the path of a file.

`from PyWinGUI import PyWinGUI()`

- Library to create GUI-based scripts. Use for the login process.

`from win10toast import ToastNotifier()`

- Module to display Windows 10 UWP toast notifications.

`import mysql.connector() / sqlite3()`

- Module(s) to connect and interact with MySQL databases.

`import colorama()`

- A function used to colour/highlight text. Used for the optional advert in the main menu.

`import shutil()`

- Module used to change file paths (move files).

`import reportlab()`

- Module used to generate PDF files.

`import requests()`

- Module used to send/ get HTTP requests. Used for the Telegram Web API.

def mainmenu()

- Self-defined function to display the main-menu of the menu-driven program.

def inserter()

- Self-defined function to take values from the user and insert them into the SQL database selected.

def custcc()

- Self-defined function used to update the customer records registry.

def ssxstockmaster()

- Self-defined function to fetch individual product stock, used for billing-time low-stock alerts and to show the whole stock information.

def ssxstockmaintainer()

- Self-defined function used to adjust the stock difference during billing.

def ssxsuperfetch()

- Self-defined function used to fetch data from the stock registry in bulk.

def ssxupdatescript()

- Self-defined function used to add stock in option eight.

def massmaintainer()

- Self-defined function to re-build database structure when the database is found missing.

//A Few Things:

A Few Things:

Telegram-Integration:

DBFA, being focused on security, has a Telegram “bot” account. This medium is used to send all billing/ internal options access alerts to the store owner.

This option has been designed with a real-life store in mind. As the owner is not the cashier in most cases, this system lets the store owner know of the REAL sales information, so that the cashier cannot show a falsified record and pocket the remnant.

Moreover, access alerts are also sent when something which is not meant to be accessed by is accessed.

This process happens in the background using simple HTTP(S) requests, thereby using minimal bandwidth and being literally unobservable to the normal user.

Automated Database Structure Rebuilding:

In the modern world, there can be issues everywhere, and just anywhere.

There can be disk failures resulting in data loses, accidental file deletion, malwares or ransomwares, or even internal errors which can lead to corrupted databases. DBFA overcomes this by searching for the database files each time the software is booted.

If the required files are found to be missing, the database structure is rebuilt automatically, albeit there may be some data loss.

This feature is also useful in the internal-CIT testing option where the user can delete all customer records.

PDF Invoicing:

Whenever an invoice is issued, a PDF invoice is generated with the time of billing as its file name and moved to a folder names “Invoices”, in DBFA’s installation directory. All of this happens silently, in the background while using minimal system resources because of its dependence on system-wide functions.

Hardware Used:

- **CPU**
For computation.
- **SSD or HDD**
For program data storage.
- **RAM**
For program functioning.
- **NETWORK**
Used to communicate with the Telegram Web API.

Software Used:

- Windows 10
- Microsoft Visual Studio (for code-writing)
- Windows Terminal (for testing)
- Office Word (for documentation)

Main Program

//Code:

```
1 ...
2 ...
3 ...
4 ...
5 ...
6 ...
7 ...
8 ...
9 ...
10 ...
11 www.github.com/deltaonealpha/
12 Program repo: https://deltaonealpha.github.io/DBFA/
13 ...
14 ...
15 from reportlab.pdfbase import pdfmetrics
16 from reportlab.pdfbase.ttfonts import TTFont
17 pdfmetrics.registerFont(TTFont('MiLanProVF',
18 r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\MiLanProVF.ttf'))
19 from reportlab.pdfgen import canvas
20 from reportlab.lib.pagesizes import A4
21 from reportlab.platypus import SimpleDocTemplate, Paragraph
22 from reportlab.lib.styles import getSampleStyleSheet
23 from reportlab.lib.units import cm
24 from reportlab.lib.enums import TA_JUSTIFY
25 from reportlab.lib.pagesizes import letter
26 from reportlab.platypus import SimpleDocTemplate, Paragraph, Spacer, Image
27 from reportlab.lib.styles import getSampleStyleSheet, ParagraphStyle
28 from reportlab.lib.units import inch
29 from tabulate import tabulate
30
31 print("FHJ")
32 import sys, os
33 class HiddenPrints:
34     def __enter__(self):
35         self._original_stdout = sys.stdout
36         sys.stdout = open(os.devnull, 'w')
37     def __exit__(self, exc_type, exc_val, exc_tb):
38         sys.stdout.close()
39         sys.stdout = self._original_stdout
40         print()
41
42 def telegram_bot_sendtext(bot_message):
43     import requests
44     with HiddenPrints():
45         bot_token = '1215404401:AAEvVBwzogEhOvBaW5iSpHRbz3Tnc7fCZis'
46         bot_chatID = '680917769'
47         send_text = 'https://api.telegram.org/bot' + bot_token + '/sendMessage?
48 chat_id=' + bot_chatID + '&parse_mode=Markdown&text=' + bot_message
49         response = requests.get(send_text)
50         return response.json()
51
52 import getpass, time, pathlib, os, sqlite3
53 import os #library used to open the notepad application to display the sales records
54 if os.path.exists(r'userblock.zconf'):
55     print("Decrypting authentication blobs...")
56     print(" ")
57     p = Path('userblock.zconf')
58     p.rename(p.with_suffix('.txt'))
59 if os.path.exists(r'userblock.txt'):
```

```

59     userblock = open(r"userblock.txt","r") #Opening / creating (if it doesn't exist
already) the .txt record file
60     valfn = 1
61 else:
62     valfn = 0
63 if os.path.exists(r'userblock.txt'):
64     userblock.close()
65     os.remove(r'userblock.txt')
66 elif os.path.exists(r'userblock.zconf'):
67     userblock.close()
68     os.remove(r'userblock.zconf')
69
70 if os.path.exists(r'DBFA.zconf'):
71     pass
72 else:
73     print("Getting the database online.....")
74     time.sleep(0.5)
75     con = sqlite3.connect(r'DBFA.db')
76     print("Rebuilding database..")
77     c = con.cursor()
78     #c.execute("DROP TABLE cust;")
79     c.execute("""CREATE TABLE IF NOT EXISTS cust
80             (custt INTEGER PRIMARY KEY,
81             custname TEXT,
82             email TEXT);""")  

83
84
85 ssh = sqlite3.connect(r'DBFA_handler.db')
86 ssh7 = ssh.cursor()
87 #c.execute("DROP TABLE cust;")
88 ssh7.execute("""CREATE TABLE IF NOT EXISTS sshandler
89             (prodid INTEGER,
90             ssstock INTEGER);""")  

91 ssh = sqlite3.connect('DBFA_handler.db')
92 ssh7 = ssh.cursor()
93 if os.path.exists(r'DBFA_handler.db'):
94     pass
95 else:
96     ssh7.execute("""CREATE TABLE IF NOT EXISTS sshandler
97             (prodid INTEGER,
98             ssstock INTEGER);""")  

99 ssh.close()
100
101
102 # FOR CUSTOMER RECORDS
103 def massmaintainer(inxstock): #defining a function to input data into the SQL
database's table
104     try:
105         idList =
[1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,
32,33,34,35,36,37,38,39,40]
106         ssxconn = sqlite3.connect(r"DBFA_handler.db")
107         ssxsql = 'DELETE FROM sshandler'
108         ssxcur = ssxconn.cursor()
109         ssxcur.execute(ssxsql)
110         ssxconn.commit()
111     except sqlite3.Error as error:
112         print("Failed to flush multiple records from sqlite table", error)
113
114     ssh = sqlite3.connect(r'DBFA_handler.db')

```

```

115     ssh7 = ssh.cursor()
116     namiex = ["TV 4K OLED 50", "TV FHD OLED 50", "8K QLED 80", "Redmi K20 PRO",
117     "Redmi K20", "Redmi Note 9 PRO", "POCOPHONE F", "Mi MIX ALPHA", "Wireless
118     Headphones", "Noise-Cancelling Wireless Headphones", "Essentials Headphones", "Gaming
119     Headphones", "Truly-Wireless Earphones", "Neckband-Style Wireless Earphones",
120     "Essentials Earphones", "Gaming Earphones", "30W Bluetooth Speakers", "20W Bluetooth
121     Speakers", "9""Essentials Bluetooth Speaker", "BOSE QC35", "Essentials Home Theatre",
122     "Wired Speaker - 5.", "Essentials Wired Speaker - STEREO", "Tactical Power Bank
123     30000mah", "5""Essentials Power Bank 0000mah", "Essentials Mouse", "Logitech RGB
124     Gaming Mouse with Traction & Weight Adjustment", "Tactical Essentials Keyboard",
125     "Mechanical Cherry MX (Red) RGB Gaming Keyboard", "Polowski Tactical Flashlight",
126     "OneFiber Wi-Fi Router AX7", "Mijia Mesh Wi-Fi Router", "lapcare 0W Laptop Adapter",
127     "lapcare 60W Laptop Adapter", "Spigen Phone Case(s)", "Essentials Phone Charger
128     150W", "HyperPower Type-C Gallium-Nitride Charger 100W", "ASUS Zephyrus G4 Gaming
129     Laptop", "L XPS 5 Content Creator's Laptop", "Hewlett-Packard Essential's Student's
130     Laptop (Chromebook)"]
131     for crrt in namiex:
132         gg = (namiex.index(crrt)) + 1
133         str = "insert into sshandler(prodid, ssstock) values({}, {})"
134         # io = (gg)
135         ssh7.execute(str.format(gg, inxstock))
136         ssh.commit()
137         ssh7.close()
138         time.sleep(1)
139         print("DBFA QuickVend service - Stock universally enforced to", inxstock)
140         time.sleep(1)
141
142     # FOR CUSTOMER RECORDS
143     def ssxupdatescript(inxssincremental, prodid):
144         ssh = sqlite3.connect('DBFA_handler.db')
145         ssh7 = ssh.cursor()
146         updatestr = """UPDATE sshandler SET ssstock = ssstock + ? WHERE prodid = ?"""
147         xrindicator = (inxssincremental, prodid)
148         ssh7.execute(updatestr, xrindicator)
149         ssh.commit()
150         ssh7.close()
151         time.sleep(1)
152         print("DBFA QuickVend Service - Stock added for", prodid, "as", inxssincremental)
153
154     def ssxsuperfetch():
155         ssh = sqlite3.connect('DBFA_handler.db')
156         ssh7 = ssh.cursor()
157         print("Connecting to QuickVend Service... ~~~") #SQL connection prompt
158         print("Store Stock:: ")
159         time.sleep(1.5)
160         #Re-writing to refresh connection
161         ssh7 = ssh.cursor()
162         ssh7.execute("SELECT DISTINCT prodid, ssstock FROM sshandler")
163         rows = ssh7.fetchall()
164         for row in rows:
165             print(row)
166             #print(" ")
167
168         def ssxstockmaintainer(prodid):
169             ssh = sqlite3.connect('DBFA_handler.db')
170             ssh7 = ssh.cursor()
171             updatetrtt = """UPDATE sshandler SET ssstock = ssstock - 1 WHERE prodid = ?"""
172             xrindicatorttt = (prodid,)
```

```

161     ssh7.execute(updatetrtt, xrindicatorrtt)
162     ssh.commit()
163     ssh7.close()
164     time.sleep(1)
165     toaster.show_toast("DBFA QuickVend Service - Background Sync", duration = 0.3427)
166
167 def ssxstockmaster(prodid):
168     global ssxvarscheck
169     ssxvarscheck = 0
170     ssh = sqlite3.connect('DBFA_handler.db')
171     ssh.row_factory = lambda cursor, row: row[0]
172     ssh7 = ssh.cursor()
173     csrr = ("SELECT ssstock FROM sshandler WHERE prodid = (?);")
174     csrrxt = (prodid,)
175     ssh7.execute(csrr, csrrxt)
176     rows = ssh7.fetchall()
177     # print(rows) #debug point
178     values = ','.join(str(v) for v in rows)
179     print("Current product stock: ", values)
180     ssxdsccheck = "1 2 3 4"
181     if values in ssxdsccheck:
182         print("[Stock running out] Currently in stock: ", values, "pieces. Restock ASAP...")
183         ssxvarscheck = 1
184     elif values == "0":
185         ssxvarscheck = 2
186     elif values != "0":
187         ssxvarscheck = 1
188     time.sleep(1)
189     toaster.show_toast("DBFA QuickVend Service - Background Sync", duration = 0.3427)
190
191 #Values stored in two dictionaries
192 data = {"1":40000, "2":55000, "3":67000, "4":25000, "5":21000, "6":14000, "7":13000,
193 "8":220000, "9":4500, "10":17000, "11":1200, "12":3700, "13":4500, "14":2200,
194 "15":700, "16":2750, "17":6499, "18":1499, "19":799, "20":27000, "21":6750,
195 "22":2100, "23":1199, "24":3210, "25":989, "26":750, "27":1700, "28":600, "29":2175,
196 "30":890, "31":2100, "32":7158, "33":597, "34":347, "35":500, "36":300, "37":1097,
197 "38":80000, "39":87900, "40":23790}
198 namie = {"1":"TV 4K OLED 50", "2":"TV FHD OLED 50", "3":"8K QLED 80", "4":"Redmi K20 PRO", "5":"Redmi K20", "6":"Redmi Note 8 PRO", "7":"POCOPHONE F1", "8":"Mi MIX ALPHA", "9":"Wireless Headphones", "10":"Noise-Cancelling Wireless Headphones", "11":"Essentials Headphones", "12":"Gaming Headphones", "13":"Truly-Wireless Eadphones", "14":"Neckband-Style Wireless Earphones", "15":"Essentials Earphones", "16":"Gaming Earphones", "17":"30W Bluetooth Speakers", "18":"10W Bluetooth Speakers", "19":"Essentials Bluetooth Speaker", "20":"ULTRA Home Theatre", "21":"Essentials Home Theatre", "22":" Wired Speaker - 5.1", "23":" Essentials Wired Speaker - STEREO", "24":"Tactical Power Bank 30000mah", "25":"Essentials Power Bank 10000mah", "26":"Essentials Mouse", "27":"Logitech RGB Gaming Mouse with Traction & Weight Adjustment", "28":"Tactical Essentials Keyboard", "29":"Mechanical Cherry MX (Red) RGB Gaming Keyboard", "30":"Polowski Tactical Flashlight", "31":"OneFiber Wi-Fi Router AX17", "32":"Mijia Mesh Wi-Fi Router", "33":"lapcare 120W Laptop Adapter", "34":"lapcare 60W Laptop Adapter", "35":"Spigen Phone Case(s)", "36":"Essentials Phone Charger 10W", "37":"HyperPower Type-C Gallium-Nitride Charger 100W", "38":"ASUS Zephyrus G14 Gaming Laptop", "39":"L XPS 15 Content Creator's Laptop", "40":"Hewlett-Packard Essential's Student's Laptop (Chromebook)"}
199 namiex = ["TV 4K OLED 50", "TV FHD OLED 50", "8K QLED 80", "Redmi K20 PRO", "Redmi K20", "Redmi Note 9 PRO", "POCOPHONE F1", "Mi MIX ALPHA", "Wireless Headphones", "Noise-Cancelling Wireless Headphones", "Essentials Headphones", "Gaming Headphones", "Truly-Wireless Eadphones", "Neckband-Style Wireless Earphones", "Essentials Earphones", "Gaming Earphones", "30W Bluetooth Speakers", "20W Bluetooth Speakers",

```

```

9 """Essentials Bluetooth Speaker", "BOSE QC35", "Essentials Home Theatre", "Wired
Speaker - 5.", "Essentials Wired Speaker - STEREO", "Tactical Power Bank 30000mah",
5 """Essentials Power Bank 0000mah", "Essentials Mouse", "Logitech RGB Gaming Mouse
with Traction & Weight Adjustment", "Tactical Essentials Keyboard", "Mechanical
Cherry MX (Red) RGB Gaming Keyboard", "Polowski Tactical Flashlight", "OneFiber Wi-Fi
Router AX7", "Mijia Mesh Wi-Fi Router", "lapcare 0W Laptop Adapter", "lapcare 60W
Laptop Adapter", "Spigen Phone Case(s)", "Essentials Phone Charger 150W", "HyperPower
Type-C Gallium-Nitride Charger 100W", "ASUS Zephyrus G4 Gaming Laptop", "L XPS 5
Content Creator's Laptop", "Hewlett-Packard Essential's Student's Laptop
(Chromebook)"]
195 datax = [40000, 55000, 67000, 25000, 21000, 14000, 3000, 220000, 4500, 17000, 1200,
3700, 4500, 2200, 700, 2750, 6499, 1499, 799, 27000, 6750, 2100, 1199, 3210, 989,
750, 1700, 600, 2175, 890, 2100, 7158, 597, 347, 500, 300, 1097, 80000, 87900, 23790]
196 dataxr = []
197 for i in datax:
198     i = "₹" + '%d' % i
199     dataxr.append(i)
200 tablx = zip(namix, dataxr)
201 titlex = ["Product:", "Pricing:"]
202
203 """
204 def floodscreen():
205     import cv2
206     image = cv2.imread("imagepx.png")
207     cv2.imshow("Initializing... ", image)
208     cv2.waitKey(3000)
209     cv2.destroyAllWindows()
210 """
211
212 print("DBFA Billing Framework: Version 2.227 (alpha) ")
213 print(" Licensed under the GNU PUBLIC LICENSE")
214 print("<DBFA> Copyright (C) 2020 Pranav Balaji and Sushant Gupta")
215 print(" ")
216 print("Visit: www.github.com/deltaonealpha/deltaBillingFramework for complete
licensing terms. ")
217 time.sleep(1.3)
218 command = "cls"
219 os.system(command)
220
221 def mainmenu(): #defining a function for the main menu
222     from colorama import init, Fore, Back, Style #color-settings for the
partner/sponsor adverts
223     init(convert = True)
224     print(Fore.RED) #red-line to indicate program start
225     print("-----")
226     print(Fore.WHITE)
227     print('A word from our partner: ' + Fore.BLACK + Back.CYAN + 'HOTEL? Trivago!')
#Text over here #Custom advert
228     print(Style.RESET_ALL)
229     print("-----DBFA standardised billing framework-----")
230     print("Input: ")
231     print("'1' to GENERATE INVOICE")
232     print("'2' to REGISTER CUSTOMER,")
233     print("'3' to VIEW REGISTERED CUSTOMERS,")
234     print("'4' to VIEW CUSTOMER PURCHASE RECORDS")
235     print("'5' to VIEW GENERATED INVOICES,")
236     print("'6' to REVIEW STORE LISTING,")
237     print("'7' to REVIEW LICENSING INFORMATION,")
238     print("'8' to VIEW OR UPDATE STOCK,")
239     print("and '9' to exit the framework.")

```

```

240 print("~ input TPM code to enter testing mode ~")
241 print("-----")
242 print()
243 print()
244
245
246 #void-setup phase
247 from datetime import datetime #for reporting the billing time and date
248 now = datetime.now()
249 dt_string = now.strftime("%d/%m/%Y %H:%M:%S") #datetime object containing current
date and time
250 logger = open(r"registry.txt", "a+") #Opening / creating (if it doesn't exist
already) the .txt record file
251 logger.write("----- \n")
252 logger.write("DBFA Billing Framework by Pranav Balaji and Sushant Gupta\n")
253 logger.write("Licensed under the GNU PUBLIC LICENSE\n")
254 logger.write('ed')
255 logger.write("\n")
256 logger.write("Automated Store Registry:\n")
257 import time #to provide delays to make the system run seamlessly
258
259 xon = sqlite3.connect(r'DBFA_CUSTCC.db')
260 xbr7 = xon.cursor()
261 #c.execute("DROP TABLE cust;")
262 xbr7.execute("""CREATE TABLE IF NOT EXISTS custcc
(custt INTEGER PRIMARY KEY,
custname VARCHAR(500),
purchasecount INTEGER,
ptotalx INTEGER);""")
263 xon = sqlite3.connect('DBFA_CUSTCC.db')
264 xbr7 = xon.cursor()
265 if os.path.exists(r'DBFA_CUSTCC.db'):
266     pass
267 else:
268     xbr7.execute("""CREATE TABLE IF NOT EXISTS custcc
(custt INTEGER PRIMARY KEY,
custname VARCHAR(500),
purchasecount INTEGER,
ptotalx INTEGER);""")
269 xon.close()
270
271 conn = sqlite3.connect('DBFA.db')
272 if os.path.exists(r'DBFA.db'):
273     pass
274 else:
275     conn.execute('''CREATE TABLE COMPANY
        (ID INT PRIMARY KEY      NOT NULL,
        NAME           TEXT      NOT NULL,
        AGE            INT       NOT NULL,
        ADDRESS        CHAR(50),
        SALARY         REAL);'''')
276 def inserter(custt, custname, email): #defining a function to input data into the
SQL database's table
277     global conn
278     str = "insert into cust(custt, custname, email) values('%s', '%s', '%s')"
279     io = (custt, custname, email)
280     conn.execute(str % io)
281     conn.commit()
282     print("Customer", custname, "registered in store directory")
283
284
285
286
287
288
289
290
291
292
293
294
295
296

```

```

297 # FOR CUSTOMER RECORDS
298 def custcc(custtt, purchasecount, ptotalx): #defining a function to input data into
299     the SQL database's table
300     global xon
301     xon = sqlite3.connect(r'DBFA_CUSTCC.db')
302     xbr7 = xon.cursor()
303     str = "insert into custcc(custtt, purchasecount, ptotalx) values('%s', '%s',
304     '%s')"
305     io = (custtt, purchasecount, ptotalx)
306     xbr7.execute(str % io)
307     xon.commit()
308     xbr7.close()
309     print("FJHG")
310
311 # FOR CUSTOMER RECORDS
312 def updatescript(custtt, pincrement):
313     try:
314         xon = sqlite3.connect('DBFA_CUSTCC.db')
315         xbr7 = xon.cursor()
316         # hidden prints here ig
317         updatexr = """UPDATE custcc SET purchasecount = purchasecount + 1 WHERE custtt
318 = ?"""
319         updatexxr = """UPDATE custcc SET ptotalx = ptotalx + ? WHERE custtt = ?"""
320         indicator = (custtt)
321         xrindicator = (pincrement, custtt)
322         xbr7.execute(updatexr, indicator)
323         xbr7.execute(updatexxr, xrindicator)
324         xon.commit()
325         xbr7.close()
326     except sqlite3.Error as error:
327         pass
328
329 #floodscreen()
330 from win10toast import ToastNotifier
331 toaster = ToastNotifier()
332 toaster.show_toast("DFBA Framework Runtime Broker", "Please read operational and
333 licensing documentation prior to use.", duration = 2)
334 print("Heyy there!", 'ed')
335 time.sleep(1.34)
336 if valfn == 0:
337     logger.write("Oauth bypass - registering for security")
338     time.sleep(1)
339     print("-----DBFA standardised billing framework-----")
340     print("We highly value the security of our code, and our customers.")
341     toaster.show_toast("DFBA Framework Runtime Broker", "Unauthenticated login
342 detected!")
343     print("It has been detected that you have bypassed the login process.")
344     time.sleep(1)
345     print("Please obtain a genuine version of this program and provide proper
346 authentication.")
347     time.sleep(1)
348     print("The program shall now exit. Error code:013")
349     time.sleep(2)
350     print("-----")
351     time.sleep(5)
352     exit()
353
354 while(1): #while (always) true

```

```

351     mainmenu() #mainmenu
352     writer = ""
353     telethon = ""
354     time.sleep(0.3) #for a seamless experience
355     decfac = int(input("Select option: "))
356     #Bill Mode
357     if decfac == 1:
358         print()
359         print("Invoicing: ")
360         print()
361         custt = input("Enter customer ID (enter if unregistered): ")
362         logger.write("----- ") #writing to log file
363         logger.write("Cust. ID: \n")
364         logger.write(custt)
365         logger.write("\n")
366         logger.write("Date and time: \n") #including the date and time of billing (as
taken from the system)
367         logger.write(dt_string)
368         logger.write("\n")
369         abcd1 = 1
370         time.sleep(0.3) #for a seamless experience
371         telethon = "DBFA Billing System" + "\n" + dt_string + "\n" + "Customer: " +
custt + "\n"
372         writer = writer + "DBFA Billing Framework" + "\n" + "One-stop solution for
all your billing needs!" + "\n" + "\n" + "Billing time: " + dt_string + "\n" +
"Customer ID: " + custt + "\n" + "-----" + "\n" + "\n"
373         numfac = int(input("Number of purchased items: "))
374         time.sleep(0.34) #for a seamless experience
375         afac = 0
376         billiemaster = 0 #variable for totalling the price
377         while(afac!=numfac):
378             item = input("Enter purchased product code: ")
379             time.sleep(0.3) #for a seamless experience
380             if item in data:
381                 ssxstockmaster(item)
382                 if ssxvarscheck == 1:
383                     billiemaster+=data[item]
384                     print("Product purchased: ", namie[item], " costing: ",
data[item])
385                     print("---")
386                     priceprod = "₹" + '%d' % data[item]
387                     logger.write("Appending product to order: \n") #writing to file
388                     logger.write(namie[item])
389                     ssxstockmaintainer(item)
390                     logger.write("\n")
391                     writer = writer + "Purchased: " + "\n" + namie[item] + "\n" +
priceprod + "\n"
392                     else:
393                         print("This product is currently not in stock... The
inconvenience is regretted...")
394                         continue
395
396                     else:
397                         print("Invalid entry! Retry: ")
398                         print("---")
399                     afac+=1
400
401                     #tax = int(input("Enter the net tax %: ")) #comment and uncomment tkinter
lines to use GUI-based input
402                     print("18% standard GST - Invoicing!")

```

```

403         time.sleep(0.4) #for a seamless experience
404         #discount =
405         int(simpledialog.askstring(title="deltaSTOREMANAGER",prompt="Enter the discount
percentage: "))
406         discount = int(input("Enter discount % (if any): ")) #comment and uncomment
tkinter lines to use GUI-based input
407         print(discount, "% net discount - Invoicing!")
408         time.sleep(0.2) #for a seamless experience
409         print("Invoicing... DBFA")
410         time.sleep(0.4) #for a seamless experience
411         tota = (((18/100)*billiemaster)+billiemaster)
412         total = tota-((discount/100)*tota)
413         discountx = '%d' % discount
414         telethon = telethon + "\n" + "Tax amount: 18%" + "\n" + "Discount: " +
discountx + "%" + "\n" + "\n"
415         writer = writer + "\n" + "\n" + "-----" + "\n" + "Tax
amount: 18%" + "\n" + discountx + "\n" + "\n"
416         rupeesymbol = "\u20B9".encode("utf-8")
417         print("Invoice ID: ", abcd1, "; Total: ", total)
418         toaster.show_toast("DFBA Framework Runtime Broker:      Total billed for-
",str(total), duration = 1)
419         logger.write("Total amount billed for: \n") #writing to file
420         #regin.write("NET TOTAL: \n") #writing to file
421         telethon = telethon + "NET TOTAL: \n" + "\u20B9" + str(total) + "\n"
422         writer = writer + "NET TOTAL: \n" + str(total) + "\n"
423         logger.write(str(total))
424         logger.write("\n")
425         #regin.write(str(total))
426         #regin.write("\n")
427         updatescript(custt, total)
428         abcd1+=1
429         afac+=1
430         now = datetime.now()
431         dt_string = now.strftime("%d/%m/%Y %H:%M:%S") #datetime object containing
current date and time
432         daterey = (dt_string.replace("/", "")).replace(":", "")
433         namer = 'invoice'+daterey+'.pdf'
434         can = SimpleDocTemplate(namer, pagesize=A4,
435                                 rightMargin=2*cm, leftMargin=2*cm,
436                                 topMargin=2*cm, bottomMargin=2*cm)
437         #can.setFont("MiLanProVF", 24)
438         can.build([Paragraph(writer.replace("\n", "<br />"), getSampleStyleSheet()
['Normal'])])
439
440         import shutil
441         source = namer
442         destination =
r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\Generated_invoices'
443         dest = shutil.move(source, destination)
444         time.sleep(1.5) #for a seamless experience
445
446         import os, sys
447         #regin.close()
448         with HiddenPrints():
449             try:
450                 sender = telegram_bot_sendtext(telethon)
451                 print(sender)
452             except Exception:
453                 pass

```

```
454
455     print()
456 #Register Customer
457 elif decfac == 2:
458     print("Loading server connection....") #SQL connection prompt
459     time.sleep(0.4) #for a seamless experience
460     #conn.execute("select * from cust")
461     #takes values from the SQL database
462     cursor = conn.cursor()
463     cursor.execute("select * from cust")
464     results = cursor.fetchall()
465     idd = len(results)+1
466     print("Registering customer with ID: ", idd)
467     custname = input("Name: ")
468     email = input("Customer's E-mail ID: ")
469     inserter(idd, custname, email) #argumental function to insert values into the
SQL database
470     nullvalue = 0
471     custcc(idd, nullvalue, nullvalue)
472     print(" ")
473     logger.write("----- \n")
474     logger.write(" \n")
475     logger.write("Date and time: ") #including the date and time of billing (as
taken from the system)
476     logger.write(dt_string)
477     logger.write(" \n")
478     logger.write("New customer registered: ")
479     x = " custname: " + custname + " custemail: " + email + "\n"
480     logger.write(x)
481     logger.write("----- \n")
482     print("Customer ID", idd, "registered in directory.")
483     print("-----")
484     print(" ")
485     print(" ")
486     #conn.close()
487     time.sleep(1) #for a seamless experience
488 #VIEW ALL CUSTOMERS
489 elif decfac == 3:
490     print()
491     print("Loading server connection....") #SQL connection prompt
492     time.sleep(0.7) #for a seamless experience
493     print("The registered customers are: ")
494     #Re-writing to refresh connection
495     cur = conn.cursor()
496     cur.execute("SELECT * FROM cust")
497     rows = cur.fetchall()
498     for row in rows:
499         print(row)
500         print(" ")
501     toaster.show_toast("DFBA Superfetch Service", "Superfetch: Database
acessed!", duration = 2)
502     #takes values from the SQL database
503     ''
504     while row is not None:
505         print(row)
506         #row = conn.fetchone()
507         ''
508     logger.write("----- \n")
509     logger.write(" \n")
```

```

510     logger.write("Date and time: ") #including the date and time of billing (as
511     taken from the system)
512     logger.write(dt_string)
513     logger.write("\n")
514     logger.write("Customer registry accessed! \n")
515     logger.write("----- \n")
516     conn.close()
517     conn.close()
518     print()
519     print()
520     time.sleep(2) #delay for easy-table viewing
521
522     #View Customer Purchase Records
523     elif decfac == 4:
524         xon = sqlite3.connect(r'DBFA_CUSTCC.db')
525         xbr7 = xon.cursor()
526         xbr7.execute("SELECT * FROM custcc")
527         rows = xbr7.fetchall()
528         for row in rows:
529             print(row)
530             print(" ")
531             xbr7.close()
532             toaster.show_toast("DFBA Superfetch Service", "Superfetch: Database
533             acessed!", duration = 0.5)
534
535             #View Generated Bills
536             elif decfac == 5:
537                 #password verification as sales record is not to be shown to all;
538                 print("Password echo shall be supressed for security.")
539                 passw = getpass.getpass(prompt='Enter root password to view store activity
540                 registry: ', stream=None)
541                 logger.write("\n")
542                 logger.write("Date and time: ") #including the date and time of billing (as
543                 taken from the system)
544                 logger.write(dt_string)
545                 logger.write("\n")
546                 if passw == "root":
547                     time.sleep(1) #for a seamless experience
548                     print("Hold on, moneybags.")
549                     with HiddenPrints():
550                         try:
551                             sender = telegram_bot_sendtext(dt_string + "\n" + "Registry
552                             files accessed - DBFA SECURITY")
553                             print(sender)
554                         except Exception:
555                             pass
556                         time.sleep(0.4)
557                         print("There ya go:: ")
558                         time.sleep(0.2) #for a seamless experience
559                         logger.write("Log file access attempt - Oauth complete \n")
560                         logger.close() #to change file access modes
561                         logger = open("registry.txt", "r+")
562                         # Uncomment the below lines if the program has to be modified to show
563                         # the records in the shell itself and not externally
564                         # print(logger.read())
565                         # print()
566                         # print("Opening sales log externally now. ")
567                         time.sleep(1.4) #for a seamless experience
568                         os.startfile('registry.txt') #to open the external notepad
569
570             application

```

```

563     else:
564         logger.write(" \n")
565         logger.write("Date and time: ") #including the date and time of billing
566         (as taken from the system)
567         logger.write(dt_string)
568         logger.write(" \n")
569         time.sleep(1) #for a seamless experience
570         logger.write("Log file access attempt - Oauth failiure!!! \n")
571         print("Wrong, sneaky-hat. Try again: ")
572         print(" ")
573         print("Password echo shall be supressed for security.")
574         passw = getpass.getpass(prompt='Enter root password to view store
575         activity registry: ', stream=None)
576         if passw == "root":
577             time.sleep(1) #for a seamless experience
578             print("Hold on, moneybags.")
579             with HiddenPrints():
580                 try:
581                     sender = telegram_bot_sendtext(dt_string + "\n" +
582 "Registry files accessed - DBFA SECURITY: ATTEMPT 02")
583                     print(sender)
584                 except Exception:
585                     pass
586                     print("There ya go: ")
587                     time.sleep(0.6) #for a seamless experience
588                     logger.write(" \n")
589                     logger.write("Date and time: \n") #including the date and time of
590                     billing (as taken from the system)
591                     logger.write(dt_string)
592                     logger.write(" \n")
593                     logger.write("Log file access attempt - AUTHORIZATION SUCCESS
594                     \n")
595                     logger.close() #to change file access modes
596                     logger = open("log.txt", "r+")
597                     # print(logger.read())
598                     # print()
599                     # print("Opening sales log externally now. ")
600                     time.sleep(1.4) #for a seamless experience
601                     os.startfile('log.txt')
602             else:
603                 with HiddenPrints():
604                     try:
605                         sender = telegram_bot_sendtext(dt_string + "\n" + "[ACCESS
606                         DENIED!!] - Registry file - DBFA SECURITY [ACCESS DENIED!!]")
607                         print(sender)
608                     except Exception:
609                         pass
610                         print("Multiple Unsuccesfull Attempts Detected. Re-run the program to
611                         login now. ")
612                         logger.write("(MULTIPLE ATTEMPTS!): Log file access attempt -
613                         AUTHORIZATION FAILED!!! \n")
614                         time.sleep(1.4) #for a seamless experience
615                         print()
616                         print()
617                         #View Listing Option
618                         elif decfac == 6:
619                             print("Store listing (as per updated records): ")
620                             print(tabulate(tablx, headers = titlex, floatfmt = ".4f"))
621                         elif decfac == 8:

```

```

615     decsfactor = str(input("Enter 'a' to VIEW STOCK, 'b' to ADD STOCK and 'c' to
ENFORCE MASS STOCK: "))
616     if decsfactor == "a":
617         ssxsuperfetch()
618     elif decsfactor == "b":
619         objid = int(input("Enter the product ID to add stock for: "))
620         stockincrement = int(input("Enter the amount of stock to be added: "))
621         ssxupdatescript(stockincrement, objid)
622         print("Stock updated by", stockincrement, "for product ID:", objid)
623     elif decsfactor == "c":
624         ggrrtrr = int(input("Enter stock to universally enforce: "))
625         massmaintainer(ggrrtrr)
626
627     #Exit System
628     elif decfac == 9:
629         if os.path.exists(r'userblock.txt'):
630             userblock.close()
631             os.remove(r'userblock.txt')
632         if os.path.exists(r'userblock.zconf'):
633             userblock.close()
634             os.remove(r'userblock.zconf')
635         toaster.show_toast("DFBA Framework Runtime Broker", "Obfuscating program...", duration = 2)
636         def logoprintxrt():
637             print(" _____")
638             time.sleep(0.5)
639             print(" / /____/ / / / /____/ / / /____/ / / /")
640             time.sleep(0.5)
641             print(" / / / / / / / / / / / / / / / / / / /")
642             time.sleep(0.5)
643             print(" / / / / / / / / / / / / / / / / / / /")
644             time.sleep(0.5)
645             print(" / / / / / / / / / / / / / / / / / / /")
646             time.sleep(0.5)
647             print(" / / / / / / / / / / / / / / / / / / /")
648             time.sleep(0.5)
649             print(" / / / / / / / / / / / / / / / / / / /")
650             time.sleep(0.5)
651             print(" / / / / / / / / / / / / / / / / / / /")
652             time.sleep(0.5)
653             print(" / / / / / / / / / / / / / / / / / / /")
654             print(" ")
655             print(" ")
656             logoprintxrt()
657             time.sleep(2)
658             break
659             exit()
660             os.close('securepack.pyw')
661     elif decfac == 7:
662         print("Fetching latest licensing information.....")
663         print(" ")

```

```

664     print(" ")
665     logoprintxrt()
666     time.sleep(1.5)
667     print(" ")
668     print(" ")
669     print("DBFA by Pranav Balaji, 2020")
670     print(" ")
671     print("____ Licensing ____")
672     print("      GNU PUBLIC LICENSE - TERMS AND CONDITIONS")
673     print("      <deltaBillingFramework> Copyright (C) 2020 Pranav Balaji and"
Sushant Gupta")
674     print("      This program comes with ABSOLUTELY NO WARRANTY; for details type"
*show w*.")
675     print("      This is free software, and you are welcome to redistribute it")
676     print("      under certain conditions; type *show c* for details. ")
677     toaster.show_toast("DFBA Framework Runtime Broker", "©2020: DBFA by Pranav"
Balaji and Sushant Gupta", duration = 1.5)
678     print(" ")
679     print(" ")
680     print("Visit: www.github.com/deltaonealpha/deltaBillingFramework for complete"
licensing terms. ")
681     print(" ")
682     print(" ")
683     aacsbcfac = int(input("Enter '1' to view complete licensing stuff or '2' to"
return: "))
684     if aacsbcfac == 1:
685         print(" ")
686         print("Please select to open with your preferred text viewer/ editor.")
687
os.startfile(r"C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\LICENSE")
688     print(" ")
689     print(" ")
690     print("-----")
691
#CIT
692 elif decfac == 10:
693     print("CIT INTERNAL TESTING MODE")
694     ffxfac = str(input("Enter CIT Testing Mode? (y/n):: "))
695     if ffxfac == "y":
696         ffrxfac = str(input("Entering CIT may lead to data loss. Confirm entering"
CIT? (y/n):: "))
697         if ffrxfac == "y":
698             print("DBFA CIT MODE")
699             print("Initialising DELTA dependancies...")
700             print(" ")
701             print(" ")
702             print("CIT INPUTABLES::")
703             print("Enter '1' to CLEAR ALL CUSTOMER RECORDS")
704             print("Enter '2' to exit CIT")
705             citfacin = int(input("Waiting for input / | \ | / | \ |:: "))
706             if citfacin == 1:
707                 # window.close()
708                 os.startfile(r'securepack.py')
709             else:
710                 continue
711
712             else:
713                 continue
714
715
716 elif ffxfac == "n":
```

```
717     print("Exiting CIT")
718     time.sleep(1)
719     continue
720 else:
721     print("Invalid input. . . . ")
722     time.sleep(1)
723
724 else:
725     continue
726
727 # End of program
728 # Available on github: www.github.com/deltaonealpha/DBFA
729 # https://deltaonealpha.github.io/DBFA/
```

Login Scripts

//Code:

```
1 import os
2 import time
3 if os.path.exists(r'userblock.txt'):
4     os.remove(r'userblock.txt')
5 if os.path.exists(r'userblock.zconf'):
6     os.remove(r'userblock.zconf')
7 def Login():
8     creds = r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\tempfile.temp'
9     with open(creds, 'r') as f:
10         data = f.readlines() # This takes the entire document we put the info into
11         and puts it into the data variable
12         uname = data[0].rstrip() # Data[0], 0 is the first line, 1 is the second and
13         so on.
14         pword = data[1].rstrip() # Using .rstrip() will remove the \n (new line) word
15         from before when we input it
16         import PySimpleGUI as sgx
17         sgx.theme('DarkTanBlue') # Add a touch of color
18         # All the stuff inside your window.
19         layout = [ [sgx.Text('Heyy there, please login :D')],
20                 [sgx.Text('Username: '), sgx.InputText()],
21                 [sgx.Text('Password: '), sgx.InputText()],
22                 [sgx.Button('Authenicate'), sgx.Button('Cancel')] ]
23         # Create the Window
24         window = sgx.Window('deltaAuthentication Service', layout)
25         # Event Loop to process "events" and get the "values" of the inputs
26         while True:
27             event, values = window.read()
28             if event in (None, 'Cancel'): # if user closes window or clicks cancel
29                 window.close()
30                 break
31             window.close()
32             window.close()
33             if values[0] == 'ed' and values[1] == 'edd':
34                 #os.close(r'DDD.py')
35                 window.close()
36             window.close()
37
38             os.startfile(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\dlr.pyw')
39             else:
40
41             os.startfile(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\wrelogin.pyw')
42             #window.close
43             #erraise()
44 import PySimpleGUI as sg
45 if
46     os.path.exists(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\userblock.txt'):
47         os.remove(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\userblock.txt')
48 if
49     os.path.exists(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\userblock.zconf'):
50         os.remove(r'C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\userblock.zconf')
51 sg.theme('DarkAmber') # Add a touch of color
52 # All the stuff inside your window.
53 layout = [ [sg.Text("DBFA")],
54             [sg.Text(" ")],
55             [sg.Text("Please authenicate for program elevation.")],
56             [sg.Button('Proceed'), sg.Button('Exit')] ]
57 # Create the Window
```

```
51 window = sg.Window('DBFA', layout)
52 # Event Loop to process "events" and get the "values" of the inputs
53 while True:
54     event, values = window.read()
55     if event in (None, 'Exit'): # if user closes window or clicks cancel
56         break
57     window.close()
58     Login()
59
```

```
1 import os
2 import time
3 if os.path.exists(r'userblock.txt'):
4     os.remove(r'userblock.txt')
5 if os.path.exists(r'userblock.zconf'):
6     os.remove(r'userblock.zconf')
7 def Login():
8     creds = 'tempfile.temp'
9     with open(creds, 'r') as f:
10         data = f.readlines() # This takes the entire document we put the info into
11         and puts it into the data variable
12         uname = data[0].rstrip() # Data[0], 0 is the first line, 1 is the second and
13         so on.
14         pword = data[1].rstrip() # Using .rstrip() will remove the \n (new line) word
15         from before when we input it
16         import PySimpleGUI as sgx
17         sgx.theme('DarkTanBlue') # Add a touch of color
18         # All the stuff inside your window.
19         layout = [ [sgx.Text('INVALID LOGIN. Please retry:')],
20                 [sgx.Text('Username: '), sgx.InputText()],
21                 [sgx.Text('Password: '), sgx.InputText()],
22                 [sgx.Button('Authenticate'), sgx.Button('Cancel')] ]
23         # Create the Window
24         window = sgx.Window('deltaAuthentication Service', layout)
25         # Event Loop to process "events" and get the "values" of the inputs
26         while True:
27             event, values = window.read()
28             if event in (None, 'Cancel'): # if user closes window or clicks cancel
29                 window.close()
30                 break
31             window.close()
32             window.close()
33             if values[0] == 'ed' and values[1] == 'edd':
34                 #os.close(r'DDD.py')
35                 window.close()
36                 window.close()
37                 os.startfile('dlr.pyw')
38                 exit
39                 break
40             else:
41                 os.startfile("wrelogin.pyw")
42                 exit
43                 #window.close
44                 #erraise()
45 import PySimpleGUI as sg
46 if os.path.exists(r'userblock.txt'):
47     os.remove(r'userblock.txt')
48 if os.path.exists(r'userblock.zconf'):
49     os.remove(r'userblock.zconf')
50 Login()
```

```
1 import time, os
2 if os.path.exists(r'userblock.txt'):
3     os.remove(r'userblock.txt')
4 if os.path.exists(r'userblock.zconf'):
5     os.remove(r'userblock.zconf')
6
7 import PySimpleGUI as sg
8 sg.theme('DarkTanBlue') # Add a touch of color
9 # All the stuff inside your window.
10 layout = [ [sg.Text('Login succesfull!')],
11             [sg.Button('Proceed')] ]
12 # Create the Window
13 window = sg.Window('Login conf.', layout)
14 # Event Loop to process "events" and get the "values" of the inputs
15 while True:
16     Proceed = "Proceed"
17     event, values = window.read()
18     if event in ('Proceed'):
19         os.startfile('bleading_edge.py')
20         window.close()
21         userblock = open(r"userblock.txt","a+") #Opening / creating (if it doesn't
exist already) the .txt record file
22         userblock.write('ed')
23         userblock.close()
24         print("logging success")
25         time.sleep(2)
26         window.close()
27         window.close()
28         time.sleep(1)
29         from pathlib import Path
30         p = Path('userblock.txt')
31         p.rename(p.with_suffix('.zconf'))
32         time.sleep(0.4)
33
34 '''while True:
35     event, values = window.read()
36     window.close()
37     userblock = open(r"userblock.txt","a+") #Opening / creating (if it doesn't exist
already) the .txt record file
38     userblock.write('ed')
39     userblock.close()
40     print("logging success")
41     time.sleep(2)
42     window.close()
43     window.close()
44     time.sleep(1)
45     from pathlib import Path
46     p = Path('userblock.txt')
47     p.rename(p.with_suffix('.zconf'))
48     time.sleep(0.4)
49     os.startfile('hms1.py')'''
```

50
51


Database Deleting Script

//Code:


```
1 print("Removing ALL customer records now...")
2 import os, time
3 print("____")
4 time.sleep(0.1)
5 print(" / ____/ / / / ____/ / / / ____/ / / / ")
6 time.sleep(0.1)
7 print(" / / / / / / / / / / / / / / ")
8 time.sleep(0.1)
9 print(" / / / / / / / / / / / / CLI / / / ")
10 time.sleep(0.1)
11 print(" / / / / / / / / / / / / / / / / / / ")
12 time.sleep(0.1)
13 print(" / / / / / /-----/ / / / / / / / ")
14 time.sleep(0.1)
15 print(" / / / / / / / / / / / / / / ")
16 time.sleep(0.1)
17 print(" / / / / / / / / / / / / / / ")
18 time.sleep(0.1)
19 print("/ / / / / / / / / / / / / / / / / / ")
20 print(" ")
21 print(" ")
22 time.sleep(2)
23 print("Flushing record directory. ")
24 time.sleep(0.5)
25 print("Flushing record directory. . ")
26 time.sleep(0.5)
27 print("Flushing record directory. . . ")
28 time.sleep(0.5)
29 print("Flushing record directory. . . . ")
30 time.sleep(0.5)
31 if os.path.exists(r'DBFA_handler.db'):
32     os.remove(os.path.normpath(r"DBFA_handler.db"))
33 print("Database flush completed!")
34 time.sleep(2)
```

//Runtime:


Start of the login script:




Authentication script:



Re-authentication upon invalid password entry:




Successful authentication page:



Page on bypassing the login script in the main program:

```
Heyy there! ed
-----DBFA standardised billing framework-----
We highly value the security of our code, and our customers.
It has been detected that you have bypassed the login process.
Please obtain a genuine version of this program and provide proper authentication.
The program shall now exit. Error code:013
```

Subsequently displayed UWP-toast:



Main program with successful authentication:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\balaj> python C:\Users\balaj\OneDrive\Documents\GitHub\DBFA\master\bleeding_edge.py
FHJ
Getting the database online.....
Rebuilding database..
DBFA Billing Framework: Version 2.227 (alpha)
Licensed under the GNU PUBLIC LICENSE
<DBFA> Copyright (C) 2020 Pranav Balaji and Sushant Gupta

Visit: www.github.com/deltaonealpha/deltaBillingFramework for complete licensing terms.
```

Heyy there! ed

A word from our partner: [HOTEL? Trivago!](#)

-----DBFA standardised billing framework-----

Input:

'1' to GENERATE INVOICE
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: |

Invoicing Mode:

```
C:\WINDOWS\py.exe
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: 1
Invoicing:

Enter customer ID (enter if unregistered): 1
Number of purchased items: 3
Enter purchased product code: 1
Current product stock: 0
This product is currently not in stock... The inconvenience is regretted...
Enter purchased product code: 8
Current product stock: 2
[Stock running out] Currently in stock: 2 pieces. Restock ASAP...
Product purchased: Mi MIX ALPHA costing: 220000
---
Enter purchased product code: 9
Current product stock: 4
[Stock running out] Currently in stock: 4 pieces. Restock ASAP...
Product purchased: Wireless Headphones costing: 4500
---
Enter purchased product code: 2
Current product stock: 3
[Stock running out] Currently in stock: 3 pieces. Restock ASAP...
Product purchased: TV FHD OLED 50 costing: 55000
---
18% standard GST - Invoicing!
Enter discount % (if any): 12
12 % net discount - Invoicing!
Invoicing... DBFA
Invoice ID: 1 ; Total: 290232.8
```

A word from our partner: HOTEL? Trivago!

Customer Registration Mode:

```
C:\WINDOWS\py.exe

-----DBFA standardised billing framework-----
Input:
'1' to GENERATE INVOICE,
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: 2
Loading server connection....
Registering customer with ID: 4
Name: Test 4
Customer's E-mail ID: test4@dbfa.com
Customer Test 4 registered in store directory
FJHG

Customer ID 4 registered in directory.
```

Registered Customers Viewing Mode:

```
A word from our partner: HOTEL? Trivago!
-----DBFA standardised billing framework-----
Input:
'1' to GENERATE INVOICE
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~
```

```
Select option: 3
```

```
Loading server connection....
The registered customers are:
(1, 'Pranav Balaji', 'test@dbfa.com')
(2, 'gg', 'h')
(3, 'Pranav Balaji', 'test3@dbfa.com')
(4, 'Test 4', 'test4@dbfa.com')
```

View Customer Purchase Records Mode:

```
A word from our partner: HOTEL? Trivago!
-----DBFA standardised billing framework-----
Input:
'1' to GENERATE INVOICE
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~
```

```
Select option: 4
```

```
(3, None, 1, 46728)
(4, None, 1, 59708)
```

View Generated Invoiced Mode:

C:\WINDOWS\py.exe

A word from our partner: HOTEL? Trivago!

-----DBFA standardised billing framework-----

Input:
'1' to GENERATE INVOICE
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: 5
Password echo shall be suppressed for security.
Enter root password to view store activity registry:
Wrong, sneaky-hat. Try again:

Password echo shall be suppressed for security.
Enter root password to view store activity registry:
Hold on, moneybags.

There ya go::

log - Notepad

Date and time: 12/05/2020 21:44:50

Date and time: 12/05/2020 21:44:50

Log file access attempt - Oauth failure!!!

Ln 1, Col 1 100% Windows (CRLF) UTF-8

View Store Listing Mode:

```
C:\WINDOWS\py.exe
There ya go::

-----
A word from our partner: HOTEL? Trivago!
-----DBFA standardised billing framework-----
Input:
'1' to GENERATE INVOICE,
'2' to REGISTER CUSTOMER,
'3' to VIEW REGISTERED CUSTOMERS,
'4' to VIEW CUSTOMER PURCHASE RECORDS,
'5' to VIEW GENERATED INVOICES,
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: 6
Store listing (as per updated records):
Product:                               Pricing:
TV 4K OLED 50                          □40000
TV FHD OLED 50                         □55000
8K QLED 80                            □67000
Redmi K20 PRO                          □25000
Redmi K20                             □21000
Redmi Note 9 PRO                      □14000
POCOPHONE F                           □3000
Mi MIX ALPHA                          □220000
Wireless Headphones                   □4500
Noise-Cancelling Wireless Headphones □17000
Essentials Headphones                 □1200
Gaming Headphones                     □3700
Truly-Wireless Eadphones              □4500
Neckband-Style Wireless Earphones    □2200
Essentials Earphones                  □700
Gaming Earphones                      □2750
30W Bluetooth Speakers               □6499
20W Bluetooth Speakers                □1499
9Essentials Bluetooth Speaker        □799
BOSE QC35                            □27000
Essentials Home Theatre               □6750
Wired Speaker - 5.                   □2100
```

View Licensing Information Option:

```
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~


Select option: 7
Fetching latest licensing information.....

DBFA by Pranav Balaji, 2020
Licensing
  GNU PUBLIC LICENSE - TERMS AND CONDITIONS
<deltaBillingFramework> Copyright (C) 2020 Pranav Balaji
This program comes with ABSOLUTELY NO WARRANTY; for details type *show w*.
This is free software, and you are welcome to redistribute it
under certain conditions; type *show c* for details.

Visit: www.github.com/deltaonealpha/deltaBillingFramework for complete licensing terms.

Enter '1' to view complete licensing stuff or '2' to return: 1
Please select to open with your prefered text viewer/ edittor.

-----
```



View Store Stock Option:

```
C:\WINDOWS\py.exe
'6' to REVIEW STORE LISTING,
'7' to REVIEW LICENSING INFORMATION,
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~

Select option: 8
Enter 'a' to VIEW STOCK, 'b' to ADD STOCK and 'c' to ENFORCE MASS STOCK: a
Connecting to QuickVend Service... ~~~
Store Stock::
(1, 0)
(2, 2)
(3, 4)
(4, 4)
(5, 3)
(6, 5)
(7, 1)
(8, 1)
(9, 3)
(10, 5)
(11, 5)
(12, 5)
(13, 5)
(14, 4)
(15, 5)
(16, 5)
(17, 5)
(18, 5)
(19, 5)
```

Enforce Store Stock Option:

```
~ input TPM code to enter testing mode ~

Select option: 8
Enter 'a' to VIEW STOCK, 'b' to ADD STOCK and 'c' to ENFORCE MASS STOCK: c
Enter stock to universally enforce: 5
DBFA QuickVend service - Stock universally enforced to 5

A word from our partner: HOTEL? Trivago!
```

Set Individual Stock Option:

```
Select option: 8
Enter 'a' to VIEW STOCK, 'b' to ADD STOCK and 'c' to ENFORCE MASS STOCK: b
Enter the product ID to add stock for: 1
Enter the amount of stock to be added: 2
DBFA QuickVend Service - Stock added for 1 as 2
Stock updated by 2 for product ID: 1
```

```
Select option: 8
Enter 'a' to VIEW STOCK, 'b' to ADD STOCK and 'c' to ENFORCE MASS STOCK: a
Connecting to QuickVend Service... ~~~
Store Stock::
(1, 2)
(2, 2)
(3, 4)
(4, 4)
(5, 3)
```

Internal Testing Mode (CIT):




```
C:\WINDOWS\py.exe
'8' to VIEW OR UPDATE STOCK,
and '9' to exit the framework.
~ input TPM code to enter testing mode ~
-----
Select option: 10
CIT INTERNAL TESTING MODE
Enter CIT Testing Mode? (y/n):: y
Entering CIT may lead to data loss. Confirm entering CIT? (y/n):: y
DBFA CIT MODE
Initialising DELTA dependancies...

CIT INPUTABLES::
Enter '1' to CLEAR ALL CUSTOMER RECORDS
Enter '2' to exit CIT
Waiting for input / | \ | / | \ |:: .
```

Exit Program Option:

//Telegram

Integration:



//Bibliography:

Bibliography:

Works sighted from:

- Core Python Programming by R. Nageshwar Rao
- Debugging assistance from StackOverflow – stackoverflow.com
- Google – google.com
- Python for Class – XII by Preeti Arora

Thank You

-- DBFA Billing Framework --

Developed by

Pranav Balaji and Sushant Gupta

Python Board Project