CS528 Cloud System Economic Model & Energy Consumption Model

A Sahu

Dept of CSE, IIT Guwahati

Outline

- Cloud Economic Model
 - -CAPEX, OPEX
 - —Energy Cost
- Cloud (DC) Energy Model

In Compute System Model

- CAPEX : Cost of the System + Places
- OPEX : Operational Cost
 - Energy Cost, Cooling Cost (significant)
- How to Reduce OPEX
 - Energy Efficient Scheduling of JOBs to machines
 - Efficient Cooling of System
 - Next some lecture will be based on this
- Many house designs are Energy Efficient
 - Get good natural lighting at day time for all the rooms
 - Design for proper ventilation: AC/Fan requirement is less

- Capital Expenditure CAPEX (Rs 12 Crores)
 - 12 Crores for 3800 processors HPC System
 - 3-5 Year Life time, Need to be upgraded after 5 year
 - Space and AC Cost : 1 Crores
- Operational Cost OPEX
 - Electricity 50 Lakhs/Annum
 - AMC to OEM : 1.5 Crores/Annnum
 - Software 1 Crores/Annum
- Cost of Computing: 13+5*3=28 Crores/5 Years
- Cost of Computing: 5.6 Crores/Years

- Cost of computing: 5.6 Crores/Years
 - Rs 14,736 per CPU Cores/Year
 - Rs 40.37 per CPU Core /Day
 - Rs 1.68 per CPU core/Hour
- https://aws.amazon.com/savingsplans/pricing
- HPC Service Provide in Cloud Models in India http://www.serc.iisc.ac.in/services/for-non-iisc-users/
 - Rs 1.18 per CPU hour (Academic)
 - Rs 4.72 per CPU hour (Industries)

- Cost of computing: 5.6 Crores/Years
 - Rs 14,736 per CPU Cores/Year
 - Rs 40.37 per CPU Core /Day
 - Rs 1.68 per CPU core/Hour
- https://aws.amazon.com/savingsplans/pricing/
- https://www.cloudoye.com/cloud-hosting-plan
- HPC Service Provide in Cloud Models in India http://www.serc.iisc.ac.in/services/for-non-iisc-users/
 - Rs 1.18 per CPU hour (Academic)
 - Rs 4.72 per CPU hour (Industries)

- Cost of computing of IITG HPC
 - 5.6 Crores/Years
- Instead by taking Rent from IISc Cloud
 - Rs 1.18 per CPU hour (Academic)
 - Rs 3.92 crores /Year for 3800 CPU per year
 - IIT G could have Save 1.7 crores
- Many Cloud provider offer at lesser price
 - Rs 0.6 per CPU hours
 - Rs 1.96 crores /Year for 3800 CPU per year
 - Instead of Spending 5.6 crores at IITG


How CPU hour from cloud provider can be cheaper?

- Same as Reebok Shoes is cheaper in Amazon.in/Flipkart.com as compared to Showrooms of the City
 - No show room for Amazon/Flipkart, save a ton in CAPEX
 - No AC, Electricity for Showroom: save OPEX
 - Store room can be at Remote Places where cost of land is low
 - Website and delivery : mass scale cheaper

How CPU hour from cloud provider can be cheaper?

- Same as Reebok Shoes is cheaper in Amazon.in/Flipkart.com as compared to Showrooms of the City
- Get the product from company in Bulk,
 - eligible for higher discount from Manufacturer : reduced supply chain
- For most of the Item
 - Manufacturing cost is around 14%-22% of MRP
 - Company spend a lot in Advt (15-25%), and Supply chain
 - Bulk purchase : up to 50% of MRP

Energy Consumption Breakdown of Data Center



How to Reduce compute cost IIT Guwahati

- Capital Expenditure CAPEX (Rs 12 Crores)
- 12 Crores for 3800 processors HPC System
 - Sol: Bargain with OEM not with middle man: deal could have in 8-9 crores
- Space and AC Cost: 1 Crores
 - Sol: Get a remote cheaper and Cooler location, may be in Tawang, AP
 - AC consume huge amount of Power ☺ ☺
 - Fun: "Google INC have put CLOUD System in the SEA"

How to Reduce compute cost IIT Guwahati

- Operational Cost OPEX: 3 Crores/Annum
- Electricity 50 Lakhs/Annum
 - Use Green Energy, solar, wind, etc.
 - Good Scheduler to reduce Energy
- AMC to OEM: 1.5 Crores/Annnum
 - Most Significant OPEX cost
 - Sol: Train your own man power to do the AMC instead of giving to third party
 - Example: Cost of repairing at OEM service center is costly. Get pricing feedback of service at OEM service center
- Software 1 Crores/Annum :
 - Shared license with others

Cloud Computing Economic Benefits

- Most identifiable economic benefit of cloud computing is
 - direct cost savings, which occur from changes within the organization and the data centers that house the IT infrastructure.
 - Supply Side Large scale data centers lower cost due to superior buying power

Cloud Computing Economic Benefits

- Other economic benefit of cloud
 - Demand Side Allowing multiple users across varying industries regions & time zones allowing for server utilization
 - Multi-user efficiency Increasing # of users lowers server cost per tenant
 - Data center efficiency Advanced data center designs reduce power loss and improved cooling


Energy Efficient System: Design and Management

- Point to consider
- 1. Energy efficient Infrastructure
- 2. Energy Model of Infrastructure
 - Blades/Server Machine CPU, Memory
- 3. Energy Efficient Scheduling
 - How to manage the Jobs

Data Center Energy Consumption Modeling

Ref: Dayaratna et. al., IEEE Comm. Survey, 2016


Energy Consumption Breakdown of Data Center



PARAM ISHAN




Schematic Diagram



Primary (IB) ______
Secondary (1G) ______

10G _____
IPMI _____

Power Flow in typical Data Center



Metrics for Data Center Efficiency

- Data energy consumption: IT and Non-IT
- IT Parts
 - Server, Storage and Networking
- Non-IT Parts
 - Cooling, Lighting and Loss Power Conversion and Transmission

Metrics for Data Center Efficiency

- Most widely used DC energy efficiency metric is Power Usage Effectiveness (PUE)
- The PUE

$$\eta_{PUE} = \frac{\text{Total data center annual energy}}{\text{Total IT annual energy}}$$

- The term $\eta_{PUE} \ge 1$, since data centers draw considerable amount of power as non-IT power
- A higher PUE: A greater portion electricity spent on cooling and the rest of the infrastructure

Metrics for Data Center Efficiency

Data Center Infrastructure Efficiency (DCiE)

$$\eta_{\text{DCiE}} = 1/\eta_{\text{PUE}} = \frac{\text{IT Device Power Consumption}}{\text{Total Power Consumption}} X 100\%$$


Data center Performance Per Energy (DPPE)
 Throughput at Data Center

$$\eta_{\text{DPPE}} = \frac{Energy\ Consumption}{Energy\ Consumption}$$

Data Center Green Energy Coefficient

$$\eta_{\text{GEC}} = \frac{\textit{Energy from Green Source (solar,wind,etc)}}{\textit{Energy Consumption}}$$

EC modeling and prediction in DC



Organizational Framework for Power Models

Instantaneous Power Consumption at time t


$$P_t = f(S_t, A_t, E_t)$$

- S_t: internal state at time t
 - Physical HW, OS, Application
 - HW config of processor, amount of mem, disk, NIC
 - Raw power measurement and Perf. CTRs at time t
- A_t: input to application at time t, request rate
- E_t: Execution and Scheduling Strategy
 - Control CPU freq, Power Off/On, Software uses,
 Apps → Core, Load balancing rule at time t,
- Prediction : $P_{t+1} = f(S_t, A_t, E_t)$

EC modeling and prediction in DC


- A systematic view of the energy consumption modeling and prediction process.
- The data center system optimization cycle consists of four main steps
 - feature extraction
 - model construction
 - model validation,
 - and usage of the model.

Holistic view of EC modeling and Prediction in DC



Hybrid Approach for system PC Estimation


- Performance CTRs and Ammeter Reading
- PC Estimation



Taxonomy of EC Modeling and Pred in DC

- EC Modeling & Prediction in DC
- Software centric
 - ML Technique
 - Supervised/Unsupervised/Reinforcement ML
 - OS/Virtualizations
 - Applications
 - Data Intensive and Compute Intensive
- Hardware Centric

Taxonomy of EC Modeling and Prediction in Data Center



Taxonomy of EC Modeling and Pred in DC

- Hardware Centric: Infrastructure and IT
- Infrastructure
 - Cooling System and Power Conditioning System
- IT
 - Compute Components
 - Group of Server
 - Server: Processor(Single, Multi), Memory, FAN, NIC, Disk (HDD, SDD)
 - Storage
 - Network

Taxonomy of EC Modeling and Pred in DC

