

# **beamer-purdue**

A Beamer template inspired by the Purdue Visual Identity

Dennis Ogbe  
May 18, 2016



- ▶ Part 1: *Examples*
- ▶ Part 2: *Plots*

## Part 1: Examples

## The beamer-purdue template

This is the beamer-purdue Theme. A Beamer template inspired by the Purdue Visual Identity.

An itemized list looks as follows:

- ▶ Item 1
- ▶ Item 2

The continuous-time Fourier Transform of a signal  $x(t)$  is defined as

$$X(\omega) = \int_{-\infty}^{\infty} x(t)e^{-j\omega t} dt \quad (1)$$


## Theorem

*The Bessel functions of the first kind  $J_v(x)$  are defined as the solutions to the Bessel differential equation*

$$x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} + (x^2 - v^2) y = 0. \quad (2)$$

*Proof:* Omitted. ■

We can include graphics just like we are used to, for example this block diagram of an noise-canceling system:



## Part 2: Plots


On the following pages, we include two examples on how to include plots:

1. A PDF plot
2. A PGF/TikZ plot

PDF plots are nice, but nothing beats the native look of PGF/TikZ. The source code to generate both plots can be found in `extra/plot_bessel.py`



# A PDF Plot



# A PGF/TikZ Plot

