

Chemistry

2004
Higher School Certificate
Trial Examination
(INDEPENDENT)

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Board approved calculators may be used
- Write using black or blue pen
- Draw diagrams using pencil
- A Data Sheet and Periodic Table are provided at the back of this paper
- Write your student number and/or name at the top of every page

Total Marks – 100

Section I

Total marks (75)

This section has two parts, Part A and Part B

Part A

Total marks (15)

Attempt questions 1 – 15

Allow about 30 minutes for this part

Part B

Total marks (60)

Attempt questions 16 – 29

Allow about 1 hour 45 minutes for this part

Section II (Page 19)

Total marks (25)

Attempt ONE question from Questions 30-34

Allow about 45 minutes for this section

This paper MUST NOT be removed from the examination room

STUDENT NUMBER/NAME:

STUDENT NUMBER/NAME:

Section I

Total marks (75)

Part A

Total marks (15)


Attempt questions 1 – 15

Allow about 30 minutes for this part

Select the alternative A, B, C or D that best answers the question and indicate your choice with a cross (X) in the appropriate space on the grid below.


	A	B	C	D
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				

1. Saran is a polymer used to make packaging film and seat covers. Shown below is a representation of a Saran chain.



Which of the following is the monomer from which Saran is made?

- (A) 1,1-dichloroethane
 (B) 1,2-dichloroethane
 (C) 1,1-dichloroethene
 (D) 1,2-dichloroethene
2. When ethylene glycol is reacted with terephthalic acid a polyester (Dacron) is formed. The reaction is represented below. What type of reaction is this?



- (A) addition polymerisation
 (B) condensation polymerisation
 (C) substitution
 (D) dehydration
3. When a lead strip is placed a solution of silver nitrate the lead becomes coated with greyish furry growth. Which is the correct interpretation of the observation?
- (A) Lead from solution has deposited on the original lead.
 (B) Silver has deposited on the lead.
 (C) The lead has reacted with the water which has caused a deposit similar to rust.
 (D) Lead nitrate has formed a precipitate.

STUDENT NUMBER/NAME:

4. Water hardness is used to describe water that contains significant amounts of specific ions. Hard water will not lather easily with soaps. These ions are:

- (A) Na^+ and Cl^- ions
- (B) NH_4^+ and OH^- ions
- (C) Hg^{2+} and Pb^{2+} ions
- (D) Mg^{2+} and Ca^{2+} ions


5. The table below lists some physical and chemical properties of four different carbon compounds.

Compound	Boiling point ($^{\circ}\text{C}$)	Reactivity in bromine water	Solubility in Water
W	-89	unreactive	insoluble
X	-104	reactive	insoluble
Y	78	unreactive	soluble
Z	138	unreactive	slightly soluble

Which alternative best identifies compounds W, X, Y and Z ?

	W	X	Y	Z
(A)	C_2H_6	C_2H_4	$\text{C}_2\text{H}_5\text{OH}$	$\text{C}_5\text{H}_{11}\text{OH}$
(B)	C_2H_4	C_2H_6	$\text{C}_5\text{H}_{11}\text{OH}$	$\text{C}_2\text{H}_5\text{OH}$
(C)	$\text{C}_5\text{H}_{11}\text{OH}$	$\text{C}_2\text{H}_5\text{OH}$	C_2H_4	C_2H_6
(D)	$\text{C}_5\text{H}_{11}\text{OH}$	C_2H_4	$\text{C}_2\text{H}_5\text{OH}$	C_2H_6

6. Heart pacemakers are often powered by lithium-silver chromate button cells. The overall cell reaction is:



What is the anode in this cell ?

- (A) $\text{Ag}_{(s)}$
 - (B) $\text{Li}_{(s)}$
 - (C) Ag^+
 - (D) $\text{Cr}_2\text{O}_4^{2-}$
7. Which of the following statements identifies the conjugate base of the acid HNO_3 ?
- (A) NaOH is the conjugate base of the acid HNO_3
 - (B) OH^- is the conjugate base of the acid HNO_3
 - (C) NO_3 is the conjugate base of the acid HNO_3
 - (D) NO_3^- is the conjugate base of the acid HNO_3


8. The table shows the colours of three indicators at different hydrogen ion concentrations.

[HCl] mol L ⁻¹	10 ⁻²	10 ⁻⁴	10 ⁻⁶
Methyl Orange	red	orange	yellow
Bromothymol Blue	yellow	yellow	green
Phenol Red	yellow	red	red

What is the pH of a solution that showed the following indicator colours?

Methyl Orange	Yellow
Bromothymol Blue	Green
Phenol Red	Red

- (A) 2
(B) 4
(C) 6
(D) 8
9. What is a correct name for the compound with the molecular formula CH₂O₂?
- (A) ethanoic acid
(B) ethanol
(C) methanol
(D) methanoic acid
10. Identify the pH at the neutralisation point when sodium hydroxide is neutralised by hydrochloric acid.
- (A) pH = 0
(B) pH = 7
(C) pH > 7
(D) pH < 7
11. Nitrogen dioxide, NO₂, a brown gas and dinitrogen tetroxide, N₂O₄, a colourless gas are in equilibrium according to the equation:-




If a sealed tube of the gases is placed in an ice-water bath the colour fades from brown to almost colourless. Which conclusion is correct?

- (A) The forward reaction is exothermic
(B) The reverse reaction is exothermic
(C) The pressure has increased.
(D) The pressure has not changed

12. Identify the compound in the atmosphere which reacts with chlorofluorocarbons (CFC's).

(A) water
(B) carbon monoxide
(C) ozone
(D) carbon dioxide


13. Sulfuric acid reacts with pyrosulfuric acid according to the equation:-



Identify a method of increasing the concentration of H_3SO_4^+ in the mixture at equilibrium.

- (A) increase the pressure on the system
(B) add H_2SO_4
(C) add a catalyst
(D) add HS_2O_7^-
14. Select the molecule from below that possesses a coordinate covalent bond.
- (A) carbon dioxide
(B) water
(C) ozone
(D) oxygen

15. What is the correct systematic name of this compound?



(A) 1,1,1,2,2,2-chlorofluoroethane
(B) 1,1,1-trifluoro - 2,2,2-trichloromethane
(C) 1,1,1,2,2,2-chlorofluoromethane
(D) 1,1,1-trichloro - 2,2,2-trifluoroethane

Section I – continued**Part B****Total marks (60)****Attempt questions 16 – 29****Allow about 1 hour 45 minutes for this part**

Answer the questions in the spaces provided

Show all relevant working in questions involving calculations.

Question 16 (4 marks)**Marks**

Ethane can be cracked to form ethene and hydrogen at 850°C .
The reaction is strongly endothermic.

- (a) Construct the equation for this reaction.

1

.....

- (b) Justify the use of a high temperature for this reaction.

1

.....

.....

- (c) Describe what is observed when ethane and ethene gases are bubbled separately through bromine water.

2

.....


.....

.....

.....

Question 17 (5 marks)**Marks**

Two beakers are set up as follows:



- (a) One the diagram include additional components needed to obtain an electric current from this arrangement.

1

- (b) Label on the diagram:-

2

- (i) the cathode and anode
(ii) the direction of electron movement

- (c) Construct the equation for the cell reaction

1

.....

- (d) Determine the cell voltage under standard conditions.


1

.....

.....

Question 18 (4 marks)**Marks**

Cellulose is a naturally occurring *condensation polymer* that makes up a major proportion of biomass. Its structure is represented below.



- (a) Identify the monomer from which cellulose forms.

1

.....

- (b) Explain what is meant by the term *condensation*.

1

.....

.....

.....

- (c) Using an example to illustrate your answer, explain how the formation of an *addition polymer* is different to the formation of a condensation polymer.

2

.....

.....

.....

.....

.....

Question 19 (3 marks)**Marks**

A student designed an experiment to investigate the displacement of metals from solution. She placed an iron nail into one test tube containing some dilute copper sulfate solution and a piece of copper wire into a separate test tube containing some dilute iron (II) sulfate solution. Her observations are recorded in the table below.

test tube	metal	solution	Observations
1	iron	copper sulfate	A red/brown deposit appeared on the nail. The blue colour of the solution faded.
2	copper	iron (II) sulfate	No changes were observed.

- (a) Write an ionic equation for the reaction occurring in test tube 1. 1

.....

- (b) Referring to the Table of Standard Potentials explain the recorded observations. 2

.....

.....

.....

.....

Question 20 (4 marks)

During your practical work you performed a first-hand investigation to carry out the fermentation of glucose.

- (a) With the aid of a relevant equation, explain any changes in mass observed during this fermentation process. 2

.....

.....

.....

.....

- (b) Justify the conditions under which this fermentation was carried out. 2

.....

.....

.....

.....

Question 21 (5 marks)**Marks**

Low sulfur diesel fuels used in coal mining must have a sulfur content of less than 0.05% sulfur by mass.

- (a) Calculate the volume of sulfur dioxide at 25°C and 100 kPa produced by burning 1.0 kg of low (0.05%) sulfur diesel.

2

.....

.....

.....

.....

.....

.....

.....

- (b) Discuss the impact on the environment of using high sulfur fuels.

3

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

Question 22 (4 marks)**Marks**

The phosphate buffer system operates in the internal fluid of all cells. This buffer system is represented by the chemical equation below:



- (a) Define the term 'buffer' and identify the key components of any buffer system.

2

.....

.....

.....

.....

.....

.....

- (b) Using relevant equations explain what happens if:

2

- (i) H^+ ions are added to this system.

.....

.....

.....

.....

.....

- (ii) OH^- ions are added to this system.

.....

.....

.....

.....

.....

Question 23 (5 marks)**Marks**

A student used indicator paper to estimate the pH of three different acids, to the nearest integer value. Each acid was at a concentration of 0.10 mol L^{-1} in aqueous solution.

The table below records these measurements:

Acid	pH
acetic	3
citric	2
hydrochloric	1

- (a) Compare the hydrogen ion concentrations in these three solutions.

2

.....

.....

.....

.....

.....

.....

- (b) Account for the differences in these values.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 24 (6 marks)**Marks**

A bottle of vinegar is labelled 4.0% w/v (4.0 g per 100 mL of solution) acetic acid (ethanoic acid).

- (a) Describe the laboratory procedure you would use to verify this concentration. **3**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Calculate the volume of 0.118 mol L⁻¹ NaOH required to neutralise the acid in 5.0 mL of this vinegar. **3**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 25 (6 marks)

Marks

- (a) Identify the steps you followed in performing a first hand investigation to measure the sulfate content of lawn fertiliser.

3

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Describe how you calculated the percentage of sulfate in the fertiliser including relevant equations in your answer.

3

.....

.....

.....

.....

.....

.....

.....

.....

Question 26 (2 marks)

- (a) Identify ONE factor that can affect water quality.

1

.....

- (b) Describe how this factor will affect the quality of water in a freshwater lake.

1

.....

.....

.....

.....


Question 27 (4 marks)**Marks**

A sample of river water was analysed for nickel using Atomic Absorption Spectroscopy (AAS).

A 25mL sample was diluted to 250mL with distilled water, and measured with the AAS instrument. An average absorbance reading of 0.350 was obtained, for the diluted sample. The results for a set of nickel standards is included in the table below.

Standard nickel concentration g.mL ⁻¹	Absorbance
2.0×10^{-6}	0.134
4.0×10^{-6}	0.272
6.0×10^{-6}	0.416

- (a) Construct a calibration graph for the standard nickel solutions.

2

- (b) Using the graph, determine the concentration of nickel in the original sample of river water.

2

.....

.....

.....

.....

Question 28 (3 marks)**Marks**

When ammonia reacts with hydrochloric acid, the ammonium ion is formed.

- (a) Draw an electron dot formula for the ammonium ion.

1

- (b) Explain the term "coordinate covalent bond" using this example.

2

.....

.....

.....

.....

Question 29 (5 marks)

The table below shows the percentage yield of ammonia using the Haber process at a pressure of 30 MPa.

Temperature (Kelvin)	Percentage yield of ammonia
200	94
300	66
400	44
500	22
600	9

- (a) Use the table values to predict whether the production of ammonia is endothermic or exothermic. Justify your answer. 2

.....

.....

.....

.....

.....

- (b) Predict how an increase in temperature would affect the rate of production of ammonia. 1

.....

.....

.....

- (c) Identify and explain the effect of increased pressure on the production of ammonia. 2

.....

.....

.....

.....

.....

End of Section I

Section II**Total marks (25)****Attempt ONE question from Questions 30 – 34****Allow about 45 minutes for this part**

Answer the question in a separate writing booklet. Extra writing booklets are available.

		Pages
Question 30	Industrial Chemistry	20
Question 31	Shipwrecks, Salvage and Conservation	21
Question 32	Biochemistry of Movement	22
Question 33	Chemistry of Art	23
Question 34	Forensic Chemistry	25

Question 30 – Industrial Chemistry (25 marks)**Marks**

- (a) 0.100 mole of iodine, I_2 , and 0.100 mole of I^- (in the form of KI) is added to water to make 1 L of solution. In this solution the following equilibrium is established at 25°C.



- (i) Write an expression for the equilibrium constant. 1
- (ii) At equilibrium the solution contains 2.0×10^{-2} mole each of iodine and iodide ion, and 8.0×10^{-2} mole of the I_3^- ion. Calculate the value of the equilibrium constant for this reaction at 25°C. 2
- (iii) Describe the effect on the equilibrium state and the value of the equilibrium constant, of adding some potassium iodide crystals. 2
- (iv) If the solution is cooled in an ice bath the equilibrium constant decreases. What conclusion can be made concerning the energy of reaction? 1
- (b) Predict and explain the different products of the electrolysis of molten sodium chloride and a concentrated solution of sodium chloride. 4
- (c) During your course you performed a first hand investigation to carry out a chemical step involved in the Solvay process for the production of sodium carbonate. Describe the chemical step and the results obtained and relate them to the sequence of steps used in the commercial production of sodium carbonate. 4
- (d) Describe the steps and chemistry involved in the commercial production of sulfuric acid. In your answer analyse the process to predict ways in which the output of sulfuric acid is maximised. 5
- (e) Explain how the effect of hard water on the action of early soaps led to the development of new synthetic cleaning agents and associated environmental problems. 6

End of Question 30

Question 31 – Shipwrecks, Corrosion and Conservation (25 marks)**Marks**


- (a) Cadmium and zinc are often used as protective coats to prevent corrosion of mild steel.
- (i) Explain why zinc is a passivating metal. 1
- (ii) Account for the difference in corrosion when zinc and cadmium plated steels are cut or drilled 3
- (b) You have carried out a first hand investigation to compare the effectiveness of different protections used to coat iron and thus prevent corrosion. Describe and explain the results of the experimental procedure used in the investigation. 5
- (c) Chloride ions are removed from steel artefacts using an alkaline electrolytic cell.
- (i) Construct a diagram to show how chloride ions could be removed from a steel cannon, clearly labelling the anode and cathode, and identifying the half reaction at the anode. 3
- (ii) Justify the use of sodium hydroxide solution as the electrolyte for this procedure. 2
- (d) (i) Contrast the corrosion of metal shipwrecks at great depth with those wrecked in shallow water 3
- (ii) Describe the action of sulfate reducing bacteria around deep ocean wrecks. 2
- (e) Outline and analyse the impact of Volta, Davy and Faraday on our understanding of electron transfer reactions. 6

End of Question 31

Question 32 – Biochemistry of Movement (25 marks)**Marks**

- (a) (i) State the general formula for a carbohydrate, and demonstrate that glucose matches this formula. 2
- (ii) Describe how glycogen is produced from glucose and identify sites of glycogen storage in the body 2

- (b) Adenosine diphosphate (ADP) has the structure:




- (i) Describe the process, involving NADH, which converts ADP to ATP. 2
- (ii) Explain the role of ATP in muscle action. 2
- (c) With reference to a named example describe the general structure of enzymes. Explain why the shape of an enzyme is essential for its function. 5
- (d) (i) Construct a structural formula for glycerol. 1
- (ii) Explain the solubility of glycerol in water. 2
- (iii) Demonstrate the role of glycerol in storing fatty acids and account for the hydrophobic properties the stored substances. 3
- (e) Compare the respiratory pathways and products in the action of Type 1 and Type 2 muscle cells. 6

End of Question 32

Question 33 – Chemistry of Art (25 marks)**Marks**

- (a) Identify the chemical composition of two minerals used in cosmetics in ancient culture and assess the potential health risks associated with their use. **3**
- (b) The study of spectra has enabled scientists to develop new technologies in the study of pigments.
- (i) Outline the differences between line emission spectra and absorption spectra. **2**
- (ii) How did Bohr explain spectral lines in the emission spectra? **2**
- (iii) The diagram below shows an absorption spectrum for the hydrated titanium(III) ion in graphical form.

Predict the colour of this ion. Give a reason for your answer. **2**




Question 33 continues on the next page

Question 33 continued

Marks

(c) Examine the two complex ions shown below.



- (i) Write the ground state electronic configuration of the cobalt atom in terms of sub-shells. 1
- (ii) By referring to the two complex ions discuss the following in relation to modelling the structure of complex ions. 4
- ligands
 - chelation
 - nature of the coordinate bonds.

(d) The table below shows the successive ionisation energies for the sodium atom.

Ionisation	Ionisation energy (kJmol^{-1})
1st	502
2nd	4 569
3rd	6 919
4th	9 550
5th	13 356
6th	16 616
7th	20 121
8th	25 497
9th	28 941
10th	141 373
11th	159 086

- (i) Write an equation to show the first ionisation for sodium. 1
- (ii) Explain how the trend in successive ionisation energies provides information about the electronic structure of the sodium atom. 3
- (e) (i) Define the term transition element. 1
- (ii) Analyse why transition metal compounds are able to be extensively used in pigments in paints and to colour glass, enamel and ceramics. Supplement your answer with specific examples. 6

End of Question 33

Question 34 – Forensic Chemistry (25 marks)**Marks**

- (a) (i) Distinguish between organic and inorganic compounds. 1
- (ii) Alkanes, alkenes, alkanols and alkanoic acids are different classes of organic (or carbon) compounds. Describe a sequence of tests that could be used to distinguish between any THREE of these classes of compounds. 3
- (b) Sucrose is an example of a carbohydrate that is classified as both a *disaccharide* and a *non-reducing sugar*.
- (i) Explain what is meant by the term "disaccharide". 1
- (ii) Describe the chemical difference between reducing and non-reducing sugars. 3
- (c) Discuss the use of line emission spectra to identify the presence of elements and explain how such information can assist in the analysis of the origins of a soil sample 5
- (d) Improvements in computer technology have increased the use of stored data banks of information for use in forensic analysis.
- (i) Describe how a data bank is useful for a forensic chemist performing analyses using a mass spectrometer. 2
- (ii) Discuss issues associated with the maintenance of data banks of DNA. 4
- (e) Evaluate the use of electrophoresis in identifying the amino acids present in a mixture. 6

End of Question 34**End of Paper**

Chemistry

DATA SHEET

Avogadro constant, N_A	$6.022 \times 10^{23} \text{ mol}^{-1}$
Volume of 1 mole ideal gas: at 100 kPa and	
at 0°C (273.15 K)	22.71 L
at 25°C (298.15 K)	24.79 L
Ionisation constant for water at 25°C (298.15 K), K_w	1.0×10^{-14}
Specific heat capacity of water	$4.18 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$

Some useful formulae

$$\text{pH} = -\log_{10}[\text{H}^+]$$

$$\Delta H = -m C \Delta T$$

Some standard potentials

$\text{K}^+ + \text{e}^-$	\rightleftharpoons	K(s)	-2.94 V
$\text{Ba}^{2+} + 2\text{e}^-$	\rightleftharpoons	Ba(s)	-2.91 V
$\text{Ca}^{2+} + 2\text{e}^-$	\rightleftharpoons	Ca(s)	-2.87 V
$\text{Na}^+ + \text{e}^-$	\rightleftharpoons	Na(s)	-2.71 V
$\text{Mg}^{2+} + 2\text{e}^-$	\rightleftharpoons	Mg(s)	-2.36 V
$\text{Al}^{3+} + 3\text{e}^-$	\rightleftharpoons	Al(s)	-1.68 V
$\text{Mn}^{2+} + 2\text{e}^-$	\rightleftharpoons	Mn(s)	-1.18 V
$\text{H}_2\text{O} + \text{e}^-$	\rightleftharpoons	$\frac{1}{2}\text{H}_2(\text{g}) + \text{OH}^-$	-0.83 V
$\text{Zn}^{2+} + 2\text{e}^-$	\rightleftharpoons	Zn(s)	-0.76 V
$\text{Fe}^{2+} + 2\text{e}^-$	\rightleftharpoons	Fe(s)	-0.44 V
$\text{Ni}^{2+} + 2\text{e}^-$	\rightleftharpoons	Ni(s)	-0.24 V
$\text{Sn}^{2+} + 2\text{e}^-$	\rightleftharpoons	Sn(s)	-0.14 V
$\text{Pb}^{2+} + 2\text{e}^-$	\rightleftharpoons	Pb(s)	-0.13 V
$\text{H}^+ + \text{e}^-$	\rightleftharpoons	$\frac{1}{2}\text{H}_2(\text{g})$	0.00 V
$\text{SO}_4^{2-} + 4\text{H}^+ + 2\text{e}^-$	\rightleftharpoons	$\text{SO}_2(\text{aq}) + 2\text{H}_2\text{O}$	0.16 V
$\text{Cu}^{2+} + 2\text{e}^-$	\rightleftharpoons	Cu(s)	0.34 V
$\frac{1}{2}\text{O}_2(\text{g}) + \text{H}_2\text{O} + 2\text{e}^-$	\rightleftharpoons	2OH^-	0.40 V
$\text{Cu}^+ + \text{e}^-$	\rightleftharpoons	Cu(s)	0.52 V
$\frac{1}{2}\text{I}_2(\text{s}) + \text{e}^-$	\rightleftharpoons	I^-	0.54 V
$\frac{1}{2}\text{I}_2(\text{aq}) + \text{e}^-$	\rightleftharpoons	I^-	0.62 V
$\text{Fe}^{3+} + \text{e}^-$	\rightleftharpoons	Fe^{2+}	0.77 V
$\text{Ag}^+ + \text{e}^-$	\rightleftharpoons	Ag(s)	0.80 V
$\frac{1}{2}\text{Br}_2(\text{l}) + \text{e}^-$	\rightleftharpoons	Br^-	1.08 V
$\frac{1}{2}\text{Br}_2(\text{aq}) + \text{e}^-$	\rightleftharpoons	Br^-	1.10 V
$\frac{1}{2}\text{O}_2(\text{g}) + 2\text{H}^+ + 2\text{e}^-$	\rightleftharpoons	H_2O	1.23 V
$\frac{1}{2}\text{Cl}_2(\text{g}) + \text{e}^-$	\rightleftharpoons	Cl^-	1.36 V
$\frac{1}{2}\text{Cr}_2\text{O}_7^{2-} + 7\text{H}^+ + 3\text{e}^-$	\rightleftharpoons	$\text{Cr}^{3+} + \frac{7}{2}\text{H}_2\text{O}$	1.36 V
$\frac{1}{2}\text{Cl}_2(\text{aq}) + \text{e}^-$	\rightleftharpoons	Cl^-	1.40 V
$\text{MnO}_4^- + 8\text{H}^+ + 5\text{e}^-$	\rightleftharpoons	$\text{Mn}^{2+} + 4\text{H}_2\text{O}$	1.51 V
$\frac{1}{2}\text{F}_2(\text{g}) + \text{e}^-$	\rightleftharpoons	F^-	2.89 V

PERIODIC TABLE OF THE ELEMENTS

KEY		Atomic Number		Symbol of element		Name of element					
1	H	1.008	Hydrogen	79	Au	197.0	Gold	5	B	10.81	Boron
2	He	4.003	Helium	78	Br	79.90	Bromine	6	C	12.01	Carbon
3	Li	6.941	Lithium	77	Ir	192.2	Iridium	7	N	14.01	Nitrogen
4	Be	9.012	Beryllium	76	Os	190.2	Osmium	8	O	16.00	Oxygen
5	B	10.81	Boron	75	Re	186.2	Rhenium	9	F	19.00	Fluorine
6	C	12.01	Carbon	74	W	183.8	Tungsten	10	Ne	20.18	Neon
7	N	14.01	Nitrogen	73	Ta	180.9	Tantalum	11	Na	22.99	Sodium
8	O	16.00	Oxygen	72	Hf	178.5	Hafnium	12	Mg	24.31	Magnesium
9	F	19.00	Fluorine	71	La	138.9	Lanthanum	13	Al	26.98	Aluminium
10	Ne	20.18	Neon	70	Yb	173.0	Ytterbium	14	Si	28.09	Silicon
11	Na	22.99	Sodium	69	Tm	168.9	Thulium	15	P	30.97	Phosphorus
12	Mg	24.31	Magnesium	68	Er	167.3	Erbium	16	S	32.07	Sulfur
13	Al	26.98	Aluminium	67	Ho	164.9	Holmium	17	Cl	35.45	Chlorine
14	Si	28.09	Silicon	66	Dy	162.5	Dysprosium	18	Ar	39.95	Argon
15	P	30.97	Phosphorus	65	Tb	158.9	Terbium	19	K	39.10	Potassium
16	S	32.07	Sulfur	64	Gd	157.3	Gadolinium	20	Ca	40.08	Calcium
17	Cl	35.45	Chlorine	63	Eu	152.0	Europium	21	Sc	44.96	Scandium
18	Ar	39.95	Argon	62	Sm	150.4	Samarium	22	Ti	47.87	Titanium
19	K	39.10	Potassium	61	Pm	[146.9]	Promethium	23	V	50.94	Vanadium
20	Ca	40.08	Calcium	60	Nd	144.2	Neodymium	24	Cr	52.00	Chromium
21	Sc	44.96	Scandium	59	Pr	140.9	Praseodymium	25	Mn	54.94	Manganese
22	Ti	47.87	Titanium	58	Ce	140.1	Cerium	26	Fe	55.85	Iron
23	V	50.94	Vanadium	57	La	138.9	Lanthanum	27	Co	58.93	Cobalt
24	Cr	52.00	Chromium	56	Ba	137.3	Barium	28	Ni	58.69	Nickel
25	Mn	54.94	Manganese	55	Cs	132.9	Caesium	29	Cu	63.55	Copper
26	Fe	55.85	Iron	54	Xe	131.3	Xenon	30	Zn	65.39	Zinc
27	Co	58.93	Cobalt	53	I	126.9	Iodine	31	Ga	69.72	Gallium
28	Ni	58.69	Nickel	52	Te	127.6	Tellurium	32	Ge	72.61	Germanium
29	Cu	63.55	Copper	51	Sb	121.8	Antimony	33	As	74.92	Arsenic
30	Zn	65.39	Zinc	50	Sn	118.7	Tin	34	Se	78.96	Selenium
31	Ga	69.72	Gallium	49	In	114.8	Indium	35	Br	79.90	Bromine
32	Ge	72.61	Germanium	48	Cd	112.4	Cadmium	36	Kr	83.80	Krypton
33	As	74.92	Arsenic	47	Ag	107.9	Silver	37	Rb	85.47	Rubidium
34	Se	78.96	Selenium	46	Pd	106.4	Palladium	38	Sr	87.62	Strontium
35	Br	79.90	Bromine	45	Rh	102.9	Rhodium	39	Y	88.91	Yttrium
36	Kr	83.80	Krypton	44	Ru	101.1	Ruthenium	40	Zr	91.22	Zirconium
37	Rb	85.47	Rubidium	43	Tc	[98.91]	Technetium	41	Nb	92.91	Niobium
38	Sr	87.62	Strontium	42	Mo	95.94	Molybdenum	42	Mo	95.94	Molybdenum
39	Y	88.91	Yttrium	41	Nb	92.91	Niobium	43	Tc	[98.91]	Technetium
40	Zr	91.22	Zirconium	40	Zr	91.22	Zirconium	44	Ru	101.1	Ruthenium
41	Nb	92.91	Niobium	39	Y	88.91	Yttrium	45	Rh	102.9	Rhodium
42	Mo	95.94	Molybdenum	38	Sr	87.62	Strontium	46	Pd	106.4	Palladium
43	Tc	[98.91]	Technetium	37	Rb	85.47	Rubidium	47	Ag	107.9	Silver
44	Ru	101.1	Ruthenium	36	Kr	83.80	Krypton	48	Cd	112.4	Cadmium
45	Rh	102.9	Rhodium	35	Br	79.90	Bromine	49	In	114.8	Indium
46	Pd	106.4	Palladium	34	Se	78.96	Selenium	50	Sn	118.7	Tin
47	Ag	107.9	Silver	33	As	74.92	Arsenic	51	Sb	121.8	Antimony
48	Cd	112.4	Cadmium	32	Ge	72.61	Germanium	52	Te	127.6	Tellurium
49	In	114.8	Indium	31	Ga	69.72	Gallium	53	I	126.9	Iodine
50	Sn	118.7	Tin	30	Zn	65.39	Zinc	54	Xe	131.3	Xenon
51	Sb	121.8	Antimony	29	Cu	63.55	Copper	55	Cs	132.9	Caesium
52	Te	127.6	Tellurium	28	Ni	58.69	Nickel	56	Ba	137.3	Barium
53	I	126.9	Iodine	27	Co	58.93	Cobalt	57	La	138.9	Lanthanum
54	Xe	131.3	Xenon	26	Fe	55.85	Iron	58	Ce	140.1	Cerium
55	Cs	132.9	Caesium	25	Mn	54.94	Manganese	59	Pr	140.9	Praseodymium
56	Ba	137.3	Barium	24	Cr	52.00	Chromium	60	Nd	144.2	Neodymium
57	La	138.9	Lanthanum	23	V	50.94	Vanadium	61	Pm	[146.9]	Promethium
58	Ce	140.1	Cerium	22	Ti	47.87	Titanium	62	Sm	150.4	Samarium
59	Pr	140.9	Praseodymium	21	Sc	44.96	Scandium	63	Eu	152.0	Europium
60	Nd	144.2	Neodymium	20	Ca	40.08	Calcium	64	Gd	157.3	Gadolinium
61	Pm	[146.9]	Promethium	19	K	39.10	Potassium	65	Tb	158.9	Terbium
62	Sm	150.4	Samarium	18	Ar	39.95	Argon	66	Dy	162.5	Dysprosium
63	Eu	152.0	Europium	17	Cl	35.45	Chlorine	67	Ho	164.9	Holmium
64	Gd	157.3	Gadolinium	16	S	32.07	Sulfur	68	Er	167.3	Erbium
65	Tb	158.9	Terbium	15	P	30.97	Phosphorus	69	Tm	168.9	Thulium
66	Dy	162.5	Dysprosium	14	Si	28.09	Silicon	70	Yb	173.0	Ytterbium
67	Ho	164.9	Holmium	13	Al	26.98	Aluminium	71	Lu	175.0	Lutetium
68	Er	167.3	Erbium	12	Mg	24.31	Magnesium	72	Hf	178.5	Hafnium
69	Tm	168.9	Thulium	11	Na	22.99	Sodium	73	Ta	180.9	Tantalum
70	Yb	173.0	Ytterbium	10	Ne	20.18	Neon	74	W	183.8	Tungsten
71	Lu	175.0	Lutetium	9	F	19.00	Fluorine	75	Re	186.2	Rhenium
72	Hf	178.5	Hafnium	8	O	16.00	Oxygen	76	Os	190.2	Osmium
73	Ta	180.9	Tantalum	7	N	14.01	Nitrogen	77	Ir	192.2	Iridium
74	W	183.8	Tungsten	6	C	12.01	Carbon	78	Pt	195.1	Platinum
75	Re	186.2	Rhenium	5	B	10.81	Boron	79	Au	197.0	Gold
76	Os	190.2	Osmium	4	Be	9.012	Beryllium	80	Hg	200.6	Mercury
77	Ir	192.2	Iridium	3	Li	6.941	Lithium	81	Tl	204.4	Thallium
78	Pt	195.1	Platinum	2	He	4.003	Helium	82	Pb	207.2	Lead
79	Au	197.0	Gold	1	H	1.008	Hydrogen	83	Bi	209.0	Bismuth
80	Hg	200.6	Mercury					84	Po	[210.0]	Polonium
81	Tl	204.4	Thallium					85	At	[210.0]	Astatine
82	Pb	207.2	Lead					86	Rn	[222.0]	Radon
83	Bi	209.0	Bismuth					87	Fr	[223.0]	Francium
84	Po	[210.0]	Polonium					88	Ra	[226.0]	Radium
85	At	[210.0]	Astatine					89-103	Actinides		
86	Rn	[222.0]	Radon					104	Rf	[261.1]	Rutherfordium
87	Fr	[223.0]	Francium					105	Db	[262.1]	Dubnium
88	Ra	[226.0]	Radium					106	Sg	[263.1]	Seaborgium
89-103	Actinides							107	Bh	[264.1]	Bohrium
104	Rf	[261.1]	Rutherfordium					108	Hs	[265.1]	Hassium
105	Db	[262.1]	Dubnium					109	Mt	[268]	Meitnerium
106	Sg	[263.1]	Seaborgium					110	Un	—	Ununnilium
107	Bh	[264.1]	Bohrium					111	Uuu	—	Unununium
108	Hs	[265.1]	Hassium					112	Uub	—	Ununbium
109	Mt	[268]	Meitnerium					113	Uuq	—	Ununquadium
110	Un	—	Ununnilium					114	Uuq	—	Ununquadium
111	Uuu	—	Unununium					115	Uuh	—	Ununhexium
112	Uub	—	Ununbium					116	Uuh	—	Ununhexium
113	Uuq	—	Ununquadium					117	Uuh	—	Ununhexium
114	Uuq	—	Ununquadium					118	Uuo	—	Ununoctium
115	Uuh	—	Ununhexium					119	Uuo	—	Ununoctium
116	Uuh	—	Ununhexium					120	Uuo	—	Ununoctium
117	Uuh	—	Ununhexium					121	Uuo	—	Ununoctium
118	Uuo	—	Ununoctium					122	Uuo	—	Ununoctium
119	Uuo	—	Ununoctium					123	Uuo	—	Ununoctium
120	Uuo	—	Ununoctium					124	Uuo	—	Ununoctium
121	Uuo	—	Ununoctium					125	Uuo	—	Ununoctium
122	Uuo	—	Ununoctium					126	Uuo	—	Ununoctium
123	Uuo	—	Ununoctium					127	Uuo	—	Ununoctium
124	Uuo	—	Ununoctium					128	Uuo	—	Ununoctium
125	Uuo	—	Ununoctium					129	Uuo	—	Ununoctium
126	Uuo	—	Ununoctium					130	Uuo	—	Ununoctium
127	Uuo	—	Ununoctium					131	Uuo	—	Ununoctium
128	Uuo	—	Ununoctium					132	Uuo	—	Ununoctium
129	Uuo	—	Ununoctium					133	Uuo	—	Ununoctium
130	Uuo	—	Ununoctium					134	Uuo	—	Ununoctium
131	Uuo	—	Ununoctium					135	Uuo	—	Ununoctium
132	Uuo	—	Ununoctium					136	Uuo	—	Ununoctium
133	Uuo	—	Ununoctium					137	Uuo	—	Ununoctium
134	Uuo	—	Ununoctium					138	Uuo	—	Ununoctium
135	Uuo	—	Ununoctium					139	Uuo	—	Ununoctium
136	Uuo	—	Ununoctium					140	Uuo	—	Ununoctium
137	Uuo	—	Ununoctium					141	Uuo	—	Ununoctium
138	Uuo	—	Ununoctium					142	Uuo	—	Ununoctium
139	Uuo	—	Ununoctium					143	Uuo	—	Ununoctium
140	Uuo	—	Ununoctium					144	Uuo	—	Ununoctium
141	Uuo	—	Ununoctium					145	Uuo	—	Ununoctium
142	Uuo	—	Ununoctium					146	Uuo	—	Ununoctium
143	Uuo	—	Ununoctium					147	Uuo	—	Ununoctium
144	Uuo	—	Ununoctium					148	Uuo	—	Ununoctium
145	Uuo	—	Ununoctium					149	Uuo	—	Ununoctium
146	Uuo	—	Ununoctium					150	Uuo	—	Ununoctium
147	Uuo	—	Ununoctium					151	Uuo	—	Ununoctium
148	Uuo	—	Ununoctium					152	Uuo	—	Ununoctium
149	Uuo	—	Ununoctium					153	U		