```
1|
2|
3|
4| use File::Temp;
5| use Semi::Literate;
```

Weave a semi-literate program into Text, Markdown, etc. format

```
6| sub MAIN($input-file,
             Bool :1(:$line-numbers) = True;
 7 |
             Str :f(:\$format) is copy = 'markdown';
 8 |
 9|
             Str :o(:$output-file);
             Bool :v(:$verbose) = True;
10|
11|
        ) {
        my Str $extension;
12|
13|
        my Str @options;
14|
        my Bool $no-output-file = False;
15 I
16|
        note "Input Format => $format" if $verbose;
        $format .= trim;
17|
18|
        given $format {
            when /:i ^ markdown | md $ / {
19|
20|
                $format = 'MarkDown2';
21|
                $extension = 'md';
22|
            };
            when /:i ^ [[plain][\-|_]?]? t[e]?xt $ / {}
23|
24|
                $format = 'Text';
                $extension = 'txt';
25|
26|
27|
            when /:i ^ [s]?htm[l]? $/ {
                $format = 'HTML2';
28|
29|
                $extension = 'html';
30|
            when /:i ^ pdf $ / {
31|
                                 = 'PDF';
32|
                $format
331
                $extension
                               = '.pdf';
                               = "--save-as=$output-file" if $output-file;
34|
                @options
                $no-output-file = True;
35|
36|
37|
            when /:i ^ pdf[\-|_]?lite $ / {
                                = 'PDF::Lite';
38|
                $format
39|
                $extension
                                = '.pdf';
                                = "--save-as=$output-file" if $output-file;
40|
41|
                $no-output-file = True;
42|
            when /:i ^ pod 6? $/ {
43|
44|
                $format = 'Pod6';
                $extension = '.rakudoc';
45|
46|
            }
47|
            default {
481
49|
                $extension = $format;
            }
50|
51|
52|
53|
        my Str $woven = weave($input-file, :$line-numbers);
54|
        my $output-file-handle = $output-file
55|
56|
                                     open(:w, $output-file) !!
57|
                                     $*0UT
                                 unless $no-output-file;
58|
```

```
59|
        if $format eq 'Pod6' {
60|
61|
            $output-file-handle.spurt: $woven;
62|
            return;
63|
        }
641
        note "Weave Format => $format" if $verbose;
65|
66|
        my Str $f = "Pod::To::$format";
67|
        try require ::($f);
68|
        if ::($f) ~~ Failure {
69|
            die "$format is not a supported output format"
70|
        }
71|
        my ($pod-file, $fh) = tempfile(suffix => '.rakudoc', :!unlink);
72|
73|
        note "Temp file: $pod-file" if $verbose;
74|
        $pod-file.IO.spurt: $woven;
75|
76|
        run $*EXECUTABLE,
77|
78|
            "--doc=$format",
79|
            $pod-file,
            @options,
80|
81|
            :out($output-file-handle);
82|
83| }
84|
```