


How algebraists think about the world.



Examples -

\rightsquigarrow = \leadsto

1. $X \rightsquigarrow \text{Aut}(X) \hookrightarrow \text{Group.}$ || Later. half.

2. X geometric object \rightsquigarrow Fundamental group of X .

3.



Cohomology ring.

NOT
in this
course

4. Number

(complex number)

α



$\mathbb{Z}[\alpha]$

on

$\mathbb{Q}[\alpha]$

||

Ring = Assoc, comm, unital.

Given $\alpha \in \mathbb{C}$

$$\mathbb{Z}[\alpha] \subset \mathbb{C}$$

the smallest
subring

that contains \mathbb{Z} & α .

$$\mathbb{Q}[\alpha] \subset \mathbb{C}$$

the smallest
subring

that contains \mathbb{Q} & α .

$$\mathbb{Z}[\alpha] \ni \left. \begin{array}{l} 0, 1, 2, \dots, -1, -2, \dots \\ \alpha, 2\alpha, 3\alpha, \dots, n\alpha, n \in \mathbb{Z} \\ \alpha^2, 5\alpha^3 - 3\alpha + 1, \text{ etc.} \end{array} \right\}$$

$$\mathbb{Z}[\alpha] = \left\{ a_n \alpha^n + a_{n-1} \alpha^{n-1} + \dots + a_1 \alpha + a_0 \right\}$$

where $a_i \in \mathbb{Z}$, $n \geq 0$ integer.

$$\mathbb{Q}[\alpha] = \left\{ a_n \alpha^n + \dots + a_1 \alpha + a_0, \right.$$

where $a_i \in \mathbb{Q}$ $\left. \right\}$

$$\mathbb{Z} \subset \mathbb{Z}[\alpha] \subset \mathbb{C}$$

Ex. $\alpha \in \mathbb{Z}$ then $\mathbb{Z}[\alpha] = \mathbb{Z}$

$\alpha = \sqrt{2}$ then

$$\mathbb{Z}[\alpha] = \{ a_n (\sqrt{2})^n + \dots + a_1 (\sqrt{2})^1 + a_0 \}$$

$$5(\sqrt{2})^3 + 4(\sqrt{2})^2 - (\sqrt{2}) + 1$$

$$10(\sqrt{2}) + 8 - \sqrt{2} + 1$$

$$9\sqrt{2} + 9$$

$$= \{ a_1 \sqrt{2} + a_0 \}$$

Ex: $\mathbb{Q} [3^{1/5}]$

$$= \left\{ a_4 (3^{1/5})^4 + \dots + a_1 (3^{1/5}) + a_0 \right\}$$

Q: When will this kind of thing happen?

Requiring only finitely many powers
in the lin. comb.

Ex. $\alpha = \frac{1+\sqrt{5}}{2}$, $\mathbb{Q} [\alpha]$ $\alpha^2 = \alpha + 1$

$$\alpha^2 = \alpha + 1$$

$$\alpha^3 = (\alpha + 1)\alpha = (\alpha + 1) + \alpha$$

Higher power = lin. comb of α & 1