





Total, all causes of death [A00–Y89]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Salmonella infections [A01–A02]



Shigellosis and amoebiasis [A03, A06]




Tuberculosis [A16–A19]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Whooping cough [A37]






Scarlet fever and erysipelas [A38, A46]



Meningococcal infection [A39]




Sepsis [A40–A41]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Syphilis [A50–A53]




Acute poliomyelitis [A80]






Arthropod-borne viral encephalitis [A83–A84, A85.2]



Measles [B05]






Viral hepatitis [B15–B19]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Human immunodeficiency virus [HIV] disease [B20–B24]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Malaria [B50–B54]






Malignant neoplasms [C00–C97]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behaviour [D00–D48]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Anaemias [D50–D64]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Diabetes mellitus [E10–E14]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Nutritional deficiencies [E40–E64]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Meningitis [G00, G03]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Parkinson's disease [G20–G21]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Alzheimer's disease [G30]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Diseases of heart [I00–I09, I11, I13, I20–I51]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Essential hypertension and hypertensive renal disease [I10, I12, I15]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Cerebrovascular diseases [I60–I69]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Atherosclerosis [I70]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Aortic aneurysm and dissection [I71]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Influenza and pneumonia [J09–J18]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Acute bronchitis and bronchiolitis [J20–J21]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Chronic lower respiratory diseases [J40–J47]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Pneumoconioses and chemical effects [J60–J66, J68]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Pneumonitis due to solids and liquids [J69]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Peptic ulcer [K25–K28]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Diseases of appendix [K35–K38]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Hernia [K40–K46]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Chronic liver disease and cirrhosis [K70, K73–K74]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Cholelithiasis and other disorders of gallbladder [K80–K82]






Nephritis, nephrotic syndrome and nephrosis [N00–N07, N17–N19, N25–N27]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Infections of kidney [N10–N12, N13.6, N15.1]



Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Hyperplasia of prostate [N40]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death






Inflammatory diseases of female pelvic organs [N70–N76]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Pregnancy, childbirth and the puerperium [O00–O99]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Certain conditions originating in the perinatal period [P00–P96]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Congenital malformations, deformations and chromosomal abnormalities [Q00–Q99]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




COVID-19 [U07.1, U07.2, U10.9]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Accidents (unintentional injuries) [V01–X59, Y85–Y86]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Intentional self-harm (suicide) [X60–X84, Y87.0]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Assault (homicide) [X85–Y09, Y87.1]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Legal intervention [Y35, Y89.0]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Operations of war and their sequelae [Y36, Y89.1]





Complications of medical and surgical care [U12.9, Y40–Y84, Y88]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Other causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

