







# Total, all causes of death [A00–Y89]






# Salmonella infections [A01–A02]



# Shigellosis and amoebiasis [A03, A06]




# Tuberculosis [A16–A19]




## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


# Whooping cough [A37]






# Scarlet fever and erysipelas [A38, A46]



# Meningococcal infection [A39]




# Sepsis [A40–A41]




## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


# Syphilis [A50–A53]




# Acute poliomyelitis [A80]




# Arthropod-borne viral encephalitis [A83–A84, A85.2]






# Measles [B05]



# Viral hepatitis [B15–B19]




# Human immunodeficiency virus [HIV] disease [B20–B24]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

# Malaria [B50–B54]






# Malignant neoplasms [C00–C97]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behaviour [D00–D48]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Anaemias [D50–D64]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Diabetes mellitus [E10–E14]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Nutritional deficiencies [E40–E64]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Meningitis [G00, G03]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Parkinson's disease [G20–G21]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Alzheimer's disease [G30]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Diseases of heart [I00–I09, I11, I13, I20–I51]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Essential hypertension and hypertensive renal disease [I10, I12, I15]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Cerebrovascular diseases [I60–I69]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Atherosclerosis [I70]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Aortic aneurysm and dissection [I71]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Influenza and pneumonia [J09–J18]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Acute bronchitis and bronchiolitis [J20–J21]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Chronic lower respiratory diseases [J40–J47]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Pneumoconioses and chemical effects [J60–J66, J68]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Pneumonitis due to solids and liquids [J69]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Peptic ulcer [K25–K28]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Diseases of appendix [K35–K38]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Hernia [K40–K46]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


# Chronic liver disease and cirrhosis [K70, K73–K74]






## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

# Cholelithiasis and other disorders of gallbladder [K80–K82]






# Nephritis, nephrotic syndrome and nephrosis [N00–N07, N17–N19, N25–N27]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Infections of kidney [N10–N12, N13.6, N15.1]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Hyperplasia of prostate [N40]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Inflammatory diseases of female pelvic organs [N70–N76]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Pregnancy, childbirth and the puerperium [O00–O99]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



# Certain conditions originating in the perinatal period [P00–P96]



Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

# Congenital malformations, deformations and chromosomal abnormalities [Q00–Q99]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death






# COVID-19 [U07.1, U07.2, U10.9]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Accidents (unintentional injuries) [V01–X59, Y85–Y86]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Intentional self-harm (suicide) [X60–X84, Y87.0]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




# Assault (homicide) [X85–Y09, Y87.1]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


# Legal intervention [Y35, Y89.0]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

# Operations of war and their sequelae [Y36, Y89.1]





# Complications of medical and surgical care [U12.9, Y40–Y84, Y88]



## Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

## Other causes of death



### Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

