



Total, all causes of death [A00–Y89]


Age-specific mortality rate per 100,000 population



Number of deaths





Rank of leading causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Salmonella infections [A01-A02]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Shigellosis and amoebiasis [A03, A06]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Tuberculosis [A16–A19]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death


Whooping cough [A37]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Scarlet fever and erysipelas [A38, A46]





Meningococcal infection [A39]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Sepsis [A40–A41]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Syphilis [A50–A53]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Acute poliomyelitis [A80]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Arthropod-borne viral encephalitis [A83-A84, A85.2]





Measles [B05]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Viral hepatitis [B15–B19]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Human immunodeficiency virus [HIV] disease [B20–B24]



Measurement



Malaria [B50–B54]




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Malignant neoplasms [C00–C97]


Age-specific mortality rate per 100,000 population



Number of deaths






Rank of leading causes of death





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behaviour [D00–D48]






Anaemias [D50–D64]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Diabetes mellitus [E10–E14]





Nutritional deficiencies [E40–E64]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Meningitis [G00, G03]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Parkinson's disease [G20–G21]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Alzheimer's disease [G30]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Diseases of heart [I00–I09, I11, I13, I20–I51]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Essential hypertension and hypertensive renal disease [I10, I12, I15]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Cerebrovascular diseases [I60-I69]





Atherosclerosis [I70]



Aortic aneurysm and dissection [I71]




Influenza and pneumonia [J09-J18]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death




Acute bronchitis and bronchiolitis [J20–J21]



Chronic lower respiratory diseases [J40–J47]







Pneumoconioses and chemical effects [J60–J66, J68]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Pneumonitis due to solids and liquids [J69]






Peptic ulcer [K25–K28]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Diseases of appendix [K35–K38]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Hernia [K40–K46]




Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Chronic liver disease and cirrhosis [K70, K73–K74]


Age-specific mortality rate per 100,000 population



Number of deaths





Rank of leading causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Cholelithiasis and other disorders of gallbladder [K80–K82]



Measurement


- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Nephritis, nephrotic syndrome and nephrosis [N00–N07, N17–N19, N25–N27]





Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Infections of kidney [N10–N12, N13.6, N15.1]




Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death





Hyperplasia of prostate [N40]







Measurement






Inflammatory diseases of female pelvic organs [N70–N76]






Pregnancy, childbirth and the puerperium [O00–O99]



Certain conditions originating in the perinatal period [P00–P96]






Congenital malformations, deformations and chromosomal abnormalities [Q00–Q99]






Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

COVID-19 [U07.1, U07.2, U10.9]






Accidents (unintentional injuries) [V01–X59, Y85–Y86]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Intentional self-harm (suicide) [X60-X84, Y87.0]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Assault (homicide) [X85–Y09, Y87.1]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Legal intervention [Y35, Y89.0]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Operations of war and their sequelae [Y36, Y89.1]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death



Complications of medical and surgical care [U12.9, Y40–Y84, Y88]



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death

Other causes of death



Measurement

- Age-specific mortality rate per 100,000 population
- Number of deaths
- Rank of leading causes of death