

The *power set* of the set A , denoted by $\mathcal{P}(A)$, is the set of all subsets of A .

Example 2.0.6. Let $A = \{1, 2, 3\}$. Then

$$\mathcal{P}(A) = \{\{\}, \{1\}, \{2\}, \{3\}, \{1, 2\}, \{1, 3\}, \{2, 3\}, \{1, 2, 3\}\}.$$

Since the empty set and the set A are subsets of A they are listed in $\mathcal{P}(A)$.

Problem 2.0.7. Write the power set for the set $\{\{1, 2\}, 3, \{\}\}$.

Problem 2.0.8. How many elements are in the power set of a set containing exactly three elements?

To show that a set A is a subset of the set B it suffices to show that every element in A is in B . One way to do this is to pick an arbitrary element in A , say x , and show that $x \in B$. Since x is an arbitrary element in A it is the case that all elements of A are elements of B .

Theorem 2.0.9. For any set A , $A \subseteq A$ and $\{\} \subseteq A$.

Proof. Direct Proof

For every $x \in A$ it is the case that $x \in A$. Therefore, by definition of subsets, $A \subseteq A$.

Proof by Contradiction

Suppose $\{\} \not\subseteq A$. By definition, there exists $x \in \{\}$ such that $x \notin A$. However, this contradicts that the empty set has no elements. This shows that $\{\} \not\subseteq A$ is false which implies that $\{\} \subseteq A$ is true. \square