

Document information

Software: realplex 2.2

File Name: EPPENDORF\Svenja\ileumplate7

Printed by: EPPENDORF

Created: Nov/15/2018 10:08

Serial No. Thermo Module: 6325 30387 Serial No. realplex Module.: 630011465

Acquisition Start Time: EPPENDORF Nov/15/2018 10:12
Acquisition End Time: EPPENDORF Nov/15/2018 11:40
Last updated: EPPENDORF Nov/06/2018 18:40

Background: Sarstedt-20µl Sep/12/2011 10:28 Color Calibration: SYBR Mar/12/2018 15:31

ileumplate7 Quantification Nov/15/2018 12:45

Melting Curve Nov/15/2018 12:46

Inverted Data: OFF

Comment:




Plate layout

	1	2	3	4	5	6	7	8	9	10	11	12
Α	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
В	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
С	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
D	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
E	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
F	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
G	ILWE_A											
	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00	1: 1.00
Н	NTC	NTC	NTC	NTC	NTC	NTC	water	water	water	water	water	water



PCR Program




Program Header

Lid Temp	105 °C	TSP Heated Lid	Yes
Temp. Mode	Standard	Switch off lid at low block temp	No
Impulse	No	Simulate Mastercycler gradient	No




Raw Data SYBR

Fluorescence Profile



Temperature Profile





Quantification SYBR

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
! ■ A1	ILWE_AA_558	29.84	29.81	0.04	1.00			eimeria
. ■ A2	ILWE_AA_558	29.82	29.81	0.04	1.00			eimeria
<u>.</u> ■ A3	ILWE_AA_558	29.76	29.81	0.04	1.00			eimeria
- ! □ ■A4	ILWE_AA_558	22.63	22.54	0.08	1.00			mouse
! ■ A5	ILWE_AA_558	22.47	22.54	0.08	1.00			mouse
	ILWE_AA_558	22.53	22.54	0.08	1.00			mouse
! 	ILWE_AA_569	30.29	30.81	0.47	1.00			eimeria
! ■ A8	ILWE_AA_569	30.90	30.81	0.47	1.00			eimeria
! ■ A9	ILWE_AA_569	31.23	30.81	0.47	1.00			eimeria
!	ILWE_AA_569	21.71	21.79	0.34	1.00			mouse
!	ILWE_AA_569	21.50	21.79	0.34	1.00			mouse
!	ILWE_AA_569	22.16	21.79	0.34	1.00			mouse
! ■ B1	ILWE_AA_560	31.42	31.54	0.11	1.00			eimeria
! ■ B2	ILWE_AA_560	31.61	31.54	0.11	1.00			eimeria
! ■ B3	ILWE_AA_560	31.59	31.54	0.11	1.00			eimeria
! ■ B4	ILWE_AA_560	23.31	23.24	0.15	1.00			mouse
! ■ B5	ILWE_AA_560	23.07	23.24	0.15	1.00			mouse
! ■ B6	ILWE_AA_560	23.36	23.24	0.15	1.00			mouse
!	ILWE_AA_570	32.11	31.76	0.31	1.00			eimeria
! ■ B8	ILWE_AA_570	31.53	31.76	0.31	1.00			eimeria
! ■ B9	ILWE_AA_570	31.64	31.76	0.31	1.00			eimeria
! ■ B10	ILWE_AA_570	20.72	21.09	0.59	1.00			mouse
!	ILWE_AA_570	20.78	21.09	0.59	1.00			mouse
! ■ B12	ILWE_AA_570	21.76	21.09	0.59	1.00			mouse
!	ILWE_AA_561	31.55	31.31	0.26	1.00			eimeria
!	ILWE_AA_561	31.03	31.31	0.26	1.00			eimeria
i	ILWE_AA_561	31.36	31.31	0.26	1.00			eimeria
! ■ C4	ILWE_AA_561	23.95	23.69	0.25	1.00			mouse
! □ C5	ILWE_AA_561	23.66	23.69	0.25	1.00			mouse
i∏ C6	ILWE_AA_561	23.45	23.69	0.25	1.00			mouse
!	ILWE_AA_571	32.79	32.54	0.42	1.00			eimeria
i	ILWE_AA_571	32.06	32.54	0.42	1.00			eimeria
i∏ C9	ILWE_AA_571	32.79	32.54	0.42	1.00			eimeria
!	ILWE_AA_571	22.99	23.22	0.54	1.00			mouse
! ∏	ILWE_AA_571	22.82	23.22	0.54	1.00			mouse




Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
. C12	ILWE_AA_571	23.84	23.22	0.54	1.00			mouse
. □ □ D1	ILWE_AA_562	31.89	31.82	0.46	1.00			eimeria
. D2	ILWE_AA_562	31.33	31.82	0.46	1.00			eimeria
! ■ D3	ILWE_AA_562	32.23	31.82	0.46	1.00			eimeria
! ■ D4	ILWE_AA_562	22.90	22.96	0.16	1.00			mouse
! ■ D5	ILWE_AA_562	22.83	22.96	0.16	1.00			mouse
i ■ D6	ILWE_AA_562	23.14	22.96	0.16	1.00			mouse
!	ILWE_AA_572	30.72	31.56	0.73	1.00			eimeria
! ■ D8	ILWE_AA_572	31.91	31.56	0.73	1.00			eimeria
! ■ D9	ILWE_AA_572	32.03	31.56	0.73	1.00			eimeria
! ☐ D10	ILWE_AA_572	22.58	22.75	0.59	1.00			mouse
! □ □D11	ILWE_AA_572	22.27	22.75	0.59	1.00			mouse
! ☐ D12	ILWE_AA_572	23.42	22.75	0.59	1.00			mouse
! ■ E1	ILWE_AA_564	32.05	31.69	0.33	1.00			eimeria
! ■ E2	ILWE_AA_564	31.42	31.69	0.33	1.00			eimeria
! ■ E3	ILWE_AA_564	31.60	31.69	0.33	1.00			eimeria
! ■ E4	ILWE_AA_564	23.15	22.98	0.15	1.00			mouse
! ■ E5	ILWE_AA_564	22.87	22.98	0.15	1.00			mouse
! ■ E 6	ILWE_AA_564	22.92	22.98	0.15	1.00			mouse
! ∏ ■E7	ILWE_AA_573	31.77	31.49	0.33	1.00			eimeria
! ■E8	ILWE_AA_573	31.13	31.49	0.33	1.00			eimeria
! ∏ ■E9	ILWE_AA_573	31.58	31.49	0.33	1.00			eimeria
! ■E10	ILWE_AA_573	20.82	21.03	0.48	1.00			mouse
! ■E11	ILWE_AA_573	20.69	21.03	0.48	1.00			mouse
! ■E12	ILWE_AA_573	21.58	21.03	0.48	1.00			mouse
! 	ILWE_AA_566	31.85	31.57	0.28	1.00			eimeria
! ■ F2	ILWE_AA_566	31.30	31.57	0.28	1.00			eimeria
! ∏ ■F3	ILWE_AA_566	31.56	31.57	0.28	1.00			eimeria
! ∏ F 4	ILWE_AA_566	23.08	22.90	0.19	1.00			mouse
! ■ F5	ILWE_AA_566	22.70	22.90	0.19	1.00			mouse
!	ILWE_AA_566	22.92	22.90	0.19	1.00			mouse
! ∏ ■ F7	ILWE_AA_574	32.27	32.19	0.53	1.00			eimeria
!	ILWE_AA_574	31.63	32.19	0.53	1.00			eimeria
!	ILWE_AA_574	32.67	32.19	0.53	1.00			eimeria
!	ILWE_AA_574	22.41	22.62	0.53	1.00			mouse
! 	ILWE_AA_574	22.23	22.62	0.53	1.00			mouse
! ∏ □F12	ILWE_AA_574	23.22	22.62	0.53	1.00			mouse
! ∏ G 1	ILWE_AA_568	30.05	31.05	0.88	1.00			eimeria
! ∏ G 2	ILWE_AA_568	31.46	31.05	0.88	1.00			eimeria



Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
<u>•</u> ■ G3	ILWE_AA_568	31.66	31.05	0.88	1.00			eimeria
!	ILWE_AA_568	23.26	23.20	0.13	1.00			mouse
!	ILWE_AA_568	23.05	23.20	0.13	1.00			mouse
!	ILWE_AA_568	23.29	23.20	0.13	1.00			mouse
!	ILWE_AA_575	31.29	31.03	0.34	1.00			eimeria
!	ILWE_AA_575	30.64	31.03	0.34	1.00			eimeria
. G9	ILWE_AA_575	31.16	31.03	0.34	1.00			eimeria
_ ! ∏	ILWE_AA_575	20.66	20.94	0.40	1.00			mouse
- ! ∏	ILWE_AA_575	20.76	20.94	0.40	1.00			mouse
!	ILWE_AA_575	21.40	20.94	0.40	1.00			mouse
- □ ■H1	NTC	-			-			eimeria
- □ H2	NTC	-			-			eimeria
- ■H3	NTC	-			-			eimeria
- ■H4	NTC	-			-			mouse
- □ ■H5	NTC	36.44			-			mouse
- □ ■H6	NTC	-			-			mouse
- □ ■H7	water	-			-			eimeria
- ■H8	water	-			-			eimeria
- ∐ ■H9	water	-			-			eimeria
-TH10	water	-			-			mouse
_ - ■ H11	water	-			-			mouse
-U H12	water	-			-			mouse




Amplification Plot



Threshold 266 (Noiseband)

Baseline automatic, Drift correction OFF

Standard curve



Amount[Copies]

Slope - R^2 - Y-Intercept - Efficiency -



Melting Curve SYBR

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
! ∏ A1	ILWE_AA_558	0				_
!	ILWE_AA_558	0				
! ■ A3	ILWE_AA_558	0				
!	ILWE_AA_558	1	79.4			
!	ILWE_AA_558	1	79.7			
!	ILWE_AA_558	1	79.8			
!	ILWE_AA_569	0				
!	ILWE_AA_569	0				
!	ILWE_AA_569	0				
!	ILWE_AA_569	1	80.3			
!	ILWE_AA_569	1	80.4			
!	ILWE_AA_569	1	80.4			
! ■ B1	ILWE_AA_560	0				
! ■ B2	ILWE_AA_560	0				
! ■ B3	ILWE_AA_560	0				
!	ILWE_AA_560	1	79.7			
!	ILWE_AA_560	1	79.8			
! ■ B6	ILWE_AA_560	1	79.7			
!	ILWE_AA_570	0				
! ■ B8	ILWE_AA_570	0				
! ■ B9	ILWE_AA_570	0				
! ■ B10	ILWE_AA_570	1	79.5			
! ■ B11	ILWE_AA_570	1	79.7			
! ■ B12	ILWE_AA_570	1	79.7			
! ∏ C1	ILWE_AA_561	0				
! € C2	ILWE_AA_561	0				
i	ILWE_AA_561	0				
!	ILWE_AA_561	1	79.3			
<u>•</u>	ILWE_AA_561	1	79.5			
i∏ C6	ILWE_AA_561	1	79.6			
! 	ILWE_AA_571	0				
i	ILWE_AA_571	0				
!	ILWE_AA_571	0				
! 	ILWE_AA_571	1	79.6			
! €11	ILWE_AA_571	1	79.6			
! 	ILWE_AA_571	1	79.6			
_						




Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
<u>•</u> □ D1	ILWE_AA_562	0				
! □ D2	ILWE_AA_562	0				
! ■ D3	ILWE_AA_562	0				
! ∏ D4	ILWE_AA_562	1	79.0			
! □ D5	ILWE_AA_562	1	79.2			
i □ D6	ILWE_AA_562	1	79.3			
! ∏ D7	ILWE_AA_572	0				
<u>.</u> D8	ILWE_AA_572	0				
! □ D9	ILWE_AA_572	0				
. □ D10	ILWE_AA_572	1	79.2			
_ !∏ D11	ILWE_AA_572	1	79.3			
! ■ D12	ILWE_AA_572	1	79.4			
! ■ E1	ILWE_AA_564	0				
! 	ILWE_AA_564	0				
! 	ILWE_AA_564	0				
! ∏ E4	ILWE_AA_564	1	78.9			
!	ILWE_AA_564	1	79.2			
i	ILWE_AA_564	1	79.2			
! ∏ E7	ILWE_AA_573	0				
!	ILWE_AA_573	0				
!	ILWE_AA_573	0				
! ■ E10	ILWE_AA_573	1	79.5			
! 	ILWE_AA_573	1	79.5			
! ■ E12	ILWE_AA_573	1	79.6			
! 	ILWE_AA_566	0				
!	ILWE_AA_566	0				
!	ILWE_AA_566	0				
!	ILWE_AA_566	1	79.2			
!	ILWE_AA_566	1	79.5			
!	ILWE_AA_566	1	79.6			
!	ILWE_AA_574	0				
!	ILWE_AA_574	0				
!	ILWE_AA_574	0				
!	ILWE_AA_574	1	79.6			
! ∏ F11	ILWE_AA_574	1	79.7			
!	ILWE_AA_574	1	79.7			
!	ILWE_AA_568	0				
!	ILWE_AA_568	0				
i∏ G3	ILWE_AA_568	0				
! ∏ G4	ILWE_AA_568	1	79.1			



Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
!	ILWE_AA_568	1	79.4			
!	ILWE_AA_568	1	79.5			
!	ILWE_AA_575	0				
!	ILWE_AA_575	0				
!	ILWE_AA_575	0				
!	ILWE_AA_575	1	79.6			
!	ILWE_AA_575	1	79.6			
!	ILWE_AA_575	1	79.6			
- ☐ H1	NTC	0				
- ☐ H2	NTC	0				
- ☐ H3	NTC	0				
- ☐ H4	NTC	0				
- ☐ H5	NTC	0				
- ∏ H6	NTC	0				
- ☐ H7	water	0				
- □ H8	water	0				
- ☐ H9	water	0				
- ☐ H10	water	0				
- ∏ H11	water	0				
- ☐ H12	water	0				



Melting curve



Threshold 33%

