PyLint: The Good, The Bad, and the Ugly

Moshe Zadka - https://cobordism.com

Acknowledgement of Country

Belmont (in San Francisco Bay Area Peninsula) Ancestral homeland of the Ramaytush Ohlone people

Redefining functions

```
def test_add_small():
    # Math, am I right?
    assert 1 + 1 == 3

def test_add_large():
    assert 5 + 6 == 11

def test_add_small():
    assert 1 + 10 == 11
```

Test works!

```
collected 2 items
```

```
test.py ..
2 passed
```

PyLint: The Good

```
test.py:8:0: E0102: function already defined line 1 (function-redefined)
```

PyLint: The Bad

```
""" Inventory abstractions"""

import attrs

@attrs.define
class Laptop:
    """A laptop"""
    ident: str
    cpu: str
```

PyLint: The Bad

```
pylint\ laptop.py\ |\ sed\ -n\ '/^laptop/s/[^ ]*:\ //p' R0903:\ Too\ few\ public\ methods\ (0/2)\ (too-few-public)
```

PyLint: The Ugly

"People will just disable the whole check if it's too picky" PyLint issue 6987, July 3rd, 2022

Pin PyLint

```
# pyproject.toml

[project.optional-dependencies]
pylint = ["pylint"]
```

Pin PyLint

```
# noxfile.py
@nox.session(python=VERSIONS[-1])
def refresh_deps(session):
    """ Refresh the requirements -*.txt files"""
    session.install("pip-tools")
    for deps in [..., "pylint"]:
        session.run(
            "pip-compile",
            "—extra".
            deps,
            "pyproject.toml",
            "-output-file".
             f" requirements - {deps }.txt",
```

Default Deny

```
# noxfile.py
@nox.session(python="3.10")
def lint(session):
    files = ["src/", "noxfile.py"]
    session.install("-r", "requirements-pylint.txt"
    session.install("-e", ".")
    session.run(
        "pylint".
        "—disable=all".
        *(f"--enable={checker}" for checker in chec
        "src".
```

A few of my favorite things

```
checkers = [
    " missing-class-docstring",
    " missing-function-docstring",
    " missing-module-docstring",
    "function-redefined",
]
```

► Keep the good:

► Keep the good: CI

► Keep the good: CI Checkers

- ► Keep the good: CI Checkers
- ► Lose the bad:

- ► Keep the good: CI Checkers
- ► Lose the bad: (default deny)

- ► Keep the good: CI Checkers
- ► Lose the bad: (default deny)
- Avoid the ugly:

- ► Keep the good: CI Checkers
- ► Lose the bad: (default deny)
- ► Avoid the ugly: pin