

CHAPTER-3

Data Handling

EX 3.1:

Question 1

Find the range of heights of any ten students of your class.

Solution:

Let us have the heights of 10 students are as follows:

140 cm, 141.5 cm, 138 cm, 150 cm, 161 cm,

138 cm, 140.5 cm, 135.5 cm, 160 cm, 158 cm

Here, minimum height = 135.5 cm

Maximum height = 161 cm

\therefore Range = Maximum height – Minimum height

= 161 cm – 135.5 cm = 25.5 cm

Hence, the required range = 25.5 cm.

Question 2

Organise the following marks in a class assessment in a tabular form.

4, 6, 7, 5, 3, 5, 4, 5, 2, 6, 2, 5, 1, 9, 6, 5, 8, 4, 6, 7

(i) Which number is the highest?

(ii) Which number is the lowest?

(iii) What is the range of the data?

(iv) Find the arithmetic mean.

Solution:

Let us form a frequency distribution table:

Marks (x_i)	Tally marks	Frequency (f_i)	$f_i x_i$
1		1	1
2		2	4
3		1	3
4		3	12
5		5	25
6		4	24
7		2	14
8		1	8
9		1	9
		20	100

(i) 9 is the highest marks.

(ii) 1 is the lowest marks.

(iii) Range = Max. marks – Min. marks
 $= 9 - 1 = 8$

(iv) Arithmetic mean = $\frac{\sum f_i x_i}{\sum f_i} = \frac{100}{20} = 5$

Question 3

Find the mean of first five whole numbers.

Solution:

First 5 whole numbers are 0, 1, 2, 3, 4

$\therefore \text{Mean} = \frac{0+1+2+3+4}{5} = \frac{10}{5} = 2$

Hence, the required mean = 2.

Question 4

A cricketer scores the following runs in eight innings:

58, 76, 40, 35, 46, 45, 0, 100

Find the mean score.

Solution:

Following are the scores of the runs in eight innings:

58, 76, 40, 35, 46, 45, 0, 100

$\therefore \text{Mean} = \frac{\text{Sum of all runs}}{\text{Number of innings}}$

$= \frac{58+76+40+35+46+45+0+100}{8} = \frac{400}{8} = 50$

Hence, the required mean = 50.

Question 5

Following table shows the points of each player scored in four games:

Player	Game 1	Game 2	Game 3	Game 4
A	14	16	10	10
B	0	8	6	4
C	8	11	Did not play	13

Now answer the following questions:

- (i) Find the mean to determine A's average number of points scored per game.
- (ii) To find the mean number of points per game for C, would you divide the total points by 3 or by 4? Why?
- (iii) B played in all the four games. How would you find the mean?
- (iv) Who is the best performer?

Solution:

(i) Number of points scored by A in all games are
Game 1 = 14, Game 2 = 16, Game 3 = 10, Game 4 = 10

$$\therefore \text{Average score} = \frac{14+16+10+10}{4} = 50 \div 4 = 12.5$$

(ii) Since, C did not play Game 3, he played only 3 games. So, the total will be divided by 3.

(iii) Number of points scored by B in all the games are Game 1 = 0, Game 2 = 8, Game 3 = 6, Game 4 = 4

$$\therefore \text{Average score} = \frac{0+8+6+4}{3} = 18 \div 3 = 6$$

(iv) Mean score of C

$$= \frac{8+11+13}{3} = 32 \div 3 = 10.67$$

Mean score of C = 10.67

While mean score of A = 12.5

Clearly, A is the best performer.

Question 6

The marks (out of 100) obtained by a group of students in a science test are 85, 76, 90, 85, 39, 48, 56, 95, 81 and 75. Find the

- (i) highest and the lowest marks obtained by the students.
- (ii) range of the marks obtained.
- (iii) mean marks obtained by the group.

Solution:

Marks obtained are:

85, 76, 90, 85, 39, 48, 56, 95, 81 and 75

(i) Highest marks = 95

Lowest marks = 39

(ii) Range of the marks

= Highest marks – Lowest marks

= 95 – 39 = 56

(iii) Mean marks

$$\begin{aligned} &= \frac{\text{Sum of all marks obtained}}{\text{Number of students}} \\ &= \frac{85 + 76 + 90 + 85 + 39 + 48 + 56 + 95}{10} \\ &= \frac{730}{10} = 73 \end{aligned}$$

Question 7

The enrolment in a school during six consecutive years was as follows:

1555, 1670, 1750, 2013, 2540, 2820

Find the mean enrolment of the school for this period.

Solution:

Mean enrolment

$$\begin{aligned} &= \frac{\text{Sum of the enrolments of all years}}{\text{Number of years}} \\ &= \frac{1555 + 1670 + 1750 + 2013 + 2540 + 2820}{6} \\ &= \frac{12348}{6} = 2058 \end{aligned}$$

Thus, the required mean = 2058.

Question 8

The rainfall (in mm) in a city on 7 days of a certain week was recorded as follows:

Day	Rainfall (in mm)
Monday	0.0
Tuesday	12.2
Wednesday	2.1
Thursday	0.0
Friday	20.5
Saturday	5.5
Sunday	1.0

- (i) Find the range of the rainfall in the above data.
- (ii) Find the mean rainfall for the week.
- (iii) On how many days was the rainfall less than the mean rainfall?

Solution:

- (i) Maximum rainfall = 20.5 mm

Minimum rainfall = 0.0 mm

\therefore Range = Maximum rainfall – Minimum rainfall
= 20.5 mm – 0.0 mm = 20.5 mm

(ii) Mean rainfall

$$\begin{aligned} &= \frac{\text{Sum of rainfalls (in mm)}}{\text{Number of days}} \\ &= \frac{0.0 + 12.2 + 2.1 + 0.0 + 20.5 + 5.5 + 1.0}{7} \\ &= \frac{41.3}{7} \text{ mm} = 5.9 \text{ mm.} \end{aligned}$$

(iii) Number of days on which the rainfall was less than the mean rainfall = Monday, Wednesday, Thursday, Saturday, Sunday = 5 days.

Question 9

The heights of 10 girls were measured in cm and the results are as follows:

135, 150, 139, 128, 151, 132, 146, 149, 143, 141

(i) What is the height of the tallest girl?

(ii) What is the height of the shortest girl?

(Hi) What is the range of the data?

(iv) What is the mean height of the girls?

(v) How many girls have heights more than the mean height?

Solution:

(i) Height of the tallest girl = 151 cm.

(ii) Height of the shortest girl = 128 cm.

(iii) Range = Height of tallest girl – Height of the shortest girl
= 151 cm – 128 cm = 23 cm.

$$\begin{aligned} \text{(iv) Mean height} &= \frac{\text{Sum of all heights}}{\text{Number of girls}} \\ &= \frac{135 + 150 + 139 + 128 + 151 + 132 + 146}{10} \\ &\quad + \frac{149 + 143 + 141}{10} \\ &= \frac{1414}{10} = 141.4 \text{ cm} \end{aligned}$$

(v) Number of girls having more height than the mean height
= 150, 151, 146, 149 and 143 = 5 girls

Exercise 3.1 : Solutions of Questions on Page Number : 62

Q1 : Find the range of heights of any ten students of your class.

Answer :

Let the heights (in cm) of 10 students of our class be

125, 127, 132, 133, 134, 136, 138, 141, 144, 146

Highest value among these observations = 146

Lowest value among these observations = 125

Range = Highest value - Lowest value

= (146 - 125) cm

= 21 cm

Q2 : Organise the following marks in a class assessment, in a tabular form.

4, 6, 7, 5, 3, 5, 4, 5, 2, 6, 2, 5, 1, 9, 6, 5, 8, 4, 6, 7

(i) Which number is the highest?

(ii) Which number is the lowest?

(iii) What is the range of the data?

(iv) Find the arithmetic mean.

Answer :

Marks	Tally marks	Frequency
1		1
2		2
3		1
4		3
5		5
6		4
7		2
8		1
9		1

(i) Highest number = 9

(ii) Lowest number = 1

(iii) Range = $(9 - 1) = 8$

(iv) Sum of all the observations = $4 + 6 + 7 + 5 + 3 + 5 + 4 + 5 + 2 + 6 + 2$
 $+ 5 + 1 + 9 + 6 + 5 + 8 + 4 + 6 + 7$
 $= 100$

Total number of observations = 20

$$\text{Arithmetic mean} = \frac{\text{Sum of all the observations}}{\text{Total number of the observations}} = \frac{100}{20} = 5$$

Q3 : Find the mean of the first five whole numbers.

Answer :

First five whole numbers are 0, 1, 2, 3, and 4.

$$\text{Mean} = \frac{0+1+2+3+4}{5} = \frac{10}{5} = 2$$

Therefore, the mean of first five whole numbers is 2.

Q4 : A cricketer scores the following runs in eight innings:

58, 76, 40, 35, 46, 45, 0, 100

Find the mean score.

Answer :

Runs scored by the cricketer are 58, 76, 40, 35, 46, 45, 0, and 100.

$$\text{Mean score} = \frac{\text{Total runs scored in all the innings}}{\text{Total number of the innings}}$$

$$\text{Mean score} = \frac{58+76+40+35+46+45+0+100}{8} = \frac{400}{8} = 50$$

Therefore, mean score is 50.

Q5 : Following table shows the points of each player scored in four games:

Player	Game 1	Game 2	Game 3	Game 4
A	14	16	10	10
B	0	8	6	4
C	8	11	Did not play	13

Now answer the following questions:

- (i) Find the mean to determine A's average number of points scored per game.
- (ii) To find the mean number of points per game for C, would you divide the total points by 3 or by 4? Why?
- (iii) B played in all the four games. How would you find the mean?
- (iv) Who is the best performer?

Answer :

(i) A's average number of points = $\frac{14+16+10+10}{4}$

= $\frac{50}{4} = 12.5$

(ii) To find the mean number of points per game for C, we will divide the total points by 3 because C played 3 games.

(iii) Mean of B's score = $\frac{0+8+6+4}{4} = \frac{18}{4} = 4.5$

(iv) The best performer will have the greatest average among all. Now we can observe that the average of A is 12.5 which is more than that of B and C. Therefore, A is the best performer among these three.

Q6 : The marks (out of 100) obtained by a group of students in a science test are 85, 76, 90, 85, 39, 48, 56, 95, 81 and 75. Find the:

(i) Highest and the lowest marks obtained by the students.

(ii) Range of the marks obtained.

(iii) Mean marks obtained by the group.

Answer :

The marks obtained by the group of students in a science test can be arranged in an ascending order as follows.

39, 48, 56, 75, 76, 81, 85, 85, 90, 95

(i) Highest marks = 95

Lowest marks = 39

(ii) Range = 95 - 39

= 56

(iii) Mean marks = $\frac{(85 + 76 + 90 + 85 + 39 + 48 + 56 + 95 + 81 + 75)}{10}$

$= \frac{730}{10} = 73$

Q7 : The enrolment in a school during six consecutive years was as follow:

1555, 1670, 1750, 2013, 2540, 2820

Find the mean enrolment of the school for this period.

Answer :

Mean enrolment = $\frac{(1555 + 1670 + 1750 + 2013 + 2540 + 2820)}{6}$

$= \frac{12348}{6} = 2058$

Q8 : The rainfall (in mm) in a city on 7 days of a certain week was recorded as follows:

Days	Rain fall (in mm)
Monday	0.0
Tuesday	12.2
Wednesday	2.1
Thursday	0.0
Friday	20.5
Saturday	5.5
Sunday	1.0

(i) Find the range of the rainfall in the above data.

(ii) Find the mean rainfall for the week.

(iii) On how many days was the rainfall less than the mean rainfall.

Answer :

(i) Range = (20.5 - 0.0) mm

= 20.5 mm

(ii) Mean rainfall = $\frac{(0.0+12.2+2.1+0.0+20.5+5.5+1.0)}{7}$

= $\frac{41.3}{7}$ = 5.9 mm

(iii) For 5 days (i.e., Monday, Wednesday, Thursday, Saturday, Sunday), the rainfall was less than the average rainfall

Q9 : The heights of 10 girls were measured in cm and the results are as follows:

135, 150, 139, 128, 151, 132, 146, 149, 143, 141

- (i) What is the height of the tallest girl?
- (ii) What is the height of the shortest girl?
- (iii) What is the range of the data?
- (iv) What is the mean height of the girls?
- (v) How many girls have heights more than the mean height.

Answer :

Arranging the heights of 10 girls in an ascending order,

128, 132, 135, 139, 141, 143, 146, 149, 150, 151

- (i) Height of the tallest girl = 151 cm
- (ii) Height of the shortest girl = 128 cm
- (iii) Range = (151 - 128) cm
= 23 cm

(iv) Mean height = $\frac{(135+150+139+128+151+132+146+149+143+141)}{10}$

$$= \frac{1414}{10} = 141.4 \text{ cm}$$

(v) The heights of 5 girls are greater than the mean height (i.e., 141.4 cm) and these heights are 143, 146, 149, 150, and 151 cm.

Ex 3.2:-

Question 1

The scores in mathematics test (out of 25) of 15 students is as follows:

19, 25, 23, 20, 9, 20, 15, 10, 5, 16, 25, 20, 24, 12, 20

Find the mode and median of this data. Are they same?

Solution:

Given data:

19, 25, 23, 20, 9, 20, 15, 10, 5, 16, 25, 20, 24, 12, 20

Let us arrange the given data in increasing order

5, 9, 10, 12, 15, 16, 19, 20, 20, 20, 20, 23, 24, 25, 25

Since 20 occurs 4 times (highest)

∴ Mode = 20

n = 15 (odd)

∴ Median = $n+1$ th term = $15+1$

= 8th term = 20

Thus, median = 20 and mode = 20

∴ Mode and median are same.

Question 2.

The runs scored in a cricket match by 11 players is as follows:

6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15

Find the mean, mode and median of this data. Are the three same?

Solution:

Given data:

6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15

$$\begin{aligned}\text{Mean} &= \frac{\text{Sum of all the numbers}}{\text{Number of terms}} \\ &= \frac{6 + 15 + 120 + 50 + 100 + 80 + 10 + 15 + 8 + 10 + 15}{11} \\ &= \frac{429}{11} = 39\end{aligned}$$

Arranging the given data in increasing order, we get

6, 8, 10, 10, 15, 15, 15, 50, 80, 100, 120

Here, 15 occurs 3 times (highest)

∴ Mode = 15

n = 11 (odd)

∴ Median = $(\frac{11+1}{2})^{\text{th}}$ term = 6th term = 15

Thus mean = 39, mode = 15 and median = 15

No, they are not same.

Question 3

The weights (in kg) of 15 students of a class are:

38, 42, 35, 37, 45, 50, 32, 43, 43, 40, 36, 38, 43, 38, 47

(i) Find the mode and median of this data.

(ii) Is there more than one mode?

Solution:

Given data: 38, 42, 35, 37, 45, 50, 32, 43, 43, 40, 36, 38, 43, 38, 47

Arranging in increasing order, we get

32, 35, 36, 37, 38, 38, 38, 40, 42, 43, 43, 43, 45, 47, 50

(i) Here, 38 and 43 occur 3 times (highest)

Thus mode = 38 and 43

n = 15 (odd)

Median = $(\frac{15+1}{2})^{\text{th}}$ term = $(\frac{15+1}{2})^{\text{th}}$ term
= 8th term = 40

Thus mode 38 and 43 and median = 40

(ii) Yes, the given data has two modes i.e. 38 and 43.

Question 4

Find the mode and median of the data:

13, 16, 12, 14, 19, 12, 14, 13, 14

Solution:

Arranging the given data in increasing order, we get

12, 12, 13, 13, 14, 14, 14, 16, 19

Here, 14 occur 3 times (highest)

Thus, mode = 14

$n = 9$ (odd)

\therefore Median = $(\frac{n+1}{2})^{\text{th}}$ term = $(\frac{9+1}{2})^{\text{th}}$ term
= 5th term = 14

Hence, mode = 14 and median = 14.

Ex 3.2 Class 7 Maths Question 5.

Tell whether the statement is true or false.

(i) The mode is always one of the number in a data.

(ii) The mean is one of the numbers in a data.

(iii) The median is always one of the numbers in a data.

(iv) The data 6, 4, 3, 8, 9, 12, 13, 9 has mean 9.

Solution:

(i) True

(ii) False

(iii) True

(iv) False

Exercise 3.2 : Solutions of Questions on Page Number : 68

Q1 : The scores in mathematics test (out of 25) of 15 students is as follows:

19, 25, 23, 20, 9, 20, 15, 10, 5, 16, 25, 20, 24, 12, 20

Find the mode and median of this data. Are they same?

Answer :

Scores of 15 students in mathematics test are

19, 25, 23, 20, 9, 20, 15, 10, 5, 16, 25, 20, 24, 12, 20

Arranging these scores in an ascending order,

5, 9, 10, 12, 15, 16, 19, 20, 20, 20, 20, 23, 24, 25, 25

Mode of a given data is that value of observation which occurs for the most number of times.

Median of a given data is the middle observation when the data is arranged in an ascending or descending order.

As there are 15 terms in the given data, therefore, the median of this data will be the 8th observation.

Hence, median = 20

Also, it can be observed that 20 occurs 4 times (i.e., maximum number of times).

Therefore, mode of this data = 20

Yes, both are same.

Q2 : The run scored in a cricket match by 11 players is as follows:

6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15

Find the mean, mode and median of this data. Are the three same?

Answer :

The runs scored by 11 players are

6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15

Arranging these scores in an ascending order,

6, 8, 10, 10, 15, 15, 15, 50, 80, 100, 120

$$\text{Mean} = \frac{6+8+10+10+15+15+15+50+80+100+120}{11}$$

$$= \frac{429}{11} = 39$$

Mode of a given data is that value of observation which occurs for the most number of times and the median of the given data is the middle observation when the data is arranged in an ascending or descending order.

As there are 11 terms in the given data, therefore, the median of this data will be the 6th observation.

Median = 15

Also, it can be observed that 15 occurs 3 times (i.e., maximum number of times).

Therefore, mode of this data = 15

No, these three are not same.

Q3 : The weights (in kg.) of 15 students of a class are:

38, 42, 35, 37, 45, 50, 32, 43, 43, 40, 36, 38, 43, 38, 47

(i) Find the mode and median of this data.

(ii) Is there more than one mode?

Answer :

The weights of 15 students are

38, 42, 35, 37, 45, 50, 32, 43, 43, 40, 36, 38, 43, 38, 47

Arranging these weights in ascending order,

32, 35, 36, 37, 38, 38, 38, 40, 42, 43, 43, 43, 45, 47, 50

(i)

Mode of a given data is that value of observation which occurs for the most number of times and the median of the given data is the middle observation when the data is arranged in an ascending or descending order.

As there are 15 terms in the given data, therefore, the median of this data will be the 8th observation.

Hence, median = 40

Also, it can be observed that 38 and 43 both occur 3 times (i.e., maximum number of times).

Therefore, mode of this data = 38 and 43

(ii)

Yes, there are 2 modes for the given data.

Q4 : Find the mode and median of the data: 13, 16, 12, 14, 19, 12, 14, 13, 14

Answer :

The given data is

13, 16, 12, 14, 19, 12, 14, 13, 14

Arranging the given data in an ascending order,

12, 12, 13, 13, 14, 14, 14, 16, 19

Mode of a given data is that value of observation which occurs for the most number of times and the median of the given data is the middle observation when the data is arranged in an ascending or descending order.

As there are 9 terms in the given data, therefore, the median of this data will be the 5th observation.

Hence, median = 14

Also, it can be observed that 14 occurs 3 times (i.e., maximum number of times).

Therefore, mode of this data = 14

Q5 : Tell whether the statement is true or false:

- (i) The mode is always one of the numbers in a data.
- (ii) The mean is one of the numbers in a data.
- (iii) The median is always one of the numbers in a data.
- (iv) The data 6, 4, 3, 8, 9, 12, 13, 9 has mean 9.

Answer :

- (i) True

Mode of a given data is that value of observation which occurs for the most number of times. Therefore, it is one of the observations given in the data.

- (ii) False

Mean may or may not be one of the numbers in the data.

- (iii) True

The median of the given data is the middle observation when the data is arranged in an ascending or descending order.

- (iv) False

The given data is 6, 4, 3, 8, 9, 12, 13, 9

$$\text{Mean} = \frac{6+4+3+8+9+12+13+9}{8} = \frac{64}{8} = 8$$

Ex 3.3:-

Question 1

Use the bar graph to answer the following questions.


- (a) Which is the most popular pet?
- (b) How many students have dog as a pet?

Solution:

From the given bar graph in figure, we have

- (a) Cats are the most popular pet among the students.


(b) 8 students have dog as a pet animal.



Question 2

Read the bar graph which shows the number of books sold by a bookstore during five consecutive years and answer the following questions:

- About how many books were sold in 1989, 1990, 1992?
- In which year were about 475 books sold? About 225 books sold?
- In which year were fewer than 250 books sold?
- Can you explain how you would estimate the number of books sold in 1989?



Solution:

From the given bar graph, we have

- Number of books sold in the year 1989 is about 180, in 1990 is about 490 and in 1992 is about 250.
- About 475 books were sold in 1990. About 225 books were sold in the year 1992.
- Fewer than 250 books were sold in the years 1989 and 1992.
- On y-axis, the line is divided into 10 small parts of 10 books each. So, we can estimate the number of books sold in 1989 is about 180.

Question 3

Number of children in six different classes are given below. Represent the data on a bar graph.


Class	Number of children
Fifth	135
Sixth	120
Seventh	95
Eighth	100
Ninth	90
Tenth	80

(a) How would you choose a scale?

(b) Answer the following questions:

- Which class has the maximum number of children? And the minimum?
- Find the ratio of students of class sixth to the students of class eighth.

Solution:



(a) Scale on y-axis is 1 cm = 10 students

(b)

- Fifth class has the maximum number of children i.e., 135. Tenth class has the minimum number of children i.e., 80.
- Number of children in class eight = 100
∴ Ratio of class sixth to the students of class

$$\text{eighth} = \frac{120^6}{100_5} = \frac{6}{5}, \text{ i.e., } 6 : 5$$


Question 4

The performance of a student in 1st term and 2nd term is given. Draw a double bar graph choosing appropriate scale and answer the following:

Subject	1st term (M.M. 100)	2nd term (M.M. 100)
English	67	70
Hindi	72	65
Math	88	95
Science	81	85
S. Science	73	75

- (i) In which subject, has the child improved his performance the most?
- (ii) In which subject is the improvement the least?
- (iii) Has the performance gone down in any subject?

Solution:



- (i) In Math, the performance of the students improved the most.
- (ii) In social science, the performance of the students improved the least.
- (iii) Yes, in Hindi the performance of the students has gone down.

Question 5

Consider this data collected from survey of a colony.

Favourite sport	Watching	Participating
Cricket	1240	620
Basket ball	470	320
Swimming	510	320
Hockey	430	250
Athletics	250	105

(i) Draw a double bar graph choosing an appropriate scale. What do you infer from the bar graph?

(ii) Which sport is most popular?


(iii) Which is more preferred, watching or participating in sports?

Solution:

(i) The above bar graph depicts the number of people who are watching and who are participating in sports.

(ii) Cricket is the most popular sport.

(iii) Watching the sports is more preferred by the people.



Question 6.

Take the data giving the minimum and the maximum temperature of various cities given in the beginning of this chapter. Plot a double bar graph using the data and answer the following:

(i) Which city has the largest difference in the minimum and maximum temperature on the given date?

(ii) Which is the hottest city and which is the coldest city?

(iii) Name two cities where maximum temperature of one was less than the minimum temperature of the other.


(iv) Name the city which has the least difference between its minimum and maximum temperature.

Temperature of cities as on 20.6.2006		
City	Max.	Min.
Ahmedabad	38°C	29°C
Amritsar	37°C	26°C
Bengaluru	28°C	21°C
Chennai	36°C	27°C

Delhi	38°C	28°C
Jaipur	39°C	29°C
Jammu	41°C	26°C
Mumbai	32°C	27°C

Solution:

Double bar graph:



(i) Jammu has the largest difference between the maximum and minimum temperature i.e. $41^{\circ}\text{C} - 26^{\circ}\text{C} = 15^{\circ}\text{C}$

(ii) Hottest city is Jammu with 41°C temperature and coldest city is Bengaluru with 21°C temperature.

(iii)

- Bengaluru having its maximum temperature 28°C is less than the minimum temperature 29°C in Ahmedabad.
- Bengaluru having its maximum temperature 28°C is less than the maximum temperature 29°C in Jaipur.


(iv) Mumbai has the least difference between its minimum and maximum temperatures i.e. $32^{\circ}\text{C} - 27^{\circ}\text{C} = 5^{\circ}\text{C}$

Exercise 3.3 : Solutions of Questions on Page Number : 72

Q1 : Use the bar graph (see the given figure) to answer the following questions.

(a) Which is the most popular pet?

(b) How many children have dog as a pet?




Answer :

(a) Since the bar representing cats is the tallest, cat is the most popular pet.

(b) The number of children having dog as a pet are 8.

Q2 : Read the bar graph (see the given figure) which shows the number of books sold by a bookstore during five consecutive years and answer the questions that follow:



- (i) About how many books were sold in 1989? 1990? 1992?
- (ii) In which year were about 475 books sold? About 225 books sold?
- (iii) In which years were fewer than 250 books sold?
- (iv) Can you explain how you would estimate the number of books sold in 1989?

Answer :

- (i) In 1989, 175 books were sold. In 1990, 475 books were sold. In 1992, 225 books were sold.
- (ii) From the graph, it can be concluded that 475 books were sold in the year 1990 and 225 books were sold in the year 1992.
- (iii) From the graph, it can be concluded that in the years 1989 and 1992, the number of books sold were less than 250.
- (iv) From the graph, it can be concluded that the number of books sold in the year 1989 is about 1 and $\frac{3}{4}$ th part of 1 cm.

We know that the scale is taken as 1 cm = 100 books.

$$100 + \frac{3}{4} \times 100 = 100 + 75 = 175$$

Therefore, about 175 books were sold in the year 1989.

Q3 : Number of children in six different classes are given below. Represent the data on a bar graph.

Class	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth
Number of children	135	120	95	100	90	80


(a) How would you choose a scale?

(b) Answer the following questions:

(i) Which class has the maximum number of children? And the minimum?

(ii) Find the ratio of students of class sixth to the students of class eight.

Answer :



(a) We will choose a scale as 1 unit = 10 children because we can represent a more clear difference between the number of students of class 7th and that of class 9th by this scale.

(b)

(i) Since the bar representing the number of children for class fifth is the tallest, there are maximum number of children in class fifth. Similarly, since the bar representing the number of children for class tenth is the smallest, there are minimum number of children in class tenth.

(ii) The number of students in class sixth is 120 and the number of students in class eighth is 100.

Therefore, the ratio between the number of students of class sixth and the number of students of class eighth = $\frac{120}{100} = \frac{6}{5} = 6:5$

Q4 : The performance of students in 1st Term and 2nd Term is given. Draw a double bar graph choosing appropriate scale and answer the following:

Subject	English	Hindi	Maths	Science	S. science
1 st Term (M.M. 100)	67	72	88	81	73
2 nd Term (M.M. 100)	70	65	95	85	75


(i) In which subject, has the child improved his performance the most?

(ii) In which subject is the improvement the least?

(iii) Has the performance gone down in any subject?

Answer :

A double bar graph for the given data is as follows.



(i) There was a maximum increase in the marks obtained in Maths. Therefore, the child has improved his performance the most in Maths.

(ii) From the graph, it can be concluded that the improvement was the least in S. Science.

(iii) From the graph, it can be observed that the performance in Hindi has gone down.

Q5 : Consider this data collected from a survey of a colony.

Favourite sport	Cricket	Basket Ball	Swimming	Hockey	Athletics
Watching	1240	470	510	430	250
Participating	620	320	320	250	105


(i) Draw a double bar graph choosing an appropriate scale. What do you infer from the bar graph?

(ii) Which sport is most popular?

(iii) Which is more preferred, watching or participating in sports?

Answer :

(i) A double bar graph for the given data is as follows.



The double bar graph represents the number of people who like watching and participating in different sports. It can be observed that most of the people like watching and participating in cricket while the least number of people like watching and participating in athletics.

(ii) From the bar graph, it can be observed that the bar representing the number of people who like watching and participating in cricket is the tallest among all the bars. Hence, cricket is the most popular sport.

(iii) The bars representing watching sport are longer than the bars representing participating in sport. Hence, watching different types of sports is more preferred than participating in the sports.

Q6 : Take the data giving the minimum and the maximum temperature of various cities given in the following table:


Temperatures of the cities as on 20.6.2006		
City	Max.	Min.
Ahmedabad	38 °C	29 °C
Amritsar	37 °C	26 °C
Banglore	28 °C	21 °C
Chennai	36 °C	27 °C
Delhi	38 °C	28 °C
Jaipur	39 °C	29 °C
Jammu	41 °C	26 °C
Mumbai	32 °C	27 °C

Plot a double bar graph using the data and answer the following:

- (i) Which city has the largest difference in the minimum and maximum temperature on the given date?
- (ii) Which is the hottest city and which is the coldest city?
- (iii) Name two cities where maximum temperature of one was less than the minimum temperature of the other.
- (iv) Name the city which has the least difference between its minimum and the maximum temperature.

Answer :

A double bar graph for the given data is constructed as follows.



(i) From the graph, it can be concluded that Jammu has the largest difference in its minimum and maximum temperatures on 20.6.2006.

(ii) From the graph, it can be concluded that Jammu is the hottest city and Bangalore is the coldest city.

(iii) Bangalore and Jaipur, Bangalore and Ahmedabad

For Bangalore, the maximum temperature was 28°C, while minimum temperature of both cities, Ahmedabad and Jaipur, was 29°C.

(iv) From the graph, it can be concluded that the city which has the least difference between its minimum and maximum temperatures is Mumbai.

Ex 3.4:-

Question 1

Tell whether the following situations are certain to happen, impossible to happen, can happen but not certain.

- (i) You are older today than yesterday.
- (ii) A tossed coin will land heads up.
- (iii) A dice when tossed shall land up with 8 on top.
- (iv) The next traffic light seen will be green.
- (v) Tomorrow will be a cloudy day.

Solution:

Event	Chance
(i) You are older today than yesterday.	Certain to happen.
(ii) A tossed coin will land heads up.	Can happen but not certain.
(iii) A dice when tossed shall land up 8 on the top.	Impossible.
(iv) The next traffic light seem will be green.	Can happen but not certain.
(v) Tomorrow will be cloudy day.	Can happen but not certain.

Question 2

There are 6 marbles in a box with numbers from 1 to 6 marked on each of them.

- (i) What is the probability of drawing a marble with number 2?

(ii) What is the probability of drawing a marble with number 5?

Solution:

(i) Total number of marbles marked with the number from 1 to 6 = 6

$$\therefore n(S) = 6$$

Number of marble marked with 2 = 1

$$\therefore n(E) = 1$$

$$\therefore \text{Required probability} = \frac{n(E)}{n(S)} = \frac{1}{6}$$

(ii) Number of marble marked with 5 = 1

$$\therefore n(E) = 1$$

$$\therefore \text{Required probability} = \frac{n(E)}{n(S)} = \frac{1}{6}$$

Question 3

A coin is flipped to decide which team starts the game. What is the probability that your team will start?

Solution:

Coin has 2 faces—Head (H) and Tail (T)

$$\therefore \text{Sample space } S(n) = 2$$

$$\text{Number of successful event } n(E) = 1$$

$$\therefore \text{Required probability} = \frac{n(E)}{n(S)} = \frac{1}{2}$$

Sample Space: The sample space of an experiment is the number of all possible outcomes of that experiment.

Exercise 3.4 : Solutions of Questions on Page Number : 76

Q1 : Tell whether the following is certain to happen, impossible, can happen but not certain.

- (i) You are older today than yesterday.
- (ii) A tossed coin will land heads up.
- (iii) A die when tossed shall land up with 8 on top.
- (iv) The next traffic light seen will be green.
- (v) Tomorrow will be a cloudy day.

Answer :

- (i) Certain
- (ii) Can happen but not certain
- iii. Impossible as there are only six faces on a dice marked as 1, 2, 3, 4, 5, 6 on it.
- (iv) Can happen but not certain
- (v) Can happen but not certain

Q2 : There are 6 marbles in a box with numbers from 1 to 6 marked on each of them.

(i) What is the probability of drawing a marble with number 2?

(ii) What is the probability of drawing a marble with number 5?

Answer :

$$(i) \text{ Probability} = \frac{\text{Number of favourable outcomes}}{\text{Number of possible outcomes}}$$

$$P(\text{appearance of 2}) = \frac{1}{6}$$

$$(ii) P(\text{appearance of 5}) = \frac{1}{6}$$

Q3 : A coin is flipped to decide which team starts the game. What is the probability that your team will start?

Answer :

A coin has two faces - Head and Tail. One team can opt either Head or Tail.

$$\text{Probability} = \frac{\text{Number of favourable outcomes}}{\text{Number of possible outcomes}}$$

$$\text{Probability (our team starts first)} = \frac{1}{2}$$

Q4 : A box contains pairs of socks of two colours (black and white). I have picked out a white sock. I pick out one more with my eyes closed. What is the probability that it will make a pair?

Answer :

It can be observed that while closing the eyes, one can draw either a black sock or a white sock. Therefore, there are two possible cases.

$$\text{Probability} = \frac{\text{Number of favourable outcomes}}{\text{Number of possible outcomes}}$$

$$\text{Probability (a pair of white socks will be formed)} = \frac{1}{2}$$

