*********Draft*****

Principal component analysis (PCA) 09/06/19

*********Draft******

In this test the pistachio was pre postioned and the ir-sw was trigged manually.

-t 275

offset = 30; endofline = headInfo.width - offset - ncols; ncols = 50;//number of cols to be extracted nrows = 50;//number of rows to be extracted rows = 17;

If the pistachio travels 2 1/4 in. from the ir-sw the cracked pistachio has a quite high value of 1325. the results are in files /data/savedklt090619/r1*. if the not cracked pistachio travels 2 1/4 in from the ir-sw the not cracked pistachio has a much lower value of 409 the results are in files /data/savedklt090619/r2*. Feel free to place comments here.

!!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

feature | (x,y)=val ------0 | (24, 24)= 1325

nFeatures = 10

Feel free to place comments here.


!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

feature |(x,y)=val|

0 | (24, 25)= 409



**********Draft******

Principal component analysis (PCA) 09/05/19

**********Draft******

exe1.c

- rows = 19;
- + rows = 17;



r2thumb0000.bmp cracked



r3thumb0000.bmp not cracked

r2thumb0000.pgm cracked



r3thumb0000.pgm not cracked



r2feat1.ppm cracked



r3feat1.ppm not cracked Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List _____

nFeatures = 10

feature |(x,y)=val|

```
6 | (-1, -1) = -1
7 | (-1, -1) = -1
8 | (-1, -1) = -1
9 | (-1, -1) = -1
```

8 | (-1, -1) = -1 9 | (-1, -1) = -1 r3feat1.txt not cracked

r2feat1.txt cracked

Feel free to place comments here.

There are several variables the control the extraction of the image where the feature is tested from the original image. As can be seen below if the cracked image is placed correctly the value increases to $0 \mid (24, 25) = 402$

offset = 30; endofline = headInfo.width - offset - ncols; ncols = 50;//number of cols to be extracted nrows = 50;//number of rows to be extracted rows = 19; rowsdn = (headInfo.width * rows) + offset; pr = pr + rowsdn; //rows + 1 lines dn + offset for (j = (rows+1); j <(rows+1+nrows);j++) { for (i = offset; i <ncols+offset; i++) { *prwr = *pr; pr++;

```
prwr++;
                    }
                    pr = pr + endofline;//headInfo.width - offset - ncols
                    pr = pr + offset;
              }
             pr = pr - rowsdn - ((50*50)+(78*50));
             prwr = prwr - (50*50);
Feel free to place comments here.
!!! Warning: This is a KLT data file. Do not modify below this line !!!
KLT Feature List
nFeatures = 10
feature |(x,y)=val|
-----+-----
   0 \mid (24, 25) = 402
   1 \mid (-1, -1) = -1
diff --git a/C/klt/exe1.c b/C/klt/exe1.c
index b60fa95..a0eff20 100644
--- a/C/klt/exe1.c
+++ b/C/klt/exe1.c
@@ -46,7 +46,7 @@ int main(void) {
    KLT_FeatureList fl;
    int nFeatures = 10;
    int ncols, nrows;
     int rowsdn,rows,offset,endofline;
    wiringPiSetup();
    pinMode(PIN_SW, INPUT);
@@ -156,17 +156,23 @@ int main(void) {
         //befor free the memory need to restore the pointers
         pr = pr - headInfo.width*headInfo.height;
         pr = pr + 2462; //19 lines dn + 60
         for (j = 20; j < 70; j++) {
             for (i = 30; i < 80; i++) {
```

+

offset = 30;

```
+
          endofline = headInfo.width - offset - ncols;
          ncols = 50;//number of cols to be extracted
+
          offset = 30:
          endofline = headInfo.width - offset - ncols;
          ncols = 50;//number of cols to be extracted
          nrows = 50://number of rows to be extracted
+
          rows = 19;
          rowsdn = (headInfo.width * rows) + offset;
          pr = pr + rowsdn; //rows + 1 lines dn + offset
+
          for (j = (rows+1); j < (rows+1+nrows); j++) {
               for (i = offset; i < ncols+offset; i++) {
                    *prwr = *pr;
                    pr++;
                    prwr++;
               pr = pr + 48;//110 - 128 end of row
               pr = pr + 30;
               pr = pr + endofline;//headInfo.width - offset - ncols
               pr = pr + offset;
          }
          pr = pr - 2462 - ((50*50)+(78*50));
          pr = pr - rowsdn - ((50*50)+(78*50));
          prwr = prwr - (50*50);
          pg = pg - headInfo.width*headInfo.height;
          pb = pb - headInfo.width*headInfo.height;
```



r1thumb0000.bmp



r1thumb0000.pgm



r1feat1.ppm Feel free to place comments here.

!!!! Warning: This is a KLT data file. Do not modify below this line !!!

```
Feature List

nFeatures = 10

feature | (x,y)=val

0 | (24, 25)= 402
1 | (-1, -1)= -1
2 | (-1, -1)= -1
3 | (-1, -1)= -1
```

4 | (-1, -1) = -1 5 | (-1, -1) = -1

6 | (-1, -1)= -1

7 | (-1, -1)= -1 8 | (-1, -1)= -1

 $9 \mid (-1, -1) = -1$

r1feat1.txt

Test run Tue 03 Sep 2019 09:26:52 PM MDT
The files subimg.m & im1.m are needed to determime
the values needed to extract from the 128 x 128 to 50 x 50.
when determining the thumb0000.pgm from thumb0000.bmp.
This needs to be run on a stetch version of octave.

The number of cables causes a problem positioning and keeping the camera in the correct position.

Belt speed, and camera postion are very critical in determining the feature value obtained.

Feature #0: (24.000000,25.000000) with value of 125.

diff --git a/C/klt/exe1.c b/C/klt/exe1.c index 62cd705..b60fa95 100644 --- a/C/klt/exe1.c +++ b/C/klt/exe1.c @@ -85,7 +85,7 @@ int main(void) {

```
while (flag == 1) {
          0123456789012345678901234567890123456789012345678901234567
//
 char cam_pre[] = "sudo raspistill -e bmp -vf -h 128 -w 128 -t 300 -o thumb";
 char cam_pre[] = "sudo raspistill -e bmp -vf -h 128 -w 128 -t 275 -o thumb";
                            char s3[] = "thumb";
                printf("%s %d\n",cam_pre,sizeof(cam_pre));
                  sprintf(pframe_suf, "%04d.bmp",count);
             @@ -156,17 +156,17 @@ int main(void) {
             //befor free the memory need to restore the pointers
                  pr = pr - headInfo.width*headInfo.height;
                       pr = pr + 2492; //19 lines dn + 60
             +
                       pr = pr + 2462; //19 lines dn + 60
                            for (j = 20; j < 70; j++) {
             @@ -156,17 +156,17 @@ int main(void) {
             //befor free the memory need to restore the pointers
                  pr = pr - headInfo.width*headInfo.height;
                       pr = pr + 2492; //19 lines dn + 60
                       pr = pr + 2462; //19 lines dn + 60
                            for (j = 20; j < 70; j++) {
                             for (i = 60; i < 110; i++)
                              for (i = 30; i < 80; i++)
                                     *prwr = *pr;
                                         pr++;
                                        prwr++;
                         pr = pr + 18;//110 - 128  end of row
                                   pr = pr + 60;
                         pr = pr + 48;//110 - 128 end of row
                                    pr = pr + 30;
                      pr = pr - 2492 - ((50*50)+(78*50));
                      pr = pr - 2462 - ((50*50)+(78*50));
                            prwr = prwr - (50*50);
                  pg = pg - headInfo.width*headInfo.height;
                 pb = pb - headInfo.width*headInfo.height;
```





r1thumb0000.pgm



r1feat1.ppm

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 10

feature | (x,y)=val

0 | (24, 25)= 125 1 | (-1, -1)= -1 2 | (-1, -1)= -1 3 | (-1, -1)= -1 4 | (-1, -1)= -1 5 | (-1, -1)= -1

-----+-----

6 | (-1, -1)= -1

7 | (-1, -1)= -1

8 | (-1, -1)= -1

r1feat1.txt

***********Draft*******

Principal component analysis (PCA) 09/02/19

*********Draft******

Took the 128×128 from the camera and wrote a subimage of 50×50 to the file thumb0000.pgm.

This 50×50 image was processed with example 1.c which both img 1 & img 2

used thumb0000.pgm.

the images in data/savedklt090219 r1* are with a cracked pistachio crack is on the right.

0 | (25, 24)= 285

the images in data/savedklt090219 r2* are with a not cracked pistachio

0 | (24, 24)= 45

the images in data/savedklt090219 r3* are with a cracked pistachio crack is on the left.

0 | (24, 25)= 101

the image in data/savedklt090219 r4* are with a cracked pistachio now the code from example1.c is included in exe1.c increased the -t variable from 275 to 300 msec which moves the pistachio into the field of view.



r1Thumb0000.bmp



r1Thumb0000.pgm



r1feat1.ppm




r2Thumb0000.bmp



r2Thumb0000.pgm



r2feat1.txt



r3 Thumb 0000.bmp



r3Thumb0000.pgm



r3feat1.ppm

r3feat1.txt



r4Thumb0000.bmp



r4Thumb0000.pgm




**********Draft*******



Thumb00000yes1sm.pgm



Thumb0000no1sm.pgm





The image above is 78×50 zoom of 476%.

Feel free to place comments here.

nFeatures = 100

feature | (x,y)=val -----+ 0 | (50, 24)= 2280 1 | (34, 24)= 747 2 | (24, 24)= 635


*********Draft******

Principal component analysis (PCA) 08/31/19

**********Draft******

Looking the feature extraction from ultibo_numlib/klt. Converted the 4 test images bmp images to pgm which was the format that was used.

Modified example1.c to use thumb0000yes1.pgm and thumb0000yes2.pgm



feat1.txt
Feel free to place comments here.

 $0 \mid (59, 42) = 12494$

- 1 | (49, 52)=11437
- 2 | (71, 33)=11096
- 3 | (39, 91)=10412
- 4 | (59, 67)=10405
- 5 | (100, 77)= 9171
- 6 | (73, 69)= 8453
- 7 | (24, 86)= 8441
- $8 \mid (52, 31) = 7226$
- 9 | (49, 42)= 5225
- 10 | (67, 89)= 3450
- 11 | (74, 59)= 3192
- 12 | (100, 35)= 2280
- 13 | (101, 87)= 2264
- 14 | (59, 57)= 1547
- 15 | (103, 99)= 1533
- 16 | (100, 25)= 1514
- 17 | (46, 73)= 1183
- 18 | (103, 67)= 1166
- 19 | (79, 45)= 1089
- 20 | (84, 32)= 1085
- 21 | (47, 63)= 906
- 22 | (102, 46)= 836
- 23 | (39, 24)= 757
- 24 | (34,103)= 730
- 25 | (69, 43)= 473
- 26 | (57, 83)= 468
- 27 | (31, 53)= 407
- $28 \mid (24, 34) = 270$ 29 | (24, 76)= 236
- 30 | (92, 46)= 210
- 31 | (73, 79) = 168
- 32 | (103, 56)= 145 33 | (27, 66)= 130
- 34 | (29, 24) = 97 35 | (93, 56) = 80
- 36 | (24,103)= 65
- $37 \mid (93, 97) = 52$ 38 | (36, 77)= 44
- 39 | (77, 89)= 40
- 40 | (44,101)= 28
- 41 | (60, 99) = 25
- 42 | (34, 34) = 21
- 43 | (93, 67)= 15
- 44 | (91, 87)= 13 45 | (70,103)= 5
- 46 | (82,100)= 4
- 47 | (83, 76)= 4
- 48 | (37, 63)=
- 49 | (-1, -1)= -1

```
50 | (-1, -1) = -1
```

$$82 \mid (-1, -1) = -1$$

$$91 \mid (-1, -1) = -1$$

$$92 \mid (-1, -1) = -1$$

98 | (-1, -1)= -1

```
99 | (-1, -1)= -1
```

feat2.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

```
0 \mid (59.1, 42.1) = 0
1 | (49.2, 52.0)=
                    0
2 | (70.3, 33.2)=
3 | (38.9, 91.1)=
4 | (59.1, 66.9)=
5 | (100.0, 76.9)=
6 | (73.0, 68.8)=
7 | (-1.0, -1.0) = -4
8 | (52.2, 31.1)=
9 | (49.1, 42.1)=
10 \mid (66.9, 89.2) = 0
11 | (74.0, 58.9)=
                    0
12 | (-1.0, -1.0)= -4
13 \mid (101.0, 87.1) = 0
14 | (59.1, 56.9)=
                    0
15 | (102.8, 99.5)=
16 | (98.0, 29.9)=
17 | (46.2, 72.8)=
18 | (103.0, 66.9)=
19 | (79.3, 45.3)=
                    0
20 | (83.2, 32.1)=
21 | (47.2, 62.8)=
22 \mid (102.1, 47.5) = 0
23 | (39.2, 24.2)=
24 | ( 33.8,102.9)=
25 | (68.7, 43.5)=
26 | (57.5, 82.9) = 0
27 \mid (31.0, 52.1) = 0
28 | (-1.0, -1.0) = -4
29 \mid (-1.0, -1.0) = -4
30 | (95.9, 50.8)= 0
```

 $31 \mid (73.5, 80.0) = 0$

```
32 \mid (-1.0, -1.0) = -4
33 | (26.9, 66.3)=
34 | (28.9, 24.4)=
35 | (90.7, 59.8)=
36 | (-1.0, -1.0) = -4
37 | (-1.0, -1.0) = -3
38 | (35.3, 77.3)=
39 | (77.3, 89.6)=
40 | (44.9, 96.9)=
                      0
41 | (60.9, 95.4)=
                      0
42 | ( 33.3, 35.3)=
                     0
43 | (93.0, 62.8)=
44 | (-1.0, -1.0) = -3
45 | (-1.0, -1.0) = -4
46 | (-1.0, -1.0) = -4
47 | (81.6, 81.2)=
48 | ( 37.8, 63.2)=
49 | (-1.0, -1.0)= -1
50 | (-1.0, -1.0) = -1
51 | (-1.0, -1.0) = -1
52 | (-1.0, -1.0) = -1
53 | (-1.0, -1.0) = -1
54 | (-1.0, -1.0) = -1
55 | (-1.0, -1.0)= -1
56 | (-1.0, -1.0) = -1
57 | (-1.0, -1.0) = -1
58 | (-1.0, -1.0)= -1
59 | (-1.0, -1.0) = -1
60 \mid (-1.0, -1.0) = -1
61 \mid (-1.0, -1.0) = -1
62 \mid (-1.0, -1.0) = -1
63 \mid (-1.0, -1.0) = -1
64 \mid (-1.0, -1.0) = -1
65 | (-1.0, -1.0) = -1
66 \mid (-1.0, -1.0) = -1
67 | (-1.0, -1.0)= -1
68 \mid (-1.0, -1.0) = -1
69 | (-1.0, -1.0)= -1
70 | (-1.0, -1.0)= -1
71 | (-1.0, -1.0) = -1
72 \mid (-1.0, -1.0) = -1
73 | (-1.0, -1.0)= -1
74 | (-1.0, -1.0)= -1
75 | ( -1.0, -1.0) = -1
76 | (-1.0, -1.0) = -1
77 | ( -1.0, -1.0) = -1
78 | (-1.0, -1.0)= -1
```

79 | (-1.0, -1.0) = -1 80 | (-1.0, -1.0) = -1

```
81 \mid (-1.0, -1.0) = -1
   82 \mid (-1.0, -1.0) = -1
   83 \mid (-1.0, -1.0) = -1
   84 | (-1.0, -1.0)= -1
   85 | (-1.0, -1.0) = -1
   86 \mid (-1.0, -1.0) = -1
   87 | (-1.0, -1.0)= -1
   88 \mid (-1.0, -1.0) = -1
   89 | (-1.0, -1.0)= -1
   90 \mid (-1.0, -1.0) = -1
   91 \mid (-1.0, -1.0) = -1
   92 | (-1.0, -1.0)= -1
   93 | (-1.0, -1.0) = -1
   94 \mid (-1.0, -1.0) = -1
   95 | (-1.0, -1.0) = -1
   96 \mid (-1.0, -1.0) = -1
   97 | ( -1.0, -1.0)= -1
   98 \mid (-1.0, -1.0) = -1
   99 | (-1.0, -1.0)= -1
end of feat.txt
```

Modified example1.c to use thumb0000yes2.pgm and thumb0000yes1.pgm

feat1.txt

Feel free to place comments here.

!!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

0 | (50 /2)-12051

- 0 | (59, 42)=12951
- 1 | (71, 32)=11510
- 2 | (49, 52)=11472
- 3 | (59, 67)=10930
- 4 | (39, 91)=10416
- 5 | (100, 77)= 9166
- 6 | (73, 69)= 8837
- 7 | (24, 86)= 8779
- 8 | (52, 31) = 7268
- 9 | (49, 42)= 5364
- 10 | (74, 59)= 3307
- 11 | (67, 89) = 2881
- 12 | (101, 87)= 2445
- 13 | (83, 32)= 1920
- $15 \mid (05, 52) 1520$
- 14 | (102, 39)= 1830
- 15 | (101, 97)= 1785
- 16 | (103, 49)= 1728
- 17 | (59, 55)= 1637
- 18 | (103, 67)= 1183
- 19 | (46, 73)= 1097
- 20 | (79, 46)= 1035
- 21 | (69, 42)= 974
- 22 | (47, 62)= 929 23 | (89, 47)= 928
- 25 | (05, 47) = 520
- 24 | (99, 29)= 804 25 | (39, 24)= 781
- 26 | (34,103)= 731
- 27 | (57 02) 470
- 27 | (57, 83)= 470
- 28 | (31, 52)= 415
- 29 | (24, 34)= 256
- 30 | (73, 79)= 253
- 31 | (24, 76)= 232
- 32 | (93, 57)= 121
- 33 | (27, 66)= 121
- 34 | (29, 24)= 93
- 35 | (91, 93) = 60
- 36 | (24,103)= 57
- 37 | (36, 77)= 54
- 38 | (77, 89)= 42
- 39 | (67,101)= 33
- 40 | (34, 34) = 24

- 41 | (44,101)= 23
- 42 | (90,103)= 23
- 43 | (78,103)= 19
- 44 | (93, 67)= 15
- 45 | (57, 93) = 8
- 46 | (90, 83)= 7
- 47 | (57,103)= 7
- 48 | (37, 63)=
- 49 | (83, 69)= 2
- 50 | (-1, -1)= -1
- 51 | (-1, -1)= -1
- 52 | (-1, -1)= -1
- 53 | (-1, -1)= -1
- 54 | (-1, -1)= -1
- 55 | (-1, -1)= -1
- 56 | (-1, -1)= -1
- 57 | (-1, -1)= -1
- 58 | (-1, -1)= -1
- 59 | (-1, -1)= -1 60 | (-1, -1)= -1
- $61 \mid (-1, -1) = -1$
- $62 \mid (-1, -1) = -1$
- 63 | (-1, -1)= -1
- $64 \mid (-1, -1) = -1$
- 65 | (-1, -1)= -1
- 66 | (-1, -1)= -1
- 67 | (-1, -1)= -1
- 68 | (-1, -1)= -1
- $69 \mid (-1, -1) = -1$
- 70 | (-1, -1)= -1
- $71 \mid (-1, -1) = -1$
- $72 \mid (-1, -1) = -1$
- 73 | (-1, -1)= -1
- 74 | (-1, -1)= -1
- 75 | (-1, -1)= -1
- 76 | (-1, -1)= -1
- 77 | (-1, -1)= -1
- 78 | (-1, -1)= -1
- 79 | (-1, -1)= -1
- 80 | (-1, -1)= -1
- $81 \mid (-1, -1) = -1$
- $82 \mid (-1, -1) = -1$
- 83 | (-1, -1)= -1 84 | (-1, -1)= -1
- 85 | (-1, -1)= -1
- 86 | (-1, -1)= -1
- 87 | (-1, -1)= -1
- 88 | (-1, -1)= -1
- 89 | (-1, -1)= -1

```
90 | (-1, -1) = -1

91 | (-1, -1) = -1

92 | (-1, -1) = -1

93 | (-1, -1) = -1

94 | (-1, -1) = -1

95 | (-1, -1) = -1

97 | (-1, -1) = -1

98 | (-1, -1) = -1

99 | (-1, -1) = -1
```

feat2.txt

Feel free to place comments here.

!!! Warning: This is a KLT data file. Do not modify below this line !!!

KLT Feature List

nFeatures = 100

feature |(x,y)=val|

```
0 \mid (58.8, 41.9) = 0
1 \mid (71.7, 31.9) = 0
2 | (48.8, 52.0)=
3 \mid (58.9, 67.0) =
4 | (39.1, 90.9)=
5 | (100.0, 77.1)=
6 | (73.0, 69.1)=
7 | (24.1, 85.9)=
8 | (51.9, 30.9)=
9 | (49.0, 41.9)=
10 \mid (74.0, 59.1) = 0
11 | (67.1, 88.8)=
12 | (101.0, 86.9)= 0
13 \mid (83.7, 31.9) = 0
14 \mid (102.8, 38.2) = 0
15 | (101.3, 96.2) = 0
16 | (-1.0, -1.0) = -4
17 | (58.9, 55.0) = 0
18 | (-1.0, -1.0) = -4
19 | (45.9, 73.2) = 0
20 | (78.7, 45.7)= 0
```

- 21 | (69.6, 41.8) = 0
- 22 | (46.9, 62.3)=
- 23 | (-1.0, -1.0) = -5
- 24 | (100.3, 24.0)=
- 25 | (-1.0, -1.0) = -4
- $26 \mid (-1.0, -1.0) = -4$
- 27 | (56.4, 83.0)=
- 28 | (31.0, 52.9)=
- 29 | (24.1, 33.9)=
- 30 | (-1.0, -1.0) = -3
- 31 | (24.1, 75.6)=
- 32 | (93.8, 54.0)=
- 33 | (27.2, 65.4)=
- 34 | (-1.0, -1.0) = -4
- 35 | (92.4, 92.2)= 0
- 36 | (-1.0, -1.0) = -4
- 37 | (36.7, 76.6)=
- 38 | (76.7, 88.6) = 0
- 39 | (-1.0, -1.0) = -4
- 40 | (-1.0, -1.0) = -3
- 41 | (-1.0, -1.0) = -4
- 42 | (96.3,102.3) = 0
- 43 | (-1.0, -1.0) = -3
- 44 | (-1.0, -1.0) = -3
- 45 | (59.7, 94.7)= 0
- 46 | (91.6, 77.4)=
- 47 | (-1.0, -1.0) = -4
- 48 | (35.9, 62.4) = 0
- 49 | (-1.0, -1.0) = -3
- 50 | (-1.0, -1.0) = -1
- 51 | (-1.0, -1.0) = -1
- $52 \mid (-1.0, -1.0) = -1$
- 53 | (-1.0, -1.0) = -1
- 54 | (-1.0, -1.0) = -1 55 | (-1.0, -1.0) = -1
- 56 | (-1.0, -1.0) = -1
- 57 | (-1.0, -1.0) = -1
- 58 | (-1.0, -1.0)= -1
- 59 | (-1.0, -1.0) = -1
- 60 | (-1.0, -1.0)= -1
- $61 \mid (-1.0, -1.0) = -1$
- $62 \mid (-1.0, -1.0) = -1$
- 63 | (-1.0, -1.0)= -1
- 64 | (-1.0, -1.0) = -1
- $65 \mid (-1.0, -1.0) = -1$
- 66 | (-1.0, -1.0) = -1
- 67 | (-1.0, -1.0)= -1
- 68 | (-1.0, -1.0)= -1
- $69 \mid (-1.0, -1.0) = -1$

```
70 \mid (-1.0, -1.0) = -1
   71 \mid (-1.0, -1.0) = -1
   72 \mid (-1.0, -1.0) = -1
   73 \mid (-1.0, -1.0) = -1
   74 | (-1.0, -1.0)= -1
   75 | (-1.0, -1.0) = -1
   76 | (-1.0, -1.0)= -1
   77 | ( -1.0, -1.0)= -1
   78 | (-1.0, -1.0)= -1
   79 | (-1.0, -1.0) = -1
   80 \mid (-1.0, -1.0) = -1
   81 | ( -1.0, -1.0)= -1
   82 | (-1.0, -1.0)= -1
   83 \mid (-1.0, -1.0) = -1
   84 \mid (-1.0, -1.0) = -1
   85 | (-1.0, -1.0)= -1
   86 \mid (-1.0, -1.0) = -1
   87 \mid (-1.0, -1.0) = -1
   88 \mid (-1.0, -1.0) = -1
   89 \mid (-1.0, -1.0) = -1
   90 \mid (-1.0, -1.0) = -1
   91 \mid (-1.0, -1.0) = -1
   92 \mid (-1.0, -1.0) = -1
   93 \mid (-1.0, -1.0) = -1
   94 \mid (-1.0, -1.0) = -1
   95 \mid (-1.0, -1.0) = -1
   96 \mid (-1.0, -1.0) = -1
   97 | (-1.0, -1.0) = -1
   98 | (-1.0, -1.0)= -1
   99 \mid (-1.0, -1.0) = -1
end of feat.txt
```


Principal component analysis (PCA) is a statistical procedure that uses an orthogonal transformation to convert a set of observations of possibly correlated variables (entities each of which takes on various numerical values) into a set of values of linearly uncorrelated variables called principal components.

Machine Learning — Singular Value Decomposition (SVD) & Principal Component

Analysis (PCA)

Analysis of 4 images 2 cracked and 2 not cracked. The (SVD) or (PCA) does appears to track that pistachios that are cracked do have a higher (PCA) than pistachios that are not cracked.

Thumb0000yes1.bmp



thumb0000no1.bmp



Thumb0000yes2.bmp



thumb0000n2.bmp



thumb0000yes1.bmp thumb0000no1.bmp thumb0000yes2.bmp thumb0000n2.bmp pca1(1:20) ans =

2.5118e+04 4.1047e+03 1.7342e+03 1.3414e+03 1.3223e+03 1.0863e+03 8.6049e+02 7.6984e+02 6.8771e+02 6.0650e+02 5.2599e+02 4.5459e+02 4.4436e+02 3.8315e+02 3.7725e+02 3.3203e+02 3.1981e+02 2.7991e+02 2.7412e+02 2.5770e+02	2.4510e+04	2.5212e+04	2.4252e+04
ans = 2.0217e+04 3.8104e+03 1.5775e+03 1.3825e+03 1.1628e+03 1.0376e+03 7.8174e+02 7.4592e+02 6.8873e+02 5.8089e+02 5.1885e+02 4.6897e+02 4.5024e+02 4.0410e+02 3.6088e+02 3.2620e+02 3.0089e+02 2.8690e+02 2.6073e+02	1.9552e+04	2.0434e+04	1.9248e+04

```
2.4677e+02
pca3(1:20)
ans =
                                       1.3600e+04
 1.3455e+04
                   1.2802e+04
                                                                 1.2537e+04
 2.7543e+03
 1.2505e+03
 1.0014e+03
 8.8897e+02
 7.7139e+02
 6.2903e+02
 5.8134e+02
 5.3249e+02
 4.6860e+02
 4.0902e+02
 3.9088e+02
 3.6356e+02
 3.4791e+02
 3.0013e+02
 2.6766e+02
 2.5222e+02
 2.3809e+02
 2.1705e+02
 2.0159e+02
thumb0000no1.bmp
pca1(1:20)
ans =
 2.4510e+04
 4.0433e+03
 1.9649e+03
 1.4272e+03
 1.3475e+03
 9.9684e+02
 8.2375e+02
 7.9589e+02
 6.8341e+02
 5.8102e+02
 5.0413e+02
 4.6857e+02
 4.2710e+02
 4.0367e+02
 3.7746e+02
 3.4601e+02
 3.3557e+02
 2.9683e+02
```

2.8394e+02

```
2.5602e+02
```

pca2(1:20)

ans =

- 1.9552e+04
- 3.6803e+03
- 1.6822e+03
- 1.4549e+03
- 1.1840e+03
- 9.1180e+02
- 7.5005e+02
- 7.1683e+02
- 6.8642e+02
- 5.3968e+02
- 4.8279e+02
- 4.4007e+02
- T. TOO / C · O2
- 4.3046e+02
- 4.0756e+02
- 3.5801e+02
- 3.3369e+02
- 3.1684e+02
- 2.8013e+02
- 2.6143e+02
- 2.4284e+02

pca3(1:20)

ans =

- 1.2802e+04
- 2.6358e+03
- 1.2603e+03
- 1.1070e+03
- 8.7383e+02
- 7.0593e+02
- 5.8519e+02
- 5.8225e+02
- 5.2708e+02
- 4.2259e+02
- 3.9897e+02
- 3.7471e+02
- 3.5758e+02
- 3.3290e+02
- 3.1216e+02
- 2.7739e+02
- 2.5960e+02
- 2.3723e+02 2.1209e+02
- 2.0476e+02

```
thumb0000yes2.bmp
pca1(1:20)
ans =
 2.5212e+04
 4.0210e+03
 1.8347e+03
 1.4258e+03
 1.3558e+03
 1.0733e+03
 8.3836e+02
 7.6427e+02
 6.8187e+02
 6.1109e+02
 5.2345e+02
 4.8893e+02
 4.5993e+02
 4.1018e+02
 4.0371e+02
 3.5510e+02
 3.3618e+02
 2.9982e+02
 2.6943e+02
 2.5862e+02
pca2(1:20)
ans =
 2.0434e+04
 3.7564e+03
 1.6314e+03
 1.4176e+03
 1.2380e+03
 1.0131e+03
 7.6505e+02
 7.4708e+02
 6.7221e+02
 5.7194e+02
 5.2257e+02
 4.7293e+02
 4.6234e+02
 4.2547e+02
 3.7508e+02
 3.3221e+02
 3.3095e+02
 2.8798e+02
 2.6839e+02
```

2.5635e+02

```
pca3(1:20)
ans =
 1.3600e+04
 2.7226e+03
 1.2751e+03
 1.0553e+03
 9.2998e+02
 7.9118e+02
 6.0423e+02
 5.9610e+02
 5.1626e+02
 4.6031e+02
 4.2646e+02
 4.0938e+02
 3.8739e+02
 3.5952e+02
 3.1919e+02
 2.8066e+02
 2.6825e+02
 2.4342e+02
 2.2798e+02
 2.1238e+02
thumb0000n2.bmp
pca1(1:20)
ans =
 2.4252e+04
 4.3798e+03
 1.6566e+03
 1.4539e+03
 1.2313e+03
 9.4545e+02
 8.6362e+02
 7.0752e+02
 6.3207e+02
 5.8339e+02
 5.0927e+02
 4.6314e+02
 4.3968e+02
 3.7103e+02
 3.2726e+02
 3.1503e+02
 2.9399e+02
 2.7929e+02
 2.6932e+02
```

```
2.6126e+02
```

>> pca2(1:20) ans =

1.9248e+04

3.8751e+03

1.6063e+03

1.3434e+03

1.0795e+03

8.8676e+02

7.6481e+02

6.9949e+02

5.03.5C 02

5.9415e+02

5.6022e+02

4.9497e+02

4.3213e+02

4.0966e+02

3.5401e+02

3.1833e+02

2.9621e+02

2.8560e+02

2.7431e+02

2.5903e+02

2.4629e+02

>> pca3(1:20)

ans =

1.2537e+04

2.7423e+03

1.2570e+03

1.0034e+03

7.9929e+02

6.7685e+02

5.8549e+02

5.6615e+02

4.7492e+02

4.3317e+02

4.0130e+02

3.5044e+02

3.3603e+02

3.0458e+02

2.7552e+02

2.5449e+02

2.4492e+02

2.2631e+02

2.1090e+02

2.0487e+02