

# Configuration Management Plan

## 1. Introduction

### 1.1 Identification

The SCM plan is for the PolyChord application's development, and the related testing, version control, continuous integration, and deployment software. For testing, Mocha, Chia, and Karma are used. For version control, Git and Github are used. For Continuous integration, Drone CI is used. For deployment, Docker and Docker Hub are used.

### 1.2 Purpose

The Configuration Management Plan lays out in detail how the DAJ team will manage the control of configuration items being developed in each phase. It defines both the policies and procedures for configuration management, and the infrastructure necessary to implement them throughout the phases of the project.

### 1.3 Scope

This version of the Configuration Management Plan is applicable to the Initial Design and Development phases of the PolyChord project. It may be modified for the following phases depending on the Configuration Management requirements for such phases. All PolyChord team members, while working on the PolyChord Project, will adhere to the approach outlined in this project.

### 1.4 Limitations and Assumptions

The major limitation in this project is having the person-hours to complete all tasks, and finding the time to perform the required meetings, as the members of DAJ are all part-time, and have other jobs. This means that configuration management tasks must be completed as efficiently as possible, and all schedules and timed tasks must be made flexible to accommodate the team's constantly changing schedule. The other limitation is that the team has access to limited resources, so most paid tools and libraries are not an option. For this reason, the team must rely on free and open source projects for most of their support software and development tooling.

## 2. Management

### 2.1 Organization

Outline of the organizational context (technical and managerial) within which the configuration management activities are implemented.

#### 2.1.1 Configuration Manager

There will be one member assigned to heading the management of the configuration control for Polychord. Their responsibilities will include: - Heading the maintenance of the Polychord documentation - Approving or denying significant changes to the intended course of the program - Allocating work on revisions of documents when needed Appointment of the Product leader will be based on their understanding of the underlying goals of the application and tenure.

### **2.1.2 Product Leader**

There will be a single member of the development team whose responsibilities include: - Maintaining the overall direction of feature implementation - Referencing the relevant documents to projected features - Allocating work to the development team - Approving or denying significant changes to the source code Appointment of the Product leader will be based on their understanding of the underlying application and tenure.

## **2.2 Responsibilities/Configuration Control Board**

The leaders in section 2.1 shall head relevant control boards, which will simply be composed of any developer or leader of Polychord who cares to give their input on the direction that the leader is taking the project.

### **2.2.1 Configuration Management Board**

The Configuration Management Board shall be headed by the Configuration Manager, and the goal is much the same as outlined in section 2.1.1. - When changes are in question, they must be approved by either 50% of participating members including the Configuration Manager or by  $\frac{2}{3}$  of the participating members if not approved by the Configuration Manager. - A meeting of the board is to be called whenever major changes to the direction of Polychord is in question, including removal or addition of features, and changes to general guidelines and regulations.

### **2.2.2 Product Management Board**

The Product Management Board shall be headed by the Product Leader, and the goal is much the same as outlined in section 2.1.2. - When changes are in question, they must be approved by either 50% of participating members including the Product Leader or by  $\frac{2}{3}$  of the participating members if not approved by the Product Leader. - A meeting of the board is to be called whenever major changes to the codebase of Polychord is in question, including removal or addition of features.

## **2.3 Applicable policies, directives and procedures**

There are no relevant policies, directives or procedures pertaining to Polychord on the management of the Product Board.

# **3. Activities**

## **3.1 Configuration identification**

## P100 PolyChord System

P110 PolyChord Frontend

P111 Tone.js (External Synthesizer Library)

P112 PapParse (External Parsing Library)

P113 Google Sign-on API

P120 PolyChord Backend

P121 Flask (Python Web Framework)

P122 Redis User Database

## P200 PolyChord Development System

P210 Testing stack

P211 Karma (Javascript Test Runner)

P212 Mocha (Javascript Testing Framework)

P213 Chai (BDD/TDD Assertion Framework)

P220 Distribution System

P221 Docker Hub (Distribution Image Builder and Distribution Mechanism)

P222 Python Alpine Docker Image (Distribution Base Image)

P223 Gunicorn (Python WSGI HTTP Server)

P230 Version Control & Integration

P231 GitHub (Version Control)

P232 Drone CI (Continuous Integration Pipeline)

## P300 Documentation System

P310 Drone CI (Continuous Integration Pipeline)

P311 Bash Scripts

P320 Markdown to PDF conversion

P321 Gotenberg API (Docker image thecodingmachine/gotenberg)

P330 PlantUML to PNG conversion

P331 Kroki API (Docker image yuzutech/kroki)

## 3.2. Configuration control

Configuration control is taken care of within GitHub issues and pull requests: Change requests, evaluation, and approval or rejection all takes place within the GitHub issue representing the proposed change, and once the change has been implemented, it's implementation is contained within a pull request (or series of pull requests), so that the changes' impact can be evaluated before it is merged.

### **3.3. Configuration status accounting**

While there is currently no automated Configuration status account mechanism that tracks configuration metrics, such a system is planned, and will track the status of the Continuous Integration pipeline, by both performing a health check on it, and collecting logs from it, to enable easier troubleshooting. In order to keep the source code clean and functional, automatic unit tests and integration tests shall be built into the Continuous Integration pipeline, so all source code changes must undergo an automated testing processes before they reach the repository. Finally, all Pull Requests for the Master branch will require manual review by team members who were not involved in forming the Pull Request, so that further issues with the Configuration items can be monitored and prevented.

### **3.4. Configuration evaluation and reviews**

Configuration evaluation happens when the change is being discussed in it's related GitHub issue, and once an implementation is fleshed out, the review of the implementation is performed by the Product Owner on the Configuration change Pull Request. At least one of these steps (Evaluation and Review) occurs during each sprint per configuration change, though in some cases both may occur within the same sprint if the change is small in size.

### **3.5 Interface control**

The majority of configuration items that are effected by changes outside the scope of the plan are the supporting software, which may receive updates and function changes over time. If possible, such updates should be taken care of within the normal software development cycle, though the software release reason should be taken into consideration when determining the urgency of the update: for example, feature updates should generally be considered low priority unless the new feature is needed for further software development, while security patches should be treated as high priority and incorporated in the very next development cycle, or even out of cycle if the security issue is major.

### **3.6 Release Management and Delivery**

Releases are performed via the GitHub "Release" functionality, and typically happen once every two sprints. A release is a tagged commit on the master branch of the git repo, and the release includes both a zip of the source code, as well as a Docker image, which is auto-built when the release is tagged, and released on Docker Hub, which is the primary mechanism for delivery of the software. Docker Hub and Github both keep previous releases, and allow the releases to be tagged with a version number, which allows the releases to be tracked over time.

## **4. Schedules**

- Sequence and coordination of SCM activities.
- Relationship of key SCM activities to project milestones or events, such as:
  - Establishment of configuration baseline
  - Implementation of change control procedures
  - Start and completion dates for a configuration audit
- Schedule either as absolute dates, relative to SCM or project milestones or as sequence of events.

- Graphical representations can be used here.

## **4.1 - Configuration**

### **4.1.1 - Browser Specifications**

this section will outline what to do in the case that standalone releases are required for different browsers. Currently the differences between browsers are keycodes on firefox and MIDI support only works with Google Chrome. Currently these are still a single release though, so there is no need for browser dependan naming schemes yet.

- Each of the distinct browser specific versions shall have a unique version number
  - This number will be the base version of ., where browser name will be determined in this and the SRS documents when required.
- All browser dependent versions shall be updated concurrently (each feature added or removed will be added or removed from all independent versions) with the exception of major security issues.
- Major security issue updates will follow the format ..x where x is the number of updates to security on that version in between polychord version releases.
- Where applicable, there will be seperate sections in the specification documents where behavior is unique between browsers

### **4.1.2 - OS Specifications**

There are currently no OS dependent releases, but this section of the Configuration Management Plan outlines configuration for operating system specific releases.

- Each distinct version shall have a unique version number
  - the unique version number will be related to the operating system with a name of ., and the used Operating System name will be determined in this and the SRS documents when required.
- All system dependent versions shall be updated concurrently (each feature added or removed will be added or removed from all independent versions) with the exception of major security issues.
- Major security issue updates will follow the format ..x where x is the number of updates to security on that version in between polychord version releases.
- Where applicable, there will be seperate sections in the specification documents where behavior is unique between Operating Systems

## **4.2 - Source Change Control**

This section outlines protocol for major changes to the source code of Polychord that have not been previously approved.

- Requests for changes must be submitted to the Product Leader, who will then hold a meeting regarding the requests if deemed necessary.
- When a change is accepted by the Product Management Board, it is to be added to the backlog of the project at an appropriate priority as determined at the meeting of the Product Management Board.
- Changes may only be approved if it is determined by the Product Management Board that the change will be beneficial.

- User-visible changes must be global ie) where a change will directly affect a user, it must affect all users across all platforms equally.

### **4.3 - Document Change Control**

This section outlines protocol for major changes to the goal of the Polychord app and documentation outside of previously approved modifications. This is relevant to all documents that outline the general goals for PolyChord such as the SRS and Sequence Flow documents.

- Requests for changes must be submitted to the Configuration Manager, who will then hold a meeting regarding the requests if deemed necessary.
- When a change is accepted by the Configuration Management Board, it is to be added to the backlog of the project at an appropriate priority as determined at the meeting of the Configuration Product Management Board.
- Changes may only be approved if it is determined by the Configuration Management Board that the change will be beneficial.
- Changes must be reflected across all documentation ie) if a user story is changed then all documents which reference this story must also reflect the change.

### **4.4 - Update Statuses**

This section is concerning the management of expected and actual release times. Status must be maintained and updated after every sprint. This is relevant to all of the review and backlog documents as well as the User Story doc.

- Any change that are proposed to be implemented and/or implemented over the course of a sprint must be reflected in all review and backlog documents pertaining to that sprint. This change shall include:
  - Proposed date of implementation of feature
  - Actual date of implementation of feature
- The log shall similarly be maintained for any major changes or removal of bugs and features.

## **5. Resources**

- Identifies environment, infrastructure, software tools, techniques, equipment, personnel, and training.

### **5.1 - Tools and Libraries**

- Key factors for infrastructure:
  - Functionality
  - Performance
  - Safety
  - Security
  - Availability
  - Space requirements
  - Equipment
  - Costs

- Time constraints.

Environment: Flask (web framework); Redis (database)

Team Members: Devin Christianson, Dawsin Blanchard, Jeremy Thiboutot, Alexander Revello, Alex Feren, Devin Merrow

## **5.2 - Version Control**

the development team for Polychord uses GitHub for version control and project management. This section outlines what regulations are used internally to deal with updates to the code.

- Changes must be approved by another member of the team before merging to master
- Modifications to the code will be allocated modularly, so each part will have only one member working on it at any given time.
- When modifying the source code, the team member must comment on the relevant issue that they will be working on when starting work and when finishing work on that section.
- Roles for what will be modified in the code may be assigned by the Product Leader.

## **6. Plan Maintenance**

The Configuration Manager is responsible for monitoring the plan, and updates to the plan should be performed as necessary, at a minimum once for every major Software release. Changes to the plan can be evaluated and approved through the same GitHub Issue and Pull Request mechanism as is used for Configuration Items, though these artifacts should be tagged as SCM, so that a history of the changes made to the plan can more easily be tracked. For security maintenance we are doing a quick look into libraries to make sure none are compromised and if they are update them. For MIDI, system exclusive should be disabled which is by default and accounts are through Google sign in and handled by Google security.