

### **Overview**

### **Burden classification**

### There is insufficient data for the Global Nutrition Report to classify this country's burden

Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, NCD Risk Factor Collaboration, WHO Global Health Observatory.

Notes: Thresholds for a country having the form or not: stunting in children aged under 5 years  $\geq$ 20%; anaemia in women of reproductive age  $\geq$ 20%; overweight (body mass index  $\geq$ 25) in adult women aged  $\geq$ 18 years  $\geq$ 35%.

### Progress against global nutrition targets 2018



**Under-5 stunting** 



**Under-5 wasting** 



**Under-5 overweight** 



WRA anaemia

No progress or worsening



**Exclusive breastfeeding** 



Adult female obesity No progress or worsening



Adult male obesity No progress or worsening



Adult female diabetes No progress or worsening




Adult male diabetes

No progress or worsening

Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, UNICEF global databases: Infant and Young Child Feeding, NCD Risk Factor Collaboration, WHO Global Health Observatory. Notes: The methodologies for tracking differ between targets. Data on the adult indicators are based on modelled estimates. See Appendix 1 of the 2018 Global Nutrition Report for details of the methods and sources used to assess progress towards global nutrition targets.

## **Economics and demography**

### Poverty rates (%) and GDP (PPP\$)



Source: World Bank 2018.

**Note**: GDP = gross domestic product. PPP = purchasing power

### Under-5 mortality (per 000 live births)



Source: UN Inter-agency Group for Child Mortality Estimation 2018.

### Income inequality

| Gini index score <sup>1</sup> | Gini index rank <sup>2</sup> | Year |
|-------------------------------|------------------------------|------|
| NA                            | NA                           | NA   |

Source: World Bank 2018.

**Notes**: 0 = perfect equality, 100 = perfect inequality. Countries are ranked from most equal (1) to most unequal (155).

### **Population**


| Population (000)         | 74 | 2017 |
|--------------------------|----|------|
| Under-5 population (000) | NA | NA   |
| Rural (%)                | 30 | 2017 |
| ≥65 years (000)          | NA | NA   |

Source: UN Population Division 2017.


## **Underlying determinants**

### Food supply

| Source: FAOSTAT 2018.



### Drinking water coverage (% population)



### **Gender-related determinants**

| Early childbearing: births by age 18 (%) <sup>1</sup> | NA | NA |
|---|----|----|
| Gender Inequality Index (score*) <sup>2</sup>         | NA | NA |
| Gender Inequality Index (country rank) <sup>2</sup>   | NA | NA |


Sources: UNICEF 2018: UNDP 2018.<sup>2</sup>

Note: \*0 = low inequality, 1 = high inequality.

### Population density of health workers per 1,000 people

| Physicians               | 1.78 | 2001 |
|--------------------------|------|------|
| Nurses and midwives      | 6.29 | 2001 |
| Community health workers | NA   | NA   |


Source: WHO's Global Health Workforce Statistics, OECD, supplemented by country data




Female secondary education enrolment (net, % population)

Source: UNESCO Institute for Statistics 2018.

### Sanitation coverage (% population)



### Government expenditures (% total)



Source: IFPRI 2015.

## Children (under 5) nutrition status

| Under 5 by gender: wasting (%)  | Under 5 by gender: stunting (%)             | Under 5 by gender: overweight (%)            |
|---|---|--|
| No data   | No data                                     | No data                                      |
| Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.         |   |  |
| Under 5 by household income: wasting (%)  | Under 5 by household income: stunting (%)   | Under 5 by household income: overweight (%   |
| No data   | No data                                     | No data                                      |
| Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.         |   |  |
| Under 5 by household location: wasting (%)  | Under 5 by household location: stunting (%) | Under 5 by household location: overweight (% |
| No data   | No data                                     | No data                                      |
| <b>Sources</b> : UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. |   |  |
| Under-5 coexistence of wasting, stunting of                                       | and overweight                              |  |
|   |   |  |
|   | No data                                     |  |

Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight, New York, May 2018.

Notes: Percentage of children under 5 years of age who experience different and overlapping forms of malnutrition.

## **Child feeding practices**

No data

Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Infant and Young Child Feeding, New York, May 2018.

## Children and adolescent (aged 5-19) nutrition status

Ages 5–19 by gender: underweight (%)


Boys
Girls


10

10

10


1999 2003 2007 2011 2015







## **Adult nutrition status**


Source: NCD Risk Factor Collaboration.









## Adult by gender: raised blood pressure (%)








### Adult: sodium intake (grams per day)



**Source**: Global Burden of Disease, the Institute for Health Metrics and Evaluation.

## **Dietary needs**





Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation.

Notes: Men and women aged 25 and older. TMREL = theoretical minimum risk exposure level.

## Financial resources and policy, legislation and institutional arrangements

### 

**Sources**: Development Initiatives based on OECD Development Assistance Committee (DAC) Creditor Reporting System (CRS).

**Notes**: ODA = official development assistance. Amounts based on gross ODA disbursements, constant 2016 prices. Figure includes ODA grants and loans, but excludes other official flows and private grants.

### **National policies**

| Mandatory legislation for salt iodisation  | NA  |
|--|-----|
| Sugar-sweetened beverage tax               | Yes |
| Food-based dietary guidelines              | Yes |
| Multisectoral comprehensive nutrition plan | Yes |

**Sources**: Global Fortification Data Exchange 2018; Sugar-sweetened data prepared using data from the NOURISHING database, academic references and market reports; FAO 2018; WHO Global database on the Implementation of Nutrition Action (GINA), 2nd Global Nutrition Policy Review.

### Targets included in national (nutrition or other) plan

| Stunting | Anaemia | Low birth weight | Child overweight | Exclusive<br>breastfeeding | Wasting | Salt intake | Overweight adults and adolescents |
|----------|---------|------------------|------------------|----------------------------|---------|-------------|-----------------------------------|
| No       | No      | Yes              | Yes              | No                         | No      | No          | Yes                               |

Sources: WHO Global database on the Implementation of Nutrition Action (GINA) 2nd Global Nutrition Policy Review

## Intervention coverage

| Coverage/practice indicator   | %  | Male | Female | Year |
|---|----|------|--------|------|
| Children 0–59 months with diarrhoea who received zinc treatment   | NA | NA   | NA     | NA   |
| Children 6–59 months who received vitamin A supplements in last 6 months                                  | NA | NA   | NA     | NA   |
| Children 6–59 months given iron supplements in past 7 days  | NA | NA   | NA     | NA   |
| Women with a birth in last five years who received iron and folic acid during their most recent pregnancy | NA |      | NA     | NA   |
| Household consumption of any iodised salt   | NA | NA   | NA     | NA   |

Sources: Kothari M. and Huestis A., based on 2016 Global Nutrition Report and UNICEF global databases, 2018.

Notes: Data is compiled using STATcompiler and taken from country Demographic and Health Surveys for 2005–2017.