


Overview


Progress against global nutrition targets 2018



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates, UNICEF global databases: Infant and Young Child Feeding, NCD Risk Factor Collaboration, WHO Global Health Observatory.
Notes: The methodologies for tracking differ between targets. Data on the adult indicators are based on modelled estimates. See Appendix 1 of the 2018 Global Nutrition Report for details of the methods and sources used to assess progress towards global nutrition targets.


Economics and demography

Poverty rates (%) and GDP (PPP\$)



Source: World Bank 2018.
Note: GDP = gross domestic product. PPP = purchasing power parity. n = 2 (poverty); n = 2 (GDP).

Under-5 mortality (per 000 live births)



Source: UN Inter-agency Group for Child Mortality Estimation 2018.


Population

Population (millions)	361	2017
Under-5 population (millions)	22	2018
Rural (%)	18	2017
≥65 years (millions)	58	2018

Source: UN Population Division 2017.
Notes: n = 2 (rural only).

Underlying determinants

Food supply




Source: FAOSTAT 2018.

Gender-related determinants

Early childbearing: births by age 18 (%)	NA	NA
Population density of health workers per 1,000 people		
Physicians	2.57	2016
Nurses and midwives	9.88	2016
Community health workers	NA	NA


Source: UNICEF 2018.
Note: n = NA.
Source: WHO's Global Health Workforce Statistics, OECD, supplemented by country data. n = 2

Female secondary education enrolment (net, % population)




Source: UNESCO Institute for Statistics 2018. n = 2

Drinking water coverage (% population)




Source: WHO/UNICEF Joint Monitoring Programme 2017. n = 2

Sanitation coverage (% population)



Source: WHO/UNICEF Joint Monitoring Programme 2017.
Note: n = 2

Government expenditures (% total)



Source: IFPRI 2015. n = 2

Children (under 5) nutrition status

Under 5: wasting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5: stunting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5: overweight (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates.

Under 5 by household income: wasting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household income: stunting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household income: overweight (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household location: wasting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household location: stunting (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under 5 by household location: overweight (%)



Sources: UNICEF/WHO/World Bank Group: Joint child malnutrition estimates. n = NA

Under-5 coexistence of wasting, stunting and overweight



Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Overlapping Stunting, Wasting and Overweight, New York, May 2018.

Notes: Percentage of children under 5 years of age who experience different and overlapping forms of malnutrition. n = NA


Child feeding practices



Sources: UNICEF, Division of Data Research and Policy (2018), Global UNICEF Global Databases: Infant and Young Child Feeding, New York, May 2018. n = 0


Children and adolescent (aged 5–19) nutrition status

Ages 5–19 by gender: underweight (%)




Source: NCD Risk Factor Collaboration. n = 2

Ages 5–19 by gender: overweight (%)



Source: NCD Risk Factor Collaboration. n = 2


Ages 5–19 by gender: obesity (%)



Source: NCD Risk Factor Collaboration. n = 2


Adult nutrition status

Adult by gender: diabetes (%)




Source: NCD Risk Factor Collaboration. n = 2

Adult by gender: overweight (%)




Source: NCD Risk Factor Collaboration. n = 2

Adult by gender: obesity (%)




Source: NCD Risk Factor Collaboration. n = 2

Adult by gender: raised blood pressure (%)




Source: NCD Risk Factor Collaboration. n = 2

Adult by gender: anaemia in WRA (%)



Source: WHO Global Health Observatory.
Note: WRA = women of reproductive age. n = 2

Adult: sodium intake (grams per day)



Source: Global Burden of Disease, the Institute for Health Metrics and Evaluation. n = 2

