

Stash House

Collect and Hide Local Secrets

Franklin D.

pale shadow

2023

Introduction

The Lost Art of Keeping a Secret

Step One: Admit That You Have a Problem

Most of us have a (reasonable?) expectation of trust for the files on our local machine. And so, we leave things like saved passwords and other credentials and secrets pasted into text files for quick access.



Figure 1: You

Project Goals

- Locate unprotected credentials on the local host
- Encrypt and safely store these credentials and other secrets.
- Access to credential store from multiple locations.



Finding Those Creds

What is it you want to protect?

What Do We Mean by Secrets, Exactly

- Credentials for example a username/password for that lab host that you only need for a couple weeks.
- Text files that are used as keys.

In my case I had a whole folder of text files that I'd collected of some time.



Finding Tokens

- Look around your local machines for tokens and credentials.
- Use some automation to help you find them.



Demo Script

- Here is a small tool that you can use/modify for your system



Hide Your Goodies

We found the secrets, now what?



Saving Simple Tokens

- Encrypt the tokens and push them into RCS.



Setting Up the Stash House

- Create a repository on GitHub or other revision control system.
- Install the framework with shell script.
- Set up your GPG key.
- Add items to DB, remove plain text tokens and secrets.



Saving Simple Tokens

- Encrypt the tokens and push them into RCS.

he first kind of secret we want to save is a "simple" password, basically a string.



Saving Multi-line Tokens

- Encrypt the tokens and push them into RCS.
- e can also save multi-line secrets, GCloud JSON for example.



Backing up Tokens to RCS

- Encrypt the tokens and secrets
- Push everything into revision control.



Using Your Stashed Tokens

How to Use What You Built

Using Tokens

- Now you can use the secrets in your project without exposing them.



Considerations

- You need your GPG key on the local machine to encrypt, decrypt, and use the secrets.

