



MODELO	AÇÃO
LEISTUNG	Necessário envio com SHIPPER para a Cia Aérea.
VYAIR	Apresentar MSDS/Declaração com revisão atualizada para a Cia Aérea.
MAGNAMED TRANSPORTE	Apresentar MSDS/Declaração para embarque de produtos com bateria de íon lítio emitida pela MAGNAMED TECNOLOGIA MÉDICA S/A
KTK	Apresentar MSDS/Declaração com revisão atualizada para a Cia Aérea.

Todos os volumes do modelo LEISTUNG deverão conter as etiquetas de identificação dos produtos e as etiquetas especiais de acordo com a classe de produto perigoso conforme abaixo.



Elaboração: <i>Camila</i>	Revisão: <i>Henrique Pinheiro Oliveira</i>	Aprovação: <i>Antônio Rodrigues</i>	Data: <i>24, 08, 2020</i>
Camila Almeida	Henrique Oliveira	Antônio Rodrigues	
Analista da Qualidade Pleno	Coordenador Garantia da Qualidade	Gerente Técnico Operacional	

## SHIPPER'S DECLARATION FOR DANGEROUS GOODS

<b>Shipper</b> VTC OPERADORA LOGISTICA LTDA Rua : Jamil João Zarif N° 684 - Jardim Santa Vicência Guarulhos /SP – Brasil CEP – 07143-000				Air Waybill No.  Page 1 of 1 Pages  Shipper's Reference No. (optional)																				
<b>Consignee</b> BELTRANS CARGAS LTDA PRACA GENERAL RAIMUNDO BARBOSA CENTRO – SALVADOR /BA – BRASIL CEP – 40310-080 CNPJ 05.376.698/0001-68																								
Two completed and signed copies of this Declaration must be handed to the operator.				<b>WARNING</b>  Failure to comply in all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties.																				
<b>TRANSPORT DETAILS</b>																								
This shipment is within the limitations prescribed for: (delete non-applicable) <table border="1"> <tr> <td>PASSENGER AND CARGO AIRCRAFT</td> <td><input checked="" type="checkbox"/></td> </tr> </table>		PASSENGER AND CARGO AIRCRAFT	<input checked="" type="checkbox"/>				Airport of Departure (optional):  <b>Guarulhos - Cumbica</b>																	
PASSENGER AND CARGO AIRCRAFT	<input checked="" type="checkbox"/>																							
Airport of Destination (optional): <b>SALVADOR /BA</b>				Shipment type: (delete non-applicable) <table border="1"> <tr> <td><b>NON-RADIOACTIVE</b></td> <td><input checked="" type="checkbox"/></td> </tr> </table>			<b>NON-RADIOACTIVE</b>	<input checked="" type="checkbox"/>																
<b>NON-RADIOACTIVE</b>	<input checked="" type="checkbox"/>																							
<b>NATURE AND QUANTITY OF DANGEROUS GOODS</b>																								
<table border="1"> <thead> <tr> <th colspan="4">Dangerous Goods Identification</th> <th rowspan="2">Quantity and Type of Packing</th> <th rowspan="2">Packing Inst.</th> <th rowspan="2">Authorization</th> </tr> <tr> <th>UN or ID No.</th> <th>Proper Shipping Name</th> <th>Class or Division (subsidiary hazard)</th> <th>Packing Group</th> </tr> </thead> <tbody> <tr> <td>UN3481</td> <td>Lithium ion batteries contained in equipment</td> <td>9</td> <td></td> <td>10 Fibreboard boxes X 3.7 Kg</td> <td>967</td> <td></td> </tr> </tbody> </table>							Dangerous Goods Identification				Quantity and Type of Packing	Packing Inst.	Authorization	UN or ID No.	Proper Shipping Name	Class or Division (subsidiary hazard)	Packing Group	UN3481	Lithium ion batteries contained in equipment	9		10 Fibreboard boxes X 3.7 Kg	967	
Dangerous Goods Identification				Quantity and Type of Packing	Packing Inst.	Authorization																		
UN or ID No.	Proper Shipping Name	Class or Division (subsidiary hazard)	Packing Group																					
UN3481	Lithium ion batteries contained in equipment	9		10 Fibreboard boxes X 3.7 Kg	967																			
Additional Handling Information <b>EMERGENCY CONTACT NUMBER:</b> Marcos Vinicius dos Santos +55 (11) 932204314																								
I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged marked and labelled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. I declare that all of the applicable air transport requirements have been met.				Name of Signatory Marcos Vinicius dos Santos Date 10/08/2020  Signatures (See warning above)																				



## DECLARAÇÃO

Declaramos, para os devidos fins, que as baterias VRLA UNIPOWER, comercializadas pela UNICOPA INDÚSTRIA DE COMPONENTES ELETRÔNICOS E INFORMÁTICA LTDA, são baterias de chumbo ácido reguladas por válvula (VRLA), popularmente conhecidas como "baterias seladas".

As baterias VRLA se caracterizam, principalmente, pelo confinamento do eletrólito e pela elevada eficiência da recombinação interna de gases, quando em operação. Duas tecnologias compõem esse tipo de bateria:


- Tecnologia AGM (Absorbed Glass Mat), em que o eletrólito, composto de água e ácido sulfúrico, se encontra confinado por absorção em manta de microfibra de vidro;
- Tecnologia GEL, em que, ao eletrólito, é adicionado, por exemplo, dióxido de sílica, que é elemento gelatinizante do eletrólito.

Por manter o eletrólito imobilizado e não havendo, portanto, vazamento de eletrólito em caso de acidente, essas baterias são consideradas seguras para transporte aéreo, não havendo restrição por parte da IATA – Provisão Especial A67 (Atualizada pela A164). Essa Resolução informa que "baterias à prova de vazamentos, que atendam aos requisitos da Instrução 806 das Instruções de Embalagem, não estão sujeitas a essa Regulamentação se, a uma temperatura de 55°C, o eletrólito não vá fluir a partir de uma caixa rompida ou fraturada e se não houver líquido livre que possa fluir e se, quando embalada para transporte, os terminais estiverem protegidos contra curto circuito."

Em termos de potencial de risco, as baterias VRLA AGM e as baterias VRLA GEL são absolutamente equivalentes e, pela mesma razão que elas não encontram restrição para transporte aéreo por parte de diversas Companhias Aéreas, assim como pela IATA.

Lembramos que, na legislação de transporte terrestre para Transportes Perigosos (Resolução nº 420 da ANTT – Agência Nacional de Transporte Terrestre), as baterias VRLA não sofrem qualquer restrição para transporte terrestre em qualquer quantidade, desde que uma etiqueta contendo essas informações básicas seja afixada ao documento que acompanha a mercadoria, para orientação da fiscalização.

São Paulo, 22 de março de 2019.

  
Engo. Marco Antonio Togniazolo  
Gerente de Engenharia - BATERIAS

Cotia, 14 de agosto de 2020

## DECLARAÇÃO PARA EMBARQUE DE PRODUTOS COM BATERIA DE ION LÍTIO

### SEÇÃO II PI 967

A MAGNAMED TECNOLOGIA MÉDICA S/A, localizada na rua Santa Mônica, 801/831 – Capuava, Cotia, São Paulo, CEP: 06715-865 inscrita no CNPJ/MF sob o número 01.298.443/0002-54, declara, para os devidos fins de direito, que o material oferecido para o embarque - Ventilador pulmonar Fleximag Plus - é caracterizado como bateria de lítio contida no equipamento não restrita, podendo ser transportado via aérea conforme Instrução de Embalagem PI 967, Seção II da regulamentação em vigor.

TATSUO

SUZUKI:78

791340853

Assinado de forma  
digital por TATSUO  
SUZUKI:7879134085  
3

Dados: 2020.08.14  
18:04:08 -03'00'

Tatsuo Suzuki

Responsável legal



Pony Testing International Group

Report No.: MZIGAJZN26910719

# MSDS Report

Sample Description  
& Model

Li-ion Rechargeable Battery (18650)

Applicant

EVERWIN TECH CO., LIMITED

Address

BLDG1, MEILAN INDUSTRIAL PARK, DALANG  
ROAD(S), LONGHUA, SHENZHEN, CHINA

No.: MZIGAJZN26910719  
Code: ne8hb1l



www.ponytest.com

Hotline 400-519-5688

北京实验室: 010-82018118 长春实验室: 0431-83150996 上海实验室: 021-64851999 深圳实验室: 0755-26050088  
青岛实验室: 0532-88386666 天津实验室: 022-59465025 宁波实验室: 0574-87716499 广州实验室: 020-89274310  
杭州实验室: 0571-27360736 厦门实验室: 0592-59150676 杭州实验室: 0571-87219006 武汉实验室: 027-83997137





Pony Testing International Group

Report No. : MZIGAJZN26910719 Date: 01.01.2019 Page 1 of 11

## Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.5 (GHS)

### Section 1 - Chemical Product and Company Identification

#### Chemical product identification

Sample Description: Li-ion Rechargeable Battery

Sample Model: 18650

Recommended Uses: Power Bank

Restrictions on use: N/A

Supplier name: EVERWIN TECH CO., LIMITED

Address: BLDG1, MEILAN INDUSTRIAL PARK, DALANG  
ROAD(S), LONGHUA, SHENZHEN, CHINA

Phone number: 86-755-81752844

FAX: 86-755-81752840

E-mail: sales01@ewtbattery.com

Emergency phone number: 0755-81752844

### Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery.

In case of rupture: the below hazards exist.

CAS# 7440-50-8

Classification according to GHS

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Specific target organ toxicity, repeated exposure (1) (liver)

Hazardous to the aquatic environment, long-term hazard (3)

#### Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H335 May cause respiratory irritation



Pony Testing International Group

H372 Causes damage to organs through prolonged or repeated exposure (liver)

H412 Harmful to aquatic life with long lasting effects

**Precautionary statement(s):**
**Prevention:**

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

**Response:**

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor, if you feel unwell.

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

**Disposal:**

P501 Contents or container handling to approved waste treatment plants.

CAS# 7429-90-5

**Classification according to GHS**

Specific target organ toxicity, repeated exposure (1) (Lung)

Hazardous to the aquatic environment, long-term hazard (4)

**Label elements**

Hazard pictogram(s):



Signal word:

Danger

**Hazard statement(s):**

H372 Causes damage to organs through prolonged or repeated exposure (Lung)

H413 May cause long lasting harmful effects to aquatic life

**Precautionary statement(s):**
**Prevention:**

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

**Response:**

P314 Get medical advice if you feel unwell.

[www.ponytest.com](http://www.ponytest.com)

☎ Hotline 400-819-5688

北京实验室: (010) 82818118

上海实验室: (021) 81158968

天津实验室: (022) 64831999

深圳实验室: (0755) 26039909

青岛实验室: (0532) 89670099

杭州实验室: (0571) 88194261

宁波实验室: (0574) 87716499

广州实验室: (020) 89224110

大连实验室: (0212) 27540730

大连实验室: (0411) 84658029

烟台实验室: (0535) 87219895

武汉实验室: (027) 83997127

南通实验室: (0591) 6684196

珠海实验室: (0571) 69358679

惠州实验室: (0512) 62997900

厦门实验室: (0592) 5568848



## Storage

None.

## Disposal:

P501 Contents handling to approved waste treatment plants.

## Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

## Section 3 – Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Cobalt lithium manganese nickel oxide	182442-95-1	---	40
Graphite	7782-42-5	231-955-3	18
Phosphate(1-), hexafluoro-, lithium	21324-40-3	244-334-7	18
Copper	7440-50-8	231-159-6	10
Aluminum	7429-90-5	231-072-3	5
Polyvinyl chloride resin	9002-86-2	---	2

## Section 4 - First Aid Measures

### Description of first aid measures

General information No special measures required.

#### After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

#### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

#### After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek





Pony Testing International Group

Report No. : MZIGAJZN26910719 Date: 01.01.2019 Page 4 of 11

medical attention.

**After swallowing**

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** No data available.

## Section 5 - Fire Fighting Measures

**Suitable extinguishing media:**

Use extinguishing agent suitable for local conditions and the surrounding environment .  
Such as dry powder , CO<sub>2</sub>.

**Unsuitable extinguishing media:**

No data available.

**Specific Hazards arising from the chemical:**

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

**Specific protective actions for fire-fighters:**

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## Section 6 - Accidental Release Measures

**Personal precautions:**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

**Protective equipment:**

No data available.

**Emergency procedures:**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

**Environmental precautions:**

[www.ponytest.com](http://www.ponytest.com)

Hotline 400-819-5688

北京实验室: (010) 82618118

青岛实验室: (0532) 88706666

天津实验室: (022) 27360730

新疆实验室: (0991) 6689166

长沙实验室: (0431) 85359698

哈尔滨实验室: (0451) 88108548

大连实验室: (0411) 84650826

福州实验室: (0571) 69550678

上海实验室: (021) 68819999

宁波实验室: (0574) 87736499

杭州实验室: (0571) 87219999

惠州实验室: (0513) 62997900

深圳实验室: (0755) 26858889

广州实验室: (020) 89228310

武汉实验室: (027) 80997127

厦门实验室: (0592) 5568048



Do not allow material to be released to the environment without proper governmental permits.

### Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

### Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

### Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

### Conditions for safe storage, including any incompatibilities:

#### Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

#### Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

#### Further information about storage conditions

Keep container tightly sealed.

#### Specific and use

No data available.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

CAS No.	ACGIH	NIOSH	OSHA
182442-95-1	N/A	N/A	N/A
7782-42-5	TLV-TWA 2mg/m <sup>3</sup>	REL-TWA 2.5mg/m <sup>3</sup>	PEL-TWA 15mppcf PEL-TWA 20mppcf
21324-40-3	N/A	N/A	N/A





Pony Testing International Group

7440-50-8	TLV-TWA 0.2mg/m <sup>3</sup> TLV-TWA 1mg/m <sup>3</sup>	REL-TWA 1mg/m <sup>3</sup> REL-TWA 0.1mg/m <sup>3</sup>	PEL-TWA 0.1mg/m <sup>3</sup> PEL-TWA 1mg/m <sup>3</sup>
7429-90-5	TLV-TWA 10mg/m <sup>3</sup> TLV-TWA 5mg/m <sup>3</sup>	REL-TWA 2mg/m <sup>3</sup> REL-TWA 5mg/m <sup>3</sup> REL-TWA 10mg/m <sup>3</sup>	PEL-TWA 5mg/m <sup>3</sup> PEL-TWA 15mg/m <sup>3</sup>
9002-86-2	N/A	N/A	N/A

**Appropriate engineering controls:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

**Personal Protective Equipment**

**Respiratory protection:** Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eyes Protection:** Wear safety goggles or eye protection combined with respiratory protection.

**Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

<b>Colour:</b>	Blue.
<b>Physical State:</b>	Cylindrical.
<b>Odour:</b>	Not available.
<b>Odour threshold:</b>	Not available.
<b>pH:</b>	Not available.
<b>Melting point/freezing point:</b>	Not available.
<b>Initial boiling point and boiling range:</b>	Not available.
<b>Flash Point:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Flammability (solid, gas):</b>	Not available.





Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.
Solubility(ies):	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Other information:	
Voltage	3.7V
Electric capacity	2600mAh
Electric Energy	9.62Wh

## Section 10 - Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

## Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
182442-95-1	No data available.
7782-42-5	No data available.
21324-40-3	No data available.
7440-50-8	No data available.
7429-90-5	No data available.
9002-86-2	No data available.





Pony Testing International Group

Report No.: MZIGAJZN26910719 Date: 01.01.2019 Page 8 of 11

**Skin corrosion/irritation:** No data available.  
**Serious eye damage/irritation:** No data available.  
**Respiratory or Skin sensitization:** No data available.  
**Germ Cell mutagenicity:** No data available.  
**Carcinogenicity:** No data available.  
**Reproductive toxicity:** No data available.  
**Specific target organ toxicity-Single exposure:** No data available.  
**Specific target organ toxicity-Repeated exposure:** No data available.  
**Aspiration hazard:** No data available.  
**Information on the likely routes of exposure:** No data available.  
**Eye:** No data available.  
**Skin:** No data available.  
**Ingestion:** No data available.  
**Inhalation:** No data available.

## Section 12 - Ecological Information

**Ecological Toxicity:** No data available.  
**Persistence and degradability:** No data available.  
**Bioaccumulative Potential:** No data available.  
**Mobility in Soil:** No data available.  
**Other adverse effects:** No data available.

## Section 13 - Disposal Considerations

**Disposal methods:**  
**Recommendation:**  
 Consult state, local or national regulations to ensure proper disposal.  
  
**Uncleaned packaging**  
**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information

<b>UN Number</b>	
<b>IATA</b>	UN3480
<b>IMDG</b>	UN3480

[www.ponytest.com](http://www.ponytest.com)

☎/Hotline 400-819-5688

北京实验室: (010) 82631114 长春实验室: (0431) 85258908 上海实验室: (021) 64431999 深圳实验室: (0755) 26059999  
 青岛实验室: (0532) 88306666 哈尔滨实验室: (0451) 86104561 宁波实验室: (0574) 87336499 广州实验室: (020) 89224310  
 天津实验室: (022) 27260710 大连实验室: (0411) 84650020 杭州实验室: (0571) 87219096 武汉实验室: (027) 83997927  
 新疆实验室: (999) 6684188 昆明实验室: (0871) 69330670 苏州实验室: (0512) 62947900 厦门实验室: (0592) 2568048





Pony Testing International Group

UN Proper shipping name	
IATA	Lithium ion batteries
IMDG	LITHIUM ION BATTERIES
Transport hazard class(es)	
IATA	9
IMDG	9
Packing group	
IATA	N/A
IMDG	N/A
Packaging Sign	
IATA	N/A
IMDG	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport Information: The Li-ion Rechargeable Battery (18650) has passed the test UN38.3, according to the report ID: MZIBSGTA50530521.

According to the Packing Instruction 965 section II of IATA DGR 60<sup>th</sup> Edition for transportation.

According to the special provision 188 of IMDG (37-14). The products are not subject to dangerous goods.

Separate batteries to prevent short-circuiting, and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.

Transport Fashion: By air, by sea.

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
182442-95-1	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
21324-40-3	Listed	Listed	Listed DSL	Listed





Pony Testing International Group

21324-40-3	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
9002-86-2	Listed	Listed	Listed DSL	Listed

## Section 16 - Other Information

Issue Time: 2016-01-01

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

[www.ponytest.com](http://www.ponytest.com)

☎Hotline 400-819-5688



Pony Testing International Group

IMDG: (International Maritime Dangerous Goods);  
 TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);  
 TOC: (Total Organic Carbon);  
 TSCA: (Toxic Substances Control Act of USA);  
 DSL: (the Domestic Substances List of Canada);  
 NDSL: (the Non-domestic Substances List of Canada)

\*\*\*End of report\*\*\*