

Search...

[Getting started](#)

[Layout](#)

[Content](#)

[Components](#)

[Alerts](#)

[Badge](#)

[Breadcrumb](#)

[Buttons](#)

[Button group](#)

[Card](#)

[Carousel](#)

[Collapse](#)

[Dropdowns](#)

[Forms](#)

[Input group](#)

[Jumbotron](#)

[List group](#)

[Media object](#)

[Modal](#)

[Navs](#)

[Navbar](#)

[Pagination](#)

[Popovers](#)

[Progress](#)

[Scrollspy](#)

[Spinners](#)

[Toasts](#)

[Tooltips](#)

[Utilities](#)


[Extend](#)

[Migration](#)

[About](#)

Badges

Documentation and examples for badges, our small count and labeling component.



Adobe Creative Cloud for Teams starting at \$33.99 per month.

ads via Carbon

Example

Badges scale to match the size of the immediate parent element by using relative font sizing and `em` units.

Example heading **New**

Example heading **New**

Example heading **New**

Example heading **New**

Example heading **New**

Example heading **New**

```
<h1>Example heading <span class="badge badge-secondary">New</span></h1>
<h2>Example heading <span class="badge badge-secondary">New</span></h2>
<h3>Example heading <span class="badge badge-secondary">New</span></h3>
<h4>Example heading <span class="badge badge-secondary">New</span></h4>
<h5>Example heading <span class="badge badge-secondary">New</span></h5>
<h6>Example heading <span class="badge badge-secondary">New</span></h6>
```

Copy

Badges can be used as part of links or buttons to provide a counter.

Notifications **4**

```
<button type="button" class="btn btn-primary">
  Notifications <span class="badge badge-light">4</span>
</button>
```

Copy

Note that depending on how they are used, badges may be confusing for users of screen readers and similar assistive technologies. While the styling of badges provides a visual cue as to their purpose, these users will simply be presented with the content of the badge. Depending on the specific situation, these badges may seem like random additional words or numbers at the end of a sentence, link, or button.

Unless the context is clear (as with the “Notifications” example, where it is understood that the “4” is the number of notifications), consider including additional context with a visually hidden piece of additional text.

Profile 9

Copy

```
<button type="button" class="btn btn-primary">
  Profile <span class="badge badge-light">9</span>
  <span class="sr-only">unread messages</span>
</button>
```

Contextual variations

Add any of the below mentioned modifier classes to change the appearance of a badge.

Primary Secondary Success Danger **Warning** Info Light Dark

Copy

```
<span class="badge badge-primary">Primary</span>
<span class="badge badge-secondary">Secondary</span>
<span class="badge badge-success">Success</span>
<span class="badge badge-danger">Danger</span>
<span class="badge badge-warning">Warning</span>
<span class="badge badge-info">Info</span>
<span class="badge badge-light">Light</span>
<span class="badge badge-dark">Dark</span>
```

Conveying meaning to assistive technologies

Using color to add meaning only provides a visual indication, which will not be conveyed to users of assistive technologies – such as screen readers. Ensure that information denoted by the color is either obvious from the content itself (e.g. the visible text), or is included through alternative means, such as additional text hidden with the `.sr-only` class.

Pill badges

Use the `.badge-pill` modifier class to make badges more rounded (with a larger `border-radius` and additional horizontal `padding`). Useful if you miss the badges from v3.

Primary Secondary Success Danger **Warning** Info Light Dark

Copy

```
<span class="badge badge-pill badge-primary">Primary</span>
<span class="badge badge-pill badge-secondary">Secondary</span>
<span class="badge badge-pill badge-success">Success</span>
<span class="badge badge-pill badge-danger">Danger</span>
<span class="badge badge-pill badge-warning">Warning</span>
<span class="badge badge-pill badge-info">Info</span>
<span class="badge badge-pill badge-light">Light</span>
<span class="badge badge-pill badge-dark">Dark</span>
```

Links

Using the contextual `.badge-*` classes on an `<a>` element quickly provide *actionable* badges with hover and focus states.

Primary Secondary Success Danger Warning Info Light Dark

Copy

```
<a href="#" class="badge badge-primary">Primary</a>
<a href="#" class="badge badge-secondary">Secondary</a>
<a href="#" class="badge badge-success">Success</a>
<a href="#" class="badge badge-danger">Danger</a>
<a href="#" class="badge badge-warning">Warning</a>
<a href="#" class="badge badge-info">Info</a>
<a href="#" class="badge badge-light">Light</a>
<a href="#" class="badge badge-dark">Dark</a>
```