

Cucumber Report

Nov 26, 2023, 7:02:51 PM

Start : Nov 26, 7:02:31.671 PM

End : Nov 26, 7:02:50.421 PM

Duration : 18.750 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 7



FAILED - 4

SKIPPED - 0

PASSED - 30


FAILED - 4

SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Handling stack options</u>	18.750 s	11	7	4	0	42	30	4	8


#	Feature Name	Scenario Name
1	<u>Handling stack options</u>	<u>User redirected to try me page to run invalid code</u>
2		<u>User redirected to try me page to run python code</u>
3		<u>User redirected to try me page to run invalid code</u>
4		<u>User redirected to try me page to run python code</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	11	7	4	0	18.750 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	<u>User clicks gets into stack page</u>	3	3	0	0	4.733 s
2		<u>User on operation in stack page</u>	4	4	0	0	1.045 s
3		<u>User redirected to try me page to run invalid code</u>	4	1	1	2	0.059 s
4		<u>User redirected to try me page to run python code</u>	4	1	1	2	0.449 s
5		<u>The user back to Stack page</u>	4	4	0	0	0.799 s
6		<u>User redirected to try me page to run invalid code</u>	4	1	1	2	0.026 s
7		<u>User redirected to try me page to run python code</u>	4	1	1	2	0.419 s
8		<u>The user again back to Stack page</u>	4	4	0	0	0.650 s
9		<u>User redirected to try me page to run invalid code</u>	4	4	0	0	6.327 s
10		<u>User redirected to try me page to run python code</u>	4	4	0	0	3.555 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Handling stack options</u>	<u>The user again Stack page</u>	3	3	0	0	0.330 s

Handling stack options



<div>FAILED</div> <div>DURATION - 18.750 s</div>		<div>Scenarios</div> <div>Total - 11</div> <div>Pass - 7</div> <div>Fail - 4</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 42</div> <div>Pass - 30</div> <div>Fail - 4</div> <div>Skip - 8</div>		<div></div>	
/ 7:02:31.671 PM // 7:02:50.421 PM /									
Handling stack options									

User clicks gets into stack page

<div>PASSED</div> <div>DURATION - 4.733 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:02:31.677 PM // 7:02:36.410 PM /</div>			
<div>Handling stack options</div>			



#	Step / Hook Details	Status	Duration
1	Given User is logged in and on Home Page for stack	PASSED	1.566 s
2	When User clicks on stack Get started button or from drop menu stack item	PASSED	0.744 s
3	Then User is on stack Intro page	PASSED	0.019 s

User on operation in stack page

<div>PASSED</div>	<div>DURATION - 1.045 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 7:02:36.548 PM // 7:02:37.593 PM /</div>			<div>Total - 4</div>	
<div>Handling stack options</div>			<div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given User is on opertaion stack Intro page	PASSED	0.025 s
2	When user clicks on opertaion in stack	PASSED	0.340 s
3	And User clicks on try here	PASSED	0.660 s
4	Then User lands on tryEditor page of stack	PASSED	0.013 s

User redirected to try me page to run invalid code

FAILED DURATION - 0.059 s / 7:02:37.629 PM // 7:02:37.688 PM / Handling stack options		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.016 s
2	When User enters invalid code to run on editor <pre>System.out.println("Hi Java");</pre> java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.enterinvalidcode(io.cucumber.datatable.DataTable)" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_enters_invalid_code_to_run_on_editor(DataStructuresPage.java:71) at ?.User enters invalid code to run on editor(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:16) * Not displayable characters are replaced by '?'.	FAILED	0.022 s
3	And User clicks Run to execute code for stack	SKIPPED	0.001 s
4	Then User gets a error message and dismisses it	SKIPPED	0.001 s

User redirected to try me page to run python code

<div>FAILED</div> <div>DURATION - 0.449 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 7:02:37.719 PM // 7:02:38.168 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	PASSED	0.436 s
2	When User enters python code to run on editor <pre>print 'hello';</pre> java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.enterpythoncode(io.cucumber.datatable.DataTable)" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_enters_python_code_to_run_on_editor(DataStructuresPage.java:94) at ?.User enters python code to run on editor(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	And User clicks Run to execute pythone code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.001 s

The user back to Stack page

PASSED	DURATION - 0.799 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:02:38.187 PM // 7:02:38.986 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for clicks on implementation	PASSED	0.086 s
2	When user clicks on implementation	PASSED	0.349 s
3	And User clicks on try here	PASSED	0.334 s
4	Then User lands on tryEditor page of stack	PASSED	0.020 s

User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 0.026 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 7:02:39.006 PM // 7:02:39.032 PM /</div>				
<div>Handling stack options</div>				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.016 s
2	When User enters invalid code to run on editor <div>System.out.println("Hi Java");</div> java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.enterinvalidcode(io.cucumber.datatable.DataTable)" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_enters_invalid_code_to_run_on_editor(DataStructuresPage.java:71) at ?.User enters invalid code to run on editor(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	And User clicks Run to execute code for stack	SKIPPED	0.001 s
4	Then User gets a error message and dismisses it	SKIPPED	0.001 s

User redirected to try me page to run python code

FAILED	DURATION - 0.419 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 7:02:39.058 PM // 7:02:39.477 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	PASSED	0.409 s
2	When User enters python code to run on editor	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>print 'hello';</pre> <p>java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.enterpythoncode(io.cucumber.datatable.DataTable)" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_enters_python_code_to_run_on_editor(DataStructuresPage.java:94) at ?.User enters python code to run on editor(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:43) * Not displayable characters are replaced by '?'. </p>		
3	And User clicks Run to execute pythone code	SKIPPED	0.000 s
4	Then User gets a valid output	SKIPPED	0.000 s

The user again back to Stack page

<div>PASSED</div>	<div>DURATION - 0.650 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.30</td></tr><tr><td>3</td><td>0.30</td></tr><tr><td>4</td><td>0.05</td></tr></tbody></table></div>	Step	Duration (s)	1	0.05	2	0.30	3	0.30	4	0.05	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.05													
2	0.30													
3	0.30													
4	0.05													
<div>/ 7:02:39.500 PM // 7:02:40.150 PM /</div>														
<div>Handling stack options</div>														

#	Step / Hook Details	Status	Duration
1	Given The user on Stack page for clicks on Applications	PASSED	0.043 s
2	When user clicks on Applications	PASSED	0.285 s
3	And User clicks on try here	PASSED	0.305 s
4	Then User lands on tryEditor page of stack	PASSED	0.010 s

User redirected to try me page to run invalid code

<div>PASSED</div> <div>DURATION - 6.327 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>3.2</td></tr><tr><td>3</td><td>0.05</td></tr><tr><td>4</td><td>3.0</td></tr></tbody></table></div>	Step	Duration (s)	1	0.05	2	3.2	3	0.05	4	3.0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step		Duration (s)											
1		0.05											
2		3.2											
3	0.05												
4	3.0												
<div>/ 7:02:40.165 PM // 7:02:46.492 PM /</div>													
<div>Handling stack options</div>													

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.012 s
2	When User enters invalid code to run on editor in stack <code>System.out.println("Hi Java");</code>	PASSED	3.185 s
3	And User clicks Run to execute code for stack	PASSED	0.085 s
4	Then User gets an error message and dismisses it	PASSED	3.037 s

User redirected to try me page to run python code

PASSED	DURATION - 3.555 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:02:46.517 PM // 7:02:50.072 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	PASSED	0.317 s
2	When User enters python code to run on editor of stack <code>print 'hello';</code>	PASSED	3.134 s
3	And User clicks Run to execute pythone code	PASSED	0.070 s
4	Then User gets a valid output in stack	PASSED	0.028 s

The user again Stack page

PASSED	DURATION - 0.330 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:02:50.091 PM // 7:02:50.421 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for click practice quest	PASSED	0.058 s
2	When user clicks on practice questions	PASSED	0.251 s
3	Then User lands on practice page	PASSED	0.017 s