

Cucumber Report

Nov 26, 2023, 7:08:49 PM

Start : Nov 26, 7:08:23.423 PM

End : Nov 26, 7:08:47.872 PM

Duration : 24.449 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 7
FAILED - 4
SKIPPED - 0

PASSED - 32
FAILED - 4
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Handling stack options</u>	24.449 s	11	7	4	0	42	32	4	6


#	Feature Name	Scenario Name
1	<u>Handling stack options</u>	<u>User redirected to try me page to run invalid code</u>
2		<u>User redirected to try me page to run python code</u>
3		<u>User redirected to try me page to run invalid code</u>
4		<u>User redirected to try me page to run python code</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	11	7	4	0	24.449 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Handling stack options</u>	<u>User clicks gets into stack page</u>	3	3	0	0	4.737 s
2		<u>User on operation in stack page</u>	4	4	0	0	1.089 s
3		<u>User redirected to try me page to run invalid code</u>	4	3	1	0	3.308 s
4		<u>User redirected to try me page to run python code</u>	4	0	1	3	0.050 s
5		<u>The user back to Stack page</u>	4	4	0	0	0.591 s
6		<u>User redirected to try me page to run invalid code</u>	4	3	1	0	3.280 s
7		<u>User redirected to try me page to run python code</u>	4	0	1	3	0.029 s
8		<u>The user again back to Stack page</u>	4	4	0	0	0.551 s
9		<u>User redirected to try me page to run invalid code</u>	4	4	0	0	6.280 s
10		<u>User redirected to try me page to run python code</u>	4	4	0	0	3.799 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Handling stack options</u>	<u>The user again Stack page</u>	3	3	0	0	0.371 s

Handling stack options



<div>FAILED</div> <div>DURATION - 24.449 s</div>		<div>Scenarios</div> <div>Total - 11</div> <div>Pass - 7</div> <div>Fail - 4</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 42</div> <div>Pass - 32</div> <div>Fail - 4</div> <div>Skip - 6</div>		<div></div>	
/ 7:08:23.423 PM // 7:08:47.872 PM /									
Handling stack options									

User clicks gets into stack page

<div>PASSED</div>	<div>DURATION - 4.737 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:08:23.428 PM // 7:08:28.165 PM /</div>				
<div>Handling stack options</div>				



#	Step / Hook Details	Status	Duration
1	Given User is logged in and on Home Page for stack	PASSED	1.471 s
2	When User clicks on stack Get started button or from drop menu stack item	PASSED	0.834 s
3	Then User is on stack Intro page	PASSED	0.014 s

User on operation in stack page

<div>PASSED</div>	<div>DURATION - 1.089 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:08:28.289 PM // 7:08:29.378 PM /</div>				
<div>Handling stack options</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on opertaion stack Intro page	PASSED	0.025 s
2	When user clicks on opertaion in stack	PASSED	0.382 s
3	And User clicks on try here	PASSED	0.664 s
4	Then User lands on tryEditor page of stack	PASSED	0.013 s

User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 3.308 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:08:29.411 PM // 7:08:32.719 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.012 s
2	When User enters invalid code to run on editor in stack	PASSED	3.195 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.080 s
4	Then User gets a error message and dismisses it	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.InvalidOutputmessage()" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_gets_a_error_message_and_dismisses_it(DataStructuresPage.java:81) at ?.User gets a error message and dismisses it(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:19) * Not displayable characters are replaced by '?'.		

User redirected to try me page to run python code

<div>FAILED</div> <div>DURATION - 0.050 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 7:08:32.755 PM // 7:08:32.805 PM /				
Handling stack options				



#	Step / Hook Details	Status	Duration
1	<p>Given User lands on Editor page valid code</p> <pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=119.0.6045.160): NameError: name 'System' is not defined on line 1 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [e78fc8da222d06a26f02cdc6c0898124, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\kirti\AppData\Loca ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61511}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61511/devtoo..., se.cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e78fc8da222d06a26f02cdc6c0898124 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at pageobjects.Stack.navigate(Stack.java:79) at stepdefinition.StackDefinition.user_lands_on_editor_page_valid_code(StackDefinition.java:83) at ?.User lands on Editor page valid code(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.036 s
2	<p>When User enters python code to run on editor of stack</p> <pre>print 'hello';</pre>	SKIPPED	0.002 s
3	And User clicks Run to execute python code	SKIPPED	0.001 s
4	Then User gets a valid output	SKIPPED	0.001 s

The user back to Stack page

PASSED		DURATION - 0.591 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:08:32.836 PM // 7:08:33.427 PM /						
Handling stack options						

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for clicks on implementation	PASSED	0.046 s
2	When user clicks on implementation	PASSED	0.227 s
3	And User clicks on try here	PASSED	0.299 s
4	Then User lands on tryEditor page of stack	PASSED	0.014 s



User redirected to try me page to run invalid code

<div>FAILED</div> <div>DURATION - 3.280 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:08:33.451 PM // 7:08:36.731 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.012 s
2	When User enters invalid code to run on editor in stack	PASSED	3.204 s
	System.out.println("Hi Java");		
3	And User clicks Run to execute code for stack	PASSED	0.054 s
4	Then User gets a error message and dismisses it	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "pageobjects.Datastructure.InvalidOutputmessage()" because "this.fromDSjava" is null at stepdefinition.DataStructuresPage.user_gets_a_error_message_and_dismisses_it(DataStructuresPage.java:81) at ?.User gets a error message and dismisses it(file:///C:/Users/kirti/git/numpy_coders/src/test/resources/features/stack.feature:39)		



#	Step / Hook Details	Status	Duration
	<code>print 'hello';</code>		
3	And User clicks Run to execute pythone code	SKIPPED	0.000 s
4	Then User gets a valid output	SKIPPED	0.001 s

The user again back to Stack page

<div>PASSED</div>	<div>DURATION - 0.551 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:08:36.802 PM // 7:08:37.353 PM /</div>				
<div>Handling stack options</div>				

#	Step / Hook Details	Status	Duration
1	Given The user on Stack page for clicks on Applications	PASSED	0.054 s
2	When user clicks on Applications	PASSED	0.185 s
3	And User clicks on try here	PASSED	0.295 s
4	Then User lands on tryEditor page of stack	PASSED	0.010 s



User redirected to try me page to run invalid code

<div>PASSED</div> <div>DURATION - 6.280 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:08:37.371 PM // 7:08:43.651 PM /				
Handling stack options				

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page for invalid code	PASSED	0.019 s
2	When User enters invalid code to run on editor in stack	PASSED	3.169 s
	<code>System.out.println("Hi Java");</code>		



#	Step / Hook Details	Status	Duration
3	And User clicks Run to execute code for stack	PASSED	0.055 s
4	Then User gets an error message and dismisses it	PASSED	3.029 s

User redirected to try me page to run python code

PASSED		DURATION - 3.799 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:08:43.676 PM // 7:08:47.475 PM /						
Handling stack options						

#	Step / Hook Details	Status	Duration
1	Given User lands on Editor page valid code	PASSED	0.472 s
2	When User enters python code to run on editor of stack print 'hello';	PASSED	3.207 s
3	And User clicks Run to execute python code	PASSED	0.079 s
4	Then User gets a valid output in stack	PASSED	0.032 s

The user again Stack page

PASSED		DURATION - 0.371 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:08:47.501 PM // 7:08:47.872 PM /						
Handling stack options						

#	Step / Hook Details	Status	Duration
1	Given The user is on Stack page for click practice quest	PASSED	0.033 s
2	When user clicks on practice questions	PASSED	0.310 s
3	Then User lands on practice page	PASSED	0.023 s