# Rajalakshmi Engineering College

Name: Dhanigivela B

Email: 241501042@rajalakshmi.edu.in

Roll no: 241501042 Phone: 8870800831

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 16

Section 1: MCO

1. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

f = open("exp.txt", "w+")

#### Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

2. What happens if an exception is not caught in the except clause?

#### Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

3. What is the correct way to raise an exception in Python?

#### **Answer**

raise Exception()

Status: Correct Marks: 1/1

4. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
    "This is 1st line",
    "This is 2nd line",
    "This is 3rd line",
    "This is 4th line",
    "This is 5th line"
]

print("Name of the file: foo.txt")

# Print the first 5 lines from the predefined list for index in range(5):
    line = lines[index]
    print("Line No %d - %s" % (index + 1, line.strip()))

Answer
```

rec.append(temp)

if ch.upper=="N":

f.open("stud.dat","\_\_\_\_\_ \_\_\_\_.dump(rec,f)(3)

break

ch=input("Enter choice (y/N)")

\_\_\_\_.close()(4)

Answer

(pickle,wb,pickle,f)

Status: Correct

Marks : 1/1

8. Which of the following is true about the finally block in Python?

#### Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct

Marks: 1/1

Marks: 1/1

9. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)
Answer
```

True

Status: Correct Marks: 1/1

10. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct

241501047

Ansology

11. What is the default value of reference\_point in the following code?

file\_object.seek(offset [,reference\_point])

Answer

0

Status: Correct Marks: 1/1

- 12. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

#### Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

13. What is the output of the following code?

```
class MyError(Exception):
   pass

try:
   raise MyError("Something went wrong")
except MyError as e:
   print(e)
```

Answer

Something went wrong

Status: Correct Marks: 1/1

14. What is the output of the following code?

```
try:
    x = "hello" + 5
except TypeError:
    print("Type Error occurred")
finally:
    print("This will always execute")
```

#### Answer

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

15. How do you create a user-defined exception in Python?

#### Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

16. What is the output of the following code?

```
try:
```

except ZeroDivisionError:

print("Caught division by zero error")

finally:

print("Executed")

#### Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

17. What happens if no arguments are passed to the seek function?

## Answer

file position remains unchanged

Status: Correct Marks: 1/1

18. What is the purpose of the except clause in Python?

#### Answer

To display the final output of the program

Status: Wrong Marks: 0/1

19. How do you rename a file?

## Answer

os.set\_name(existing\_name, new\_name)

Status: Wrong Marks: 0/1

20. Which of the following is true about

fp.seek(10,1)

## Answer

Move file pointer ten characters ahead from the beginning of a file

Status: Wrong Marks: 0/1

1,150,104,5

247507042

247501042

247507042