

Keyword: global-warming

Headline: Geoengineering: 'Plan B' for the planet

Byline: Agence France-Presse

Published Date: 08:22 AM August 27, 2019

Section: technology

Word Count: 843

Content:

A composite of images of the Sentinel-3 satellite of the European Space Agency's Copernicus program, which will monitor Earth's oceans. EUROPEAN SPACE AGENCY/AFP

A composite of images of the Sentinel-3 satellite of the European Space Agency's Copernicus program, which will monitor Earth's oceans. EUROPEAN SPACE AGENCY/AFP

PARIS—Dismissed a decade ago as far-fetched and dangerous, schemes to tame global warming by engineering the climate have migrated from the margins of policy debates towards center stage.

"Plan A" remains tackling the problem at its source. But the UN's top climate science body has made it clear that slashing carbon pollution won't be enough to keep Earth from overheating.

That has opened the door to a host of geoengineering schemes, and an under-the-radar set of global industry guidelines, currently in review, which could help mainstream them.

Here is a menu of "Plan B" geoengineering solutions, and their potential drawbacks:

Direct CO2 capture

Experiments have shown it is possible to suck planet-warming carbon dioxide directly from the air, converting it into fuel pellets or storing it underground.

A Canadian company backed by Microsoft co-founder Bill Gates launched a pilot facility in Canada in 2015, and another company unveiled one in Iceland last year.

DRAWBACK: The technology is currently prohibitively expensive and may take decades to operate at scale.

Afforestation

Extensive planting of trees could significantly slow the concentration of CO2 in the atmosphere, which currently stands at more than 410 parts per million, 40 percent more than 150 years ago.

DRAWBACK: Even if deforestation could be reversed — more than 100,000 square kilometers of tropical forests have disappeared each year since 2013 — the number of trees needed to put a dent in CO2 emissions would clash with food and biofuel crops.

BECCS

Bioenergy with carbon capture and storage (BECCS) marries a natural process with a high-tech one.

The first step is to plant rapeseed, sugarcane, corn or “2nd-generation” biofuel crops such as switchgrass, which pull CO₂ from the air while growing. The second step is while burning the harvested plants for energy to sequester the CO₂ produced.

In theory, the result is less CO₂ in the atmosphere than when the process started. Virtually all climate change models projecting a future consistent with the Paris Agreement’s temperature targets assume a key role for BECCS.

DRAWBACK: Studies calculate that up to twice the area of India would need to be given over to biofuels, putting BECCS in conflict with food crops.

NYU student researchers sit on top of a rock overlooking the Helheim glacier in Greenland. As warmer temperatures cause the ice to retreat the Arctic region is taking on new geopolitical and economic importance, and not just the United States hopes to stake a claim, with Russia, China and others all wanting in. (AP)

Ocean fertilization

Microscopic ocean plants called phytoplankton gobble up CO₂ and drag it to the bottom of the ocean when they die. Their colony size is limited by a lack of natural iron, but experiments have shown that sowing the ocean with iron sulphate powder creates large blooms.

DRAWBACKS: Scientists worry about unintended impacts. Die-offs of plankton, for example, use up oxygen, which could create massive “dead zones” in the oceans, something already on the rise.

Enhanced weathering

Natural weathering of rocks removes about one billion tonnes of CO₂ from the atmosphere every year — about two percent of total man-made CO₂ emissions.

Spreading a powdered form of a greenish iron silicate called olivine across certain landscapes can mimic that process, experiments have shown.

DRAWBACKS: It would be expensive to mine and mill enough olivine to make a difference.

Biochar

Biochar is charcoal made by heating plant waste — rice straw, peanut shells, wood scraps — over long periods in low-oxygen conditions. It can store CO₂ for long periods, and also enriches soil.

DRAWBACK: The scientific jury is still out on how quickly this method could be scaled up, and on the stability of biochar used as a fertilizer.

Solar radiation management

Unlike other strategies, solar radiation management does not target CO₂. The goal is simple: prevent some of the sun’s rays from hitting the planet’s surface, forcing them back up into space.

One idea is to inject or spray tiny reflective particles into the stratosphere — possibly with balloons, aircraft or through giant tubes.

Nature sometimes does the same: Debris from the 1991 eruption of Mount Pinatubo in the Philippines lowered the planet’s average surface temperature for a year or two afterwards.

Scientists have also calculated ways to alter clouds that could help beat the heat.

DRAWBACKS: Even if it works as intended, solar radiation management would do nothing to reduce atmospheric CO₂, which is making oceans too acidic. There is also the danger of knock-on consequences, including changes in rainfall patterns, and what scientists call “termination shock” — a sudden warming if the system were to fail.

Subscribe to our daily newsletter

By providing an email address. I agree to the Terms of Use and acknowledge that I have read the Privacy Policy.

Earth's future is being written in fast-melting Greenland