2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT

Practical: 7

AIM: What is BroadcastReceiver? Difference between service and BroadcastReceiver. Create an Alarm application by using service & BroadcastReceiver.

Submitted By: Kanzariya Dhavanik Enrollment number: 21012022022



Department of Computer Engineering/Information Technology

What is BroadcastReceiver?

In Android, broadcasts are the system-wide events that occur due to changes in system state, like LOW_BATTERY, incoming or outgoing calls, network connectivity change, device reboot, etc. These are some of the system events that require us to perform some action. Android's system sends broadcasts when various system events occur.

BroadcastReceiver	Service
Broadcast intents are usually delivered	Services are only sent to one matching Service instance.
to all BroadcastReceivers registered for that	
intent.	
BroadcastReceiver is used when you want to	Service is used when you want to do something in
fire some stuff or code during some event.	background, any long running process can be done
	using Service in Background.
Broadcast receivers are limited by maximum	Service are run in background long period of time.
amount of time.	
Usually system will send some info which can	If you want to do something in background. this will be
be received by your app.	running always in background even if the application
	closed.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</pre>
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout width="match parent"
    android:layout height="match parent"
    tools:context=".MainActivity">
    <com.google.android.material.appbar.AppBarLayout</pre>
        android:id="@+id/appbar"
        android:layout width="match parent"
        android:layout_height="wrap_content"
        app:layout constraintTop toTopOf="parent">
        <androidx.appcompat.widget.Toolbar</pre>
            android:layout width="match parent"
            android:layout height="wrap content">
            <TextView
                android:layout width="wrap content"
                android:layout_height="wrap_content"
                android:text="Alarm Application"
                android:textSize="18dp"
                android:textStyle="bold"/>
        </androidx.appcompat.widget.Toolbar>
```

```
</com.google.android.material.appbar.AppBarLayout>
<androidx.core.widget.NestedScrollView</pre>
    android:layout_width="match_parent"
    android:layout height="match_parent"
    app:layout_constraintTop_toBottomOf="@id/appbar"
    app:layout constraintStart toStartOf="parent"
    android:layout_marginTop="60dp"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
        <LinearLayout</pre>
            android:layout_width="match_parent"
            android:layout_height="match_parent"
            android:orientation="vertical">
            <com.google.android.material.card.MaterialCardView</pre>
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
                android:layout_marginStart="20dp"
                android:layout_marginTop="30dp"
                android:layout_marginEnd="20dp"
                app:cardCornerRadius="15dp"
                app:cardElevation="10dp"
                android:layout_marginBottom="40dp">
                <LinearLayout</pre>
                    android:layout_width="match_parent"
                    android:layout height="match parent"
                    android:orientation="vertical">
                    <ImageView</pre>
                         android:layout_width="match_parent"
                         android:layout_height="200dp"
                         android:src="@drawable/alarm"
                         android:scaleType="fitXY"/>
                    <LinearLayout
                         android:layout width="match parent"
                         android:layout height="wrap content"
                         android:backgroundTint="#EAEFEA"
                         android:orientation="vertical"
                         android:padding="20dp">
                         <TextView
                             android:layout width="wrap content"
                             android:layout height="wrap content"
                             android:text="Create Alarm Time"
                             android:textStyle="bold"
                             android:textSize="15dp"/>
                         <TextView
                             android:layout_width="wrap_content"
                             android:layout_height="wrap_content"
                             android:layout marginTop="10dp"
                             android:layout_marginStart="10dp"
                             android:text=
                             "By pressing buttons, Alarm can be created and cancelled."/>
```

```
<TextView
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
                android:layout_marginStart="10dp"
                android:text=
                "Check Current time by looking below real digital clock."
                android:layout_marginTop="10dp"/>
            <TextClock
                android:id="@+id/show_time_tv"
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
                android:layout gravity="center"
                android:text="Show Time Here"
                android:textStyle="bold"
                android:layout_marginTop="10dp"
                android:textSize="15dp"/>
            <com.google.android.material.button.MaterialButton</pre>
                android:id="@+id/btn_set_alarm"
                android:layout_width="wrap_content"
                android:layout height="wrap content"
                app:cornerRadius="25dp"
                android:layout marginTop="10dp"
                app:icon="@drawable/ic_baseline_add_alarm_24"
                android:text="Create Alarm"
                android:textStyle="bold"
                android:textAllCaps="false"/>
        </LinearLayout>
    </LinearLayout>
</com.google.android.material.card.MaterialCardView>
<com.google.android.material.card.MaterialCardView</pre>
    android:id="@+id/cancel alarm card view"
    android:layout width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="20dp"
    android:layout_marginEnd="20dp"
    app:cardCornerRadius="15dp"
    app:cardElevation="10dp">
    <LinearLavout</pre>
        android:layout width="match parent"
        android:layout height="match parent"
        android:orientation="vertical">
        <ImageView</pre>
            android:layout width="match parent"
            android:layout height="200dp"
            android:scaleType="fitXY"
            android:src="@drawable/alarm" />
```

```
<LinearLayout
                            android:layout width="match parent"
                            android:layout_height="wrap_content"
                            android:backgroundTint="#EAEFEA"
                            android:orientation="vertical"
                            android:padding="20dp">
                            <TextView
                                android:layout width="wrap content"
                                android:layout_height="wrap_content"
                                android:text="Set Alarm Time"
                                android:textStyle="bold"
                                android:textSize="15dp"/>
                            <TextView
                                android:id="@+id/set_alarm_time"
                                android:layout_width="wrap_content"
                                android:layout_height="wrap_content"
                                android:layout_marginTop="10dp"
                                android:text="Time"
                                android:textStyle="bold"
                                android:textSize="15dp"/>
                            <com.google.android.material.button.MaterialButton</pre>
                                android:id="@+id/btn cancel alarm"
                                android:layout_width="wrap_content"
                                android:layout height="wrap content"
                                app:cornerRadius="25dp"
                                android:layout_marginTop="20dp"
                                app:icon="@drawable/ic_baseline_alarm_off_24"
                                android:text="Cancel Alarm"
                                android:textStyle="bold"
                                android:textAllCaps="false"/>
                        </LinearLayout>
                    </LinearLayout>
                </com.google.android.material.card.MaterialCardView>
            </LinearLayout>
       </androidx.core.widget.NestedScrollView>
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.kt

```
package com.example.madpractical7 21012022022
import android.app.AlarmManager
import android.app.PendingIntent
import android.app.TimePickerDialog
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.view.View
import android.widget.TextClock
import android.widget.TextView
import com.google.android.material.button.MaterialButton
import com.google.android.material.card.MaterialCardView
import java.util.*
class MainActivity : AppCompatActivity() {
   var mili:Long=0
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity main)
       val CancleAlarmCardView = findViewById<MaterialCardView>
        (R.id.cancel_alarm_card_view)
       val BtnCreateAlarm = findViewById<MaterialButton>(R.id.btn_set_alarm)
       val SetAlarmTime = findViewById<TextView>(R.id.set_alarm_time)
       val BtnCancelAlarm = findViewById<MaterialButton>(R.id.btn_cancel_alarm)
       val clockTC = findViewById<TextClock>(R.id.show time tv)
       clockTC.format12Hour = "hh:mm:ss a"
       CancleAlarmCardView.visibility=View.GONE
       BtnCreateAlarm.setOnClickListener {
            var cal:Calendar = Calendar.getInstance()
            var hour = cal.get(Calendar.HOUR_OF_DAY)
            var min = cal.get(Calendar.MINUTE)
            val tpd = TimePickerDialog(this,TimePickerDialog.OnTimeSetListener(function = {
            view, h, m ->
                mili=getMillis(h,m)
                setAlarm(getMillis(h,m), "Start")
                CancleAlarmCardView.visibility=View.VISIBLE
                SetAlarmTime.text=h.toString()+":"+m.toString()
            }),hour,min,false)
            tpd.show()
       }
       BtnCancelAlarm.setOnClickListener{
            setAlarm(mili, "Stop")
            CancleAlarmCardView.visibility=View.GONE
        }
    fun setAlarm(millisTime: Long, str: String)
```

Practical: 7

```
{
    val intent = Intent(this, AlarmBroadcastReceiver::class.java)
    intent.putExtra("Service1", str)
    val pendingIntent =
    PendingIntent.getBroadcast(applicationContext, 234324243, intent, 0)
    val alarmManager = getSystemService(ALARM SERVICE) as AlarmManager
    if(str == "Start") {
        alarmManager.setExact(
            AlarmManager.RTC_WAKEUP,
            millisTime,
            pendingIntent
    }else if(str == "Stop")
        alarmManager.cancel(pendingIntent)
        sendBroadcast(intent)
    }
}
fun getMillis(hour:Int,min:Int):Long
    val setcalendar = Calendar.getInstance()
    setcalendar[Calendar.HOUR_OF_DAY] = hour
    setcalendar[Calendar.MINUTE] = min
    setcalendar[Calendar.SECOND] = 0
    return setcalendar.timeInMillis
}
```


AlarmBroadcastReceiver.kt

```
package com.example.madpractical7_21012022022
import android.content.BroadcastReceiver
import android.content.Context
import android.content.Intent
class AlarmBroadcastReceiver : BroadcastReceiver() {
   override fun onReceive(context: Context, intent: Intent) {
        val str1 = intent.getStringExtra("Service1")
        if(str1 == "Start" || str1 == "Stop")
            val intentService = Intent(context, AlarmService::class.java)
            intentService.putExtra("Service1", intent.getStringExtra("Service1"))
            if(str1 == "Start")
                context.startService(intentService)
            else if(str1=="Stop") {
                context.stopService(intentService)
            }
        }
    }
```

AlarmService.kt

```
package com.example.madpractical7_21012022022
import android.app.Service
import android.content.Intent
import android.media.MediaPlayer
import android.os.IBinder
class AlarmService : Service() {
   var mp: MediaPlayer? = null
    override fun onBind(intent: Intent): IBinder {
        TODO("Return the communication channel to the service.")
    override fun onStartCommand(intent: Intent?, flags: Int, startId: Int): Int {
        if(intent != null) {
            mp = MediaPlayer.create(this, R.raw.alarm);
            mp?.start()
        return START_STICKY
   override fun onDestroy() {
        mp?.stop()
        super.onDestroy()
    }
}
```

Resource:



Output:

